
tabra



Long Lasting SPF Day wear

Long Lasting Day Wear SPF 20 combines different encapsulated UV filters to ensure full protection and guarantee a perfect matte finish. The encapsulated pigments diffuse on the skin upon application to match perfectly with a person's natural skin tone and leave a uniform and smooth complexion. Applied to clean skin, this formula guarantees a red-carpet look, that lasts all day, no matter the camera flashes!



SunCaps™, AvoCap™, OctoCap™, and OctiCap™ ensure a full UV SPF20 protection



CameleonCap™ Red, Yellow, and Black allow a perfect match to natural skin tone.

Preservative-free | Not tested on animals | Not derived from animal origin | China compliant

Long Lasting SPF Day Wear					
	Ingredient	**INCI Name**	**%**	**Supplier**	**Function**
A	**HCO-100**	POE(100) hydrogenated castor oil	2.80		Emulsifier
	Dow Corning® RSN-0749 Resin	Cyclopentasiloxane (and) Trimethylsiloxysilicate	5.90	Dow chemical	Film forming
	Gransurf 50C-HM	Dimethicone (and) PEG/PPG-18/18 dimethicone	8.00	Grant Industries, Inc.	Water-in-oil emulsifier
	Gransil WO	Cyclopentasiloxane (and) Polysilicone-11 (and) Glyceryl Laurate (and) Cetyl PEG/ PPG-10/1 Dimethicone (and) PEG/PPG-18/18 Dimethicone	8.00	Grant Industries, Inc.	Elastomer
	Dow Corning® 5225C Formulation Aid	Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone	6.60	Dow chemical	Emulsifier
	DOWSIL™ 556 Cosmetic Grade Fluid	Phenyl Trimethicone	4.80	Dow chemical	Emollient
	XIAMETER™ PMX-0246 Cyclohexasiloxane	Cyclohexasiloxane (and) Cyclopentasiloxane	9.40		Emollient
	Verstatil® PC	henoxyethanol (and) Caprylyl Glycol	1.00	Evonik Dr. Straetmans GmbH	Preservative
B	**AvoCap**	Butyl Methoxydibenzoylmethane (and) Octocrylene (and) Cellulose Acetate	5.30	Tagra	Sunscreen
	OctiCap	Ethylhexyl Salicylate (and) Cellulose Acetate	14.00	Tagra	Sunscreen
	OctoCap	Octocrylene(and) Cellulose Acetate	12.90	Tagra	Sunscreen
C	**Water(HPLC)**	water	15.80		
	Zemaea	Propanediol	2.80	DuPont	Humectant
	RonaCare® Ectoin	Ectoin	0.60	Merck KGaA	Skin conditioning agent
	Sodium chlorid	Sodium chlorid	0.70		
	EDTA	EDTA	0.20		
D	**Cameleon Yellow**	Iron Oxide (CI 77492), Titanium Dioxide,Acrylate/ Ammonium Methacrylate Copolymer, Cellulose Acetate, Magnesium Stearate, Propylene Glycol Stearate	1.30	Tagra	Pigment
	Cameleon Black	Iron Oxide (CI 77499), Titanium Dioxide, Acrylate/ Ammonium Methacrylate Copolymer, Cellulose Acetate, Magnesium Stearate, Propylene Glycol Stearate	0.20	Tagra	Pigment
	Cameleon Red	Iron Oxide (CI 77491), Titanium Dioxide, Acrylate/ Ammonium Methacrylate Copolymer, Cellulose Acetate, Magnesium Stearate, Propylene Glycol Stearate	0.40	Tagra	Pigment

Method of manufacturer:

Mix phase A 5 min at 300 rpm at 800C. Add phase B gradually to A under mixing 400rpm/80C. Mix for another 2min at400rpm/80C. Homogenize the mixture for 3 min/80C/13k rpm. Mix phase C 15 min at 300 rpm at 900C. Add phase C very gradually to AB under homoginization 15.6k rpm/80C. Homogenize the mixture for 2 min/80C/16k rpm. Continue mixing at 200rpm (without heating) until the temp of the base is between 25-30C. Add phase D gradually to the mixture of ABC under mixing 200RPM for 10 min with a paddle.

This document is merely intended to serve as a suggested formulation without any guarantee of performance, efficacy, safety and regulatory compliance. Its reproduction will be under customer responsibility. We don't assume any liability or risk involved in the use of this information or concerning patent rights.