


- CP01 649.3 SQ M
- CP02 82.6 SQ M
- FT01 59.6 SQ M
- VS01 265.6 SQ M
- VS02 83.0 SQ M
- VS03 44.4 SQ M
- MT01 18.5 SQ M
- ST01 43.6 SQ M
- TG02 5.7 SQ M
- TACTILE 1.1 SQ M




1 CHURCH AUDITORIUM FINISHES AND WALL TYPE PLAN
1:100

- PB01 - 2700 61.0 SQ M
- PB01 - 55... 185.7 SQ M
- PB01 - 5700 12.3 SQ M
- PB01 - 30... 248.0 SQ M
- PB02 - 2700 59.3 SQ M
- PB01 - 7000 29.9 SQ M
- AC01 - 62... 77.2 SQ M
- PB01 - 70... 274.5 SQ M
- PB01 - 3600 39.6 SQ M
- PB01 - 2800 13.4 SQ M
- PB01 - 62... 121.9 SQ M
- LM04 - 3650 27.3 SQ M
- LM05 6.9 SQ M
- FC01 - 36... 270.4 SQ M
- Downlight 303.0 EA
- Motion Det. 20.0 EA
- Recessed E... 31.0 EA
- Skylight 6.0 EA
- Exit Emerge... 18.0 EA
- Recessed LE... 78.3 M
- Uplight 27.0 EA
- Wall Light 1 4.0 EA
- Wall Light 2 4.0 EA
- Supply Air - S... 7.0 EA
- Supply Air - S... 16.0 EA
- Supply Air - S... 8.0 EA
- 1200 x 600 - R... 4.0 EA
- 600 x 600 - R... 2.0 EA
- 400 x 400 - R... 19.0 EA
- 300 x 300 - R... 4.0 EA
- Air Condition... 10.0 EA
- Temperature... 13.0 EA
- Air Condition... 4.0 EA
- Wall Light St... 20.0 EA
- Wall Light D... 28.0 EA
- Radiant Heater 9.0 EA
- Radiant Heat... 7.0 EA



1 CHURCH AUDITORIUM DESIGN PROPOSED CEILING PLAN SETOUT


LM02	3.6 M	
LM06	1.7 SQ M	
LM03	2.7 M	
VINYL FLOORING COVING	9.5 M	



1 CRECHE 02 PLAN
1:20




2 CRECHE 02 ELEVATION A
1:20




Wedge Fillet
Dissimulating strip used to equalise the thickness difference between coved floor vinyl and Wallflex wall vinyl, allowing a fully heat welded installation.

Cove Fillet
Provides a properly shaped radius section at floor to wall transition to act as a supporting base for coved sheet vinyl flooring. Available in 20mm x 20mm & 32mm x 32mm.


VINYL FLOORING COVING DETAIL



3 CRECHE 02 ELEVATION B
1:20



1 DISABLED - PLAN
1:20



2 DISABLED - ELEVATION A
1:20

NOTES


- 1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH SITE CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO COMMENCEMENT OF WORK.
- 2. DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
- 3. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 4. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 5. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 6. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 7. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 8. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 9. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 10. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.

ITEM	DETAILS	QTY	MATERIALS
6001	PAPER COMPRESSOR & BINS	2700	WALL TILES (F&B)
6002	PAPER COMPRESSOR & BINS	2700	FLOOR TILES (F&B)
6003	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6004	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6005	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6006	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6007	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6008	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6009	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6010	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6011	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6012	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6013	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6014	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6015	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6016	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6017	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6018	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6019	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6020	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)


CT02	29.1 SQ M
FS01	1.0 EA
FC01	1.0 EA
TS02	1.0 EA
GR01	2.0 EA
SH01	1.0 EA
TH01	1.0 EA
SF01	1.0 EA
CH01	2.0 EA



3 DISABLED - ELEVATION B
1:20




4 DISABLED - ELEVATION C
1:20



5 DISABLED - ELEVATION D
1:20

CT02	38.6 SQ M
TS01	5.0 EA
HD01	2.0 EA
BN02	1.0 EA
SD01	2.0 EA
HB03	1.0 EA
GR02	2.0 EA
TA02	3.0 EA
TH01	5.0 EA



1 FEMALE TOILET - PLAN
1:20



2 FEMALE TOILET - ELEVATION A
1:20

NOTES


- 1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH SITE CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO COMMENCEMENT OF WORK.
- 2. DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
- 3. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 4. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 5. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 6. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 7. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 8. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 9. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.
- 10. ALL MATERIALS SHALL BE OF THE QUALITY AND TYPE SPECIFIED IN THE SPECIFICATIONS AND SHALL BE SUBJECT TO THE ARCHITECT'S APPROVAL.

ITEM	DETAILS	QTY	MATERIALS
6001	PAPER COMPRESSOR & BINS	2700	WALL TILES (F&B)
6002	PAPER COMPRESSOR & BINS	2700	FLOOR TILES (F&B)
6003	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6004	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6005	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6006	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6007	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6008	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6009	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6010	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6011	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6012	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6013	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6014	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6015	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6016	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6017	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6018	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6019	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)
6020	TOILET PAPER	100	WHITE CERAMIC TILE (F&B)

6 BN02 DETAIL
1:10




3 FEMALE TOILET - ELEVATION B
1:20



4 FEMALE TOILET - ELEVATION C
1:20




5 FEMALE TOILET - ELEVATION D
1:20



1 MALE TOILET - PLAN
1:20

- NOTES**
- 1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH SITE CONDITIONS AND REFER ANY DISCREPANCIES TO THE SUPERINTENDENT PRIOR TO COMMENCING WORK.
 - 2. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 3. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 4. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 5. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 6. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 7. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 8. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 9. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 10. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.


ITEM	QUANTITY	UNIT	DESCRIPTION
CT02	1	SQ M	CEILING
TS01	1	EA	TOILET
HB03	1	EA	BASIN
HD01	1	EA	DOOR
SD01	1	EA	SHOWER
UR01	1	EA	URINAL
BN02	1	EA	BENCH
TA02	1	EA	TAP
GR02	1	EA	GRATE
TH01	1	EA	TOILET



2 MALE TOILET - ELEVATION A
1:20




3 MALE TOILET - ELEVATION B
1:20




4 MALE TOILET - ELEVATION C
1:20




5 MALE TOILET - ELEVATION D
1:20



1 STAFF FEMALE TOILET - PLAN
1:20



2 STAFF FEMALE TOILET - ELEVATION A
1:20



6 BN01 DETAIL
1:10

- NOTES**
- 1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH SITE CONDITIONS AND REFER ANY DISCREPANCIES TO THE SUPERINTENDENT PRIOR TO COMMENCING WORK.
 - 2. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 3. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 4. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 5. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 6. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 7. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 8. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 9. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.
 - 10. ALL DIMENSIONS SHALL BE TO THE FACE UNLESS SPECIFIED OTHERWISE.

ITEM	QUANTITY	UNIT	DESCRIPTION
CT02	1	SQ M	CEILING
TS01	1	EA	TOILET
HB03	1	EA	BASIN
HD01	1	EA	DOOR
SD01	1	EA	SHOWER
UR01	1	EA	URINAL
BN02	1	EA	BENCH
TA02	1	EA	TAP
GR02	1	EA	GRATE
TH01	1	EA	TOILET

CT02	24.8 SQ M
TS01	2.0 EA
TH01	2.0 EA
TA02	1.0 EA
HD01	1.0 EA
HB01	1.0 EA
BN01	1.0 EA




3 STAFF FEMALE TOILET - ELEVATION B
1:20



4 STAFF FEMALE TOILET - ELEVATION C
1:20








5 STAFF FEMALE TOILET - ELEVATION D
1:20




- NOTES**
- THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH THE ARCHITECT AND REPORT ANY DISCREPANCIES TO THE SUPERINTENDENT PRIOR TO COMMENCEMENT OF WORK.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.

CODE	DESCRIPTION	CODE	DESCRIPTION
CT02	CEILING TILES	CT02	CEILING TILES
TS01	TOILET STALL	TS01	TOILET STALL
TH01	TOILET HATCH	TH01	TOILET HATCH
HB01	HAND BASIN	HB01	HAND BASIN
TA02	TOILET ACCESS	TA02	TOILET ACCESS
BN01	BATHING	BN01	BATHING
HD01	HAND DRYER	HD01	HAND DRYER
UR01	URINAL	UR01	URINAL

CT02	24.6 SQ M
TS01	1.0 EA
TH01	1.0 EA
HB01	1.0 EA
TA02	1.0 EA
BN01	1.0 EA
HD01	1.0 EA
UR01	1.0 EA



- SG1 1.0 EA
- SG2 1.0 EA
- SG3 1.0 EA
- SG4 1.0 EA
- SG5 1.0 EA
- SG6 1.0 EA
- SG7 1.0 EA
- SG8 2.0 EA
- SG10 1.0 EA
- SG11 4.0 EA
- SG12 1.0 EA
- SG13 1.0 EA
- SG14 2.0 EA
- SG9A 1.0 EA
- SG9B 1.0 EA
- EX1 23.0 EA
- EX2 3.0 EA
- WF1 1.0 EA
- WF2 1.0 EA
- WF3 1.0 EA
- WF4 1.0 EA
- FHR 2.0 EA



1 CHURCH AUDITORIUM SIGNAGE PLAN
1 : 100