

Business cooperation

Add to desktop

Change of operating entity

Publish work

Body				
Length (mm).	4810	4810	4810	4810
Width (mm).	1920	1920	1920	1920
Height(mm).	1675	1675	1675	1675
Wheelbase (mm).	2820	2820	2820	2820
Front track width (mm).	1640	1640	1640	1640
Rear track width (mm).	1665	1665	1665	1665
Minimum ground clearance (mm).	-	-	-	-
Body structure	SUV	SUV	SUV	SUV
Number of car doors	5	5	5	5
Car door opening method	Hinged door 	Hinged door	Hinged door	Hinged door
Number of seats	5	5	5	5
Curb weight (kg).	1970	2080	1970	2080
Full load mass (kg).	2425	2535	2425	2535
Towing weight (kg).	-	-	-	-
Front luggage compartment volume (L).	142	142	142	142
Luggage compartment volume (L).	757-1630	757-1630	757-1630	757-1630
Minimum turning radius	5.55m	5.55m	5.55m	5.55m
Drag coefficient (Cd).	0.28	0.28	0.28	0.28
electric motor				
Electric motor description	326 horsepower pure electric	367 horsepower pure electric	326 horsepower pure electric	367 horsepower pure electric
Motor type	Permanent magnet/synchronous 	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total power of electric motors (kW).	240kW (326Ps)	270kW (367Ps)	240kW (326Ps)	270kW (367Ps)
Total horsepower of electric motors (Ps).	326	367	326	367
Total torque of the electric motor (N·m).	305	305	305	305
Maximum power of the rear motor (kW).	240	270	240	270
Maximum torque of the rear motor (N·m).	305	305	305	305
Number of drive motors	single motor	single motor	single motor	single motor
Motor layout	Rear	Rear	Rear	Rear
Battery/Charging				

				
	Business cooperation	Add to desktop	Change of operating entity	Publish work
Battery Featured Technology	Blade Battery 	Blade Battery	Blade Battery	Blade Batter
Battery cell brands	Freddie	Freddie	Freddie	Freddie
Battery pack warranty	Lifetime warranty for the first owner (exclusions are subject to official terms).	Lifetime warranty for the first owner (exclusions are subject to official terms).	Lifetime warranty for the first owner (exclusions are subject to official terms).	Lifetime war first owner (subject to of
Battery capacity (kWh)	69.07	82.73	69.07	82.73
Battery energy density (Wh/kg)	-	-	-	-
Battery charging rate	-	-	-	-
Battery charging	Fast charging in 5 minutes	Fast charging in 5 minutes	Fast charging in 5 minutes	Fast charging
	• fast charging interface	• fast charging interface	• fast charging interface	• fast charg
Maximum fast charging power (kW)	-	-	-	-
Fast charging port location	Right side fuel tank position	Right side fuel tank position	Right side fuel tank position	Right side fu
slow charging port location	Right side fuel tank position	Right side fuel tank position	Right side fuel tank position	Right side fu
Battery heating system	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Battery cooling system	• direct cooling	• direct cooling	• direct cooling	• direct coo
Single pedal mode	-	-	-	-
VTOL mobile power station function	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
VTOL maximum external discharge power	6kW	6kW	6kW	6kW
VTOV maximum external discharge power	-	-	-	-
gearbox				
Gearbox Description	Electric vehicle single-speed gearbox 	Electric vehicle single-speed gearbox	Electric vehicle single-speed gearbox	Electric vehic gearbox
Number of gears	1	1	1	1
Transmission type	Fixed gear ratio gearbox 	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ra
Chassis/Steering				
driving method	Rear-engine, rear-wheel drive	Rear-engine, rear-wheel drive	Rear-engine, rear-wheel drive	Rear-engine drive
Front suspension	Linkage strut independent suspension	Linkage strut independent suspension	Linkage strut independent suspension	Linkage stru suspension
Rear suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link in suspension
Steering type	Electric Assist 	Electric Assist	Electric Assist	Electric Assis
Vehicle body structure	Load-bearing 	Load-bearing	Load-bearing	Load-bearin
Wheels/Brakes				
Front brake type	Ventilation disc 	Ventilation disc	Ventilation disc	Ventilation c

	Business cooperation	Add to desktop	Change of operating entity	Publish work
Parking brake type	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications and dimensions	235/55 R19	235/55 R19	235/55 R19	235/55 R19
Rear tire specifications and dimensions	235/55 R19	235/55 R19	235/55 R19	235/55 R19
Spare tire specifications	-	-	-	-
Spare tire placement method	-	-	-	-
Active safety • Standard configuration ◦ Optional - none				
ABS anti-lock braking system	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Active safety early warning system	• Lane departure warning	• Lane departure warning	• Lane departure warning	• Lane departure warning
	• Forward Collision Warning	• Forward Collision Warning	• Forward Collision Warning	• Forward Collision Warning
	• Rear Collision Warning	• Rear Collision Warning	• Rear Collision Warning	• Rear Collision Warning
	• Rear Cross Traffic Alert	• Rear Cross Traffic Alert	• Rear Cross Traffic Alert	• Rear Cross Traffic Alert
	• DOW Door Opening Warning	• DOW Door Opening Warning	• DOW Door Opening Warning	• DOW Door Opening Warning
	• Traffic crossing warning ahead	• Traffic crossing warning ahead	• Traffic crossing warning ahead	• Traffic crossing warning ahead
	• Braking for traffic ahead	• Braking for traffic ahead	• Braking for traffic ahead	• Braking for traffic ahead
Active braking	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Lane change assist	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Lane Keeping Assist	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Lane centering	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Fatigue driving warning	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Active DMS fatigue detection	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
In-vehicle vital signs detection	-	-	-	-
Road traffic sign recognition	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Traffic light recognition	◦ Optional	◦ Optional	◦ Optional	◦ Optional
Night vision system	-	-	-	-
passive safety • Standard configuration ◦ Optional - none				

	Business cooperation	Add to desktop	Change of operating entity	Publish work
	• Passenger seat	• Passenger seat	• Passenger seat	• Passenger
Side airbags	• Front row	• Front row	• Front row	• Front row
Side curtain airbags	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Front knee airbags	–	–	–	–
Central airbag	• Front row	• Front row	• Front row	• Front row
Seatbelt reminder	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Tire pressure monitoring system	• Tire pressure display 	• Tire pressure display	• Tire pressure display	• Tire pressu
Child car seat interface (ISOFIX)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Passive pedestrian protection	–	–	–	–
Safety tires	–	–	–	–
Assist/Control Configuration	• Standard configuration ◦ Optional – none			
Parking radar	• forward	• forward	• forward	• forward
	• back	• back	• back	• back
Narrow Road Assist	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Driving assistance imaging	• Reversing camera 	• Reversing camera	• Reversing camera	• Reversing
	• 360° panoramic imaging 	• 360° panoramic imaging	• 360° panoramic imaging	• 360° panc
	• Transparent Image	• Transparent Image	• Transparent Image	• Transparei
Cruise system	• cruise control 	• cruise control	• cruise control	• cruise con
	• Adaptive cruise control 	• Adaptive cruise control	• Adaptive cruise control	• Adaptive c
	• Full-speed adaptive cruise control 	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control	• Full-speed control
Automatic lane change assist	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Automatic exit (entry) from the ramp.	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Navigation-assisted driving	• High-speed navigation	• High-speed navigation	• High-speed navigation	• High-spee
	◦ City Navigator	◦ City Navigator	◦ City Navigator	◦ City Navig
Assisted driving level	• Level 2 	• Level 2	• Level 2	• Level 2
Automatic parking	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Reverse Tracking	–	–	–	–
Memory Parking	–	–	–	–
Automated valet parking	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Automatic parking (AUTOHOLD)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Hill Start Assist (HAC)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
High-Descent Control (HDC)	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c

	 Business cooperation	 Add to desktop	 Change of operating entity	 Publish work
air suspension	-	-	-	-
Air suspension type	-	-	-	-
Electromagnetic induction suspension	-	-	-	-
Variable steering ratio system	-	-	-	-
Front axle limited slip system	-	-	-	-
Rear axle limited slip system	-	-	-	-
Central differential lock function	-	-	-	-
Low-speed four-wheel drive	-	-	-	-
Overall active steering system	-	-	-	-
Unique U-turn technology	-	-	-	-
Driving mode selection	• sports	• sports	• sports	• sports
	• snow	• snow	• snow	• snow
	• ECO/Economy	• ECO/Economy	• ECO/Economy	• ECO/Econ
	• Standard Comfort	• Standard Comfort	• Standard Comfort	• Standard C
External configuration • Standard configuration ◦ Optional - none				
Skylight type	• Panoramic Sky Screen	• Panoramic Sky Screen	• Panoramic Sky Screen	• Panoramic
Panoramic Sunshade	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Intelligent dimming canopy	-	-	-	-
Roof rack	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Sport appearance kit	-	-	-	-
Electric spoiler	-	-	-	-
Active grille shutters	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Aluminum alloy wheels	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Side foot pedals	-	-	-	-
Frameless design car doors	-	-	-	-
Concealed door handles	-	-	-	-
Drag hook	-	-	-	-
Internal configuration • Standard configuration ◦ Optional - none				
Steering wheel material	• leather	• leather	• leather	• leather
Steering wheel adjustment	• Up and down + front and back	• Up and down + front and back	• Up and down + front and back	• Up and dc back
Electric steering wheel adjustment	-	-	-	-
	• Multifunctional control	• Multifunctional control	• Multifunctional control	• Multifunct

	 Business cooperation	 Add to desktop	 Change of operating entity	 Publish work
Gear shifting	• Electronic shifter	• Electronic shifter	• Electronic shifter	• Electronic
LCD instrument panel style	• Full LCD	• Full LCD	• Full LCD	• Full LCD
LCD instrument panel dimensions (inches)	• 10.25	• 10.25	• 10.25	• 10.25
Comfort/Anti-theft features	• Standard configuration ◦ Optional – none			
Electric soft-close door	–	–	–	–
Electric tailgate	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Sensor-activated tailgate	–	–	–	–
Electric tailgate position memory	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Central locking	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Remote key type	• Smart remote key 	• Smart remote key	• Smart remote key	• Smart rem
	• Mobile Bluetooth Key	• Mobile Bluetooth Key	• Mobile Bluetooth Key	• Mobile Bl
	• NFC/RFID Key	• NFC/RFID Key	• NFC/RFID Key	• NFC/RFID
Keyless entry	• Front row	• Front row	• Front row	• Front row
Keyless start	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Remote Start	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Remote-controlled moving vehicle	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Vehicle summoning function	–	–	–	–
Head-up display (HUD) system	–	–	• Standard configuration	• Standard c
HUD projection size (inches)	–	–	• 26	• 26
Built-in dashcam	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Original ETC	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Active noise cancellation	–	–	–	–
Wireless charging for mobile phones	• First row 50W	• First row 50W	• First row 50W	• First row 5
110V/220V/230V power socket	–	–	–	–
12V power outlet in luggage compartment	–	–	–	–
Seating configuration	• Standard configuration ◦ Optional – none			
Seat material	• imitation leather	• imitation leather	• imitation leather	• imitation l
Sporty seats	–	–	–	–
Seating layout	• 2+3	• 2+3	• 2+3	• 2+3
Second row individual seats	–	–	–	–
Electric seat adjustment	• Driver's seat	• Driver's seat	• Driver's seat	• Driver's se
	• Passenger seat	• Passenger seat	• Passenger seat	• Passenger

	 Business cooperation	 Add to desktop	 Change of operating entity	 Publish work
	• Move forward and backward	• Move forward and backward	• Move forward and backward	• Move forward and backward
Driver's seat overall adjustment	• Backrest angle	• Backrest angle	• Backrest angle	• Backrest angle
	• High and low adjustment	• High and low adjustment	• High and low adjustment	• High and low adjustment
Driver's seat partial adjustment	• headrest	• headrest	• headrest	• headrest
	-	-	• waist	• waist
passenger seat overall adjustment	• Move forward and backward	• Move forward and backward	• Move forward and backward	• Move forward and backward
	• Backrest angle	• Backrest angle	• Backrest angle	• Backrest angle
Partial adjustment of the passenger seat	• headrest	• headrest	• headrest	• headrest
	-	-	• waist	• waist
	-	-	• Leg rest	• Leg rest
Second row seats are fully adjustable.	• Backrest angle adjustment	• Backrest angle adjustment	• Backrest angle adjustment	• Backrest angle adjustment
Second-row seats with partial adjustment	-	-	-	-
Front seat functions	• heating	• heating	• heating	• heating
	• ventilation	• ventilation	• ventilation	• ventilation
	• memory	• memory	• memory	• memory
	-	-	• massage	• massage
Second-row seat functions	-	-	-	-
Third-row seat function	-	-	-	-
Boss key.	-	-	-	-
Front/rear armrests	• Front row	• Front row	• Front row	• Front row
	• Back row	• Back row	• Back row	• Back row
Rear cup holders	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Heated/cooled cup holder	-	-	-	-
Rear seat folding ratio	• 40:60	• 40:60	• 40:60	• 40:60
Rear seats can be folded down electrically.	-	-	-	-
Second row of small tables	-	-	-	-
Smart Interconnection • Standard configuration ○ Optional - none				
Central control screen size (inches).	• 15.6	• 15.6	• 15.6	• 15.6
Central control screen material	-	-	-	-
Satellite navigation system	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
AR Real-View Navigation	-	-	-	-
Roadside assistance services	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration

	Business cooperation	Add to desktop	Change of operating entity	Publish work
Mobile phone interconnection mapping	• HUAWEI HiCar	• HUAWEI HiCar	• HUAWEI HiCar	• HUAWEI HiCar
	• Carlink	• Carlink	• Carlink	• Carlink
Connected Vehicles	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
4G/5G networks	• 5G	• 5G	• 5G	• 5G
OTA upgrade	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Facial recognition	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Fingerprint recognition	-	-	-	-
Voiceprint recognition	-	-	-	-
Voice recognition control system	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Voice wake-up-free function	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Voice regional wake-up recognition function	• Four registers	• Four registers	• Four registers	• Four registers
Continuous speech recognition	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
What is visible can be said	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Voice assistant wake word	Hello Xiaodi	Hello Xiaodi	Hello Xiaodi	Hello Xiaodi
Gesture control function	-	-	-	-
Wi-Fi hotspot	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none			
Multi-finger swipe control	-	-	-	-
App Store	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
Number of USB/Type-C ports	• Two in the front row • Two in the back row	• Two in the front row • Two in the back row	• Two in the front row • Two in the back row	• Two in the front row • Two in the back row
USB/Type-C maximum charging power	-	-	-	-
Car TV	-	-	-	-
Rear LCD screen	-	-	-	-
Simulated sound waves	-	-	-	-
Audio Brands	-	-	• Dynaudio	• Dynaudio
Number of speakers	• 8	• 8	• 12	• 12
Sky Channel	-	-	• Standard configuration	• Standard configuration
Rear multimedia control	-	-	-	-
Lighting configuration	• Standard configuration ◦ Optional - none			
low beam headlights	• led 	• led	• led	• led
High beams	• led	• led	• led	• led
Daytime running lights	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration

	 Business cooperation	 Add to desktop	 Change of operating entity	 Publish work
Automatic headlights	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Turning auxiliary lights	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Front fog lights	-	-	-	-
Adaptive Front-lighting System (AFS)	-	-	-	-
Headlight height adjustment	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Headlight washing function	-	-	-	-
Interior ambient lighting	• 127 colors	• 127 colors	• 127 colors	• 127 colors
Active ambient lighting	-	-	• Standard configuration	• Standard c
Lighting features	-	-	-	-
Light projection technology	-	-	-	-
Headlights delayed shut off	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Headlight rain/fog mode	-	-	-	-
Glass/Rearview Mirror • Standard configuration ◦ Optional - none				
Electric windows	• Front row	• Front row	• Front row	• Front row
	• Back row	• Back row	• Back row	• Back row
One-touch window operation	• The whole vehicle	• The whole vehicle	• The whole vehicle	• The whole
Anti-pinch function for car windows	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric ad
	• heating	• heating	• heating	• heating
	• Electric folding	• Electric folding	• Electric folding	• Electric fo
	• memory	• memory	• memory	• memory
	• Automatic tilting when reversing	• Automatic tilting when reversing	• Automatic tilting when reversing	• Automatic reversing
	• Automatic folding when locking	• Automatic folding when locking	• Automatic folding when locking	• Automatic locking
Interior rearview mirror function	-	-	• Automatic anti-glare	• Automatic
Car vanity mirror	• Driver's seat + lighting	• Driver's seat + lighting	• Driver's seat + lighting	• Driver's se
	• Passenger seat with lighting	• Passenger seat with lighting	• Passenger seat with lighting	• Passenger lighting
Rear privacy glass	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Car interior sunshade	-	-	-	-
Rain-sensing wipers	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Rear wiper	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Rear window open	-	-	-	-

Business cooperation Add to desktop Change of operating entity Publish work				
Electric windshield heating	-	-	-	-
Heated water nozzle	-	-	-	-
Air conditioner/refrigerator • Standard configuration ◦ Optional - none				
Air conditioning control methods	• automatic	• automatic	• automatic	• automatic
Rear independent air conditioning	-	-	-	-
Rear air vents	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
Temperature zone control	• Dual-zone air conditioning	• Dual-zone air conditioning	• Dual-zone air conditioning	• Dual-zone conditioni
Car air purifier	-	-	-	-
In-car PM2.5 filter	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c
negative ion generator	-	-	-	-
In-car fragrance device	-	-	• Standard configuration	• Standard c
AQS Air Quality Management System	-	-	-	-
Car refrigerator	-	-	• Standard configuration	• Standard c
Car refrigerator function	-	-	• heating	• heating
	-	-	• refrigeration	• refrigerati
	-	-	• freezing	• freezing
Intelligent configuration				
Assisted driving operating system	• DiPilot 100	• DiPilot 100	• DiPilot 100	• DiPilot 100
Assisted driving chip	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	• NVIDIA DI
	◦ NVIDIA DRIVE Orin X	◦ NVIDIA DRIVE Orin X	◦ NVIDIA DRIVE Orin X	◦ NVIDIA DI
Computing power (TOPS) of driver assistance chips	• 84	• 84	• 84	• 84
	◦ 254	◦ 254	◦ 254	◦ 254
In-vehicle intelligent system	• DiLink	• DiLink	• DiLink	• DiLink
Vehicle infotainment system memory (GB)	• 12	• 12	• 12	• 12
Vehicle infotainment system storage (GB)	• 128	• 128	• 128	• 128
	-	-	-	-
Remote control via mobile app	• Digital Key	• Digital Key	• Digital Key	• Digital Key
	• Vehicle monitoring	• Vehicle monitoring	• Vehicle monitoring	• Vehicle m
	• Remote control	• Remote control	• Remote control	• Remote cc
	• Charging Management	• Charging Management	• Charging Management	• Charging
	• Service Appointment	• Service Appointment	• Service Appointment	• Service Ap
Heat pump management system	• Standard configuration	• Standard configuration	• Standard configuration	• Standard c

Business cooperation

Add to desktop

Change of operating entity

Publish work

Number of exterior cameras (units)	• 11	• 11	• 11	• 11
External camera pixels	-	-	-	-
Number of in-vehicle cameras	• 1	• 1	• 1	• 1
In-car camera pixels	-	-	-	-
Number of ultrasonic radars (units)	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 3	• 3	• 3	• 3
Number of lidar units	◦ 1	◦ 1	◦ 1	◦ 1
High-precision map	-	-	-	-
Sentinel (Eyes) Mode	• Standard configuration	• Standard configuration	• Standard configuration	• Standard configuration
V2X communication	-	-	-	-
Optional Package • Standard configuration ◦ Optional - none				
Customized options	Optional exterior, interior, wheels, and brakes	Optional exterior, interior, wheels, and brakes	Optional exterior, interior, wheels, and brakes	Optional exterior, interior, wheels, and brakes

*The above specifications are for reference only. Please refer to the actual vehicle for details. [View parameter configuration details](#) >