

Z-Box Injection Molding

◆ 3 runners, available for shelves

Name	Outer dimension (mm)	Inner dimension (mm)	Folding height (mm)	Max loading (kg)	Max stacks (kg)	Tare (kg)	Entry type
Z945	945×735×820	887×677×675	235	600	1500	17	3 runners
Z1210	1200×1000×1000	1130×930×820	210/230	600	1500	24/27	9 feet/3 runners
Z1210 (twin sheet blow molding lid)	1200×1000×1000	1150×950×820	235	800	1600	25	3 runners/steel pipe needed
Z1240	1240×835×1000	1175×770×790	210/260	800	1600	21.5	3 runners/steel pipe needed
Z1135	1135×1005×1000	1070×940×830	245	800	2000	27	3 runners/steel pipe needed
Z980	1140×980×1000	1065×905×820	210/235	600	1500	22/25	9 feet/3 runners

Remark: Heights listed above are universal ones, other height can be customized.



Name	Outer dimension (mm)	Inner dimension (mm)	Folding height (mm)	Max loading (kg)	Max stacks (kg)	Tare (kg)	Entry type
C1210	1200×1000×1000	1140×940×795	240	300	1500	21	9 feet
C1208	1200×800×745	1125×725×540	240	300	1500	20	9 feet
C1470	1470×1140×745	1405×1080×540	240	300	1500	30	9 feet
C1350	1350×1140×1000	1280×1080×795	240	300	1500	27	9 feet
C980	1140×980×1000	1080×928×795	240	300	1500	20	9 feet
C11	1100×1100×1000	1040×1040×795	240	300	1500	20	9 feet
C1150	1150×1150×1000	1090×1090×795	240	300	1500	23	9 feet
C1080	1000×800×800	935×735×601	250	600	1500	13	9 feet
C1220	1220×1140×1000	1150×1080×795	240	500	1500	26	9 feet
C1600	1600×1140×1000	1540×1080×795	240	300	1500	35	9 feet
C985	1155×985×1000	1105×935×810	240	700	1500	20	9 feet

Remark: Heights listed above are universal ones, other height can be customized.



C-Box Twin Sheets Blow Molding

- ◆ Low weight
- ◆ When returning, the lid and pallet are recovered respectively, saving 87% transportation space



ZC-Box

Twin Sheets Blow Molding (Much More Loading Capacity)

- ◆ Different from other types of packaging containers, it has strong loading capacity (with steel pipes outside), up to 1 ton for single box
- ◆ The stacking load capacity is up to 2.5 tons

Name	Outer dimension (mm)	Inner dimension(mm)	Folding height (mm)	Max loading (kg)	Max stacks (kg)	Tare (kg)	Entry type
ZC2300	2300×1500×1180	2235×1435×965	320	1000	2500	85	15 feet
ZC86	800×600×700	735×535×515	240	500	1500	9	6 feet
ZC1210	1200×1000×1130	1140×940×940	260	1000	2500	26	9 feet
C1210(H)	1200×1000×1000	1140×940×770	285	1000	1500	26	9 feet(height 115)
ZC1470	1470×1145×1288	1405×1080×1068	300	1000	2500	49	9 feet
ZC11	1100×1100×1217	1030×1030×1030	260/285	1000	2500	26/32	9 feet/3 runners
ZC1350	1350×1140×1275	1285×1075×1075	260	1000	2500	35	9 feet
ZC1220	1220×1140×1275	1155×1075×1075	260	1000	2500	30	9 feet
ZC1420	1420×1145×1000	1355×1080×780	260	1000	2500	30.5	9 feet
ZC1150	1150×1150×1285	1085×1085×1085	260	1000	2500	27	9 feet
ZC1900	1900×1350×1180	1835×1285×940	260	1000	2500	64	9 feet
ZC1208	1200×800×945	1140×740×740	260	1000	2500	21	9 feet
C1208(H)	1200×800×945	1125×725×725	275	1000	2500	21	9 feet(height 115)
ZC1600	1600×1140×1280	1535×1075×1075	260	1000	2500	53	9 feet

Remark: Heights listed above are universal ones, other height can be customized.




Y-Box Casting Molding

- ◆ Strong impact resistance and loading capacity
- ◆ When returning, the sleeve is folded between lid and pallet, saving 80% transportation space

Name	Outer dimension (mm)	Inner dimension (mm)	Folding height (mm)	Max loading (kg)	Max stacks (kg)	Tare (kg)	Entry type
Y1210	1200×1000×1000	1135×935×820	220	500	2000	32	9 feet
Y1208	1200×800×745	1125×725×565	230	700	2000	27	9 feet
Y1450	1455×1135×745	1375×1050×565	237	500	2000	38	9 feet
Y1130	1135×730×745	1055×650×565	220	400	2000	20	6 feet
Y980	1140×980×1000	1060×900×820	220	700	2000	31	9 feet
Y11	1140×1140×1000	1062×1062×820	230	700	2000	33	9 feet
Y600	1140×600×650	1065×520×470	220	400	2000	20	9 feet
Y86	815×615×650	740×535×570	230	400	2000	16	6 feet
Y1770	1770×1150×1150	1695×1075×938	250	500	2000	70	9 feet



Remark: Heights listed above are universal ones, other height can be customized.



X-Box Twin Sheets Blister

Name	Outer dimension (mm)	Inner dimension (mm)	Folding height (mm)	Max loading (kg)	Max stacks (kg)	Tare (kg)	Entry type
C1210	1200x1000x1000	1140x940x795	240	1000	2500	19	9 feet
C1470	1470x1140x745	1405x1080x540	240	1000	2500	29	9 feet

Remark: Heights listed above are universal ones, other height can be customized.



- ◆ Different from other types of packaging containers, it has strong loading capacity (with steel pipes inside), up to 1 ton for single box
- ◆ The stacking load capacity is up to 2.5 tons