

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

search

Q

Basic Inform...

Body

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Inter...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

249,800

Ask for the lowest price

nailed on the left side

ZEEKR 7X 2026 103kWh Rear-Wheel Drive Max...

<

+Comparison

>

Basic Information

Official guide price	249,800
Manufacturers	Extreme Krypton
level	Mid-size SUV
Energy type	pure electric
Launch date	October 2025
electric motor	503 horsepower pure electric
Pure electric range (km). Ministry of Industry and Information Technology	802
Pure electric range (km). CLTC	802
High-voltage fast charging platform	• 900V
Charging time	10 minutes of fast charging provides 14.7 hours of slow charging.
Fast charging capacity (%)	10-80
Maximum power (kW)	370kW (503Ps)
Maximum torque (N·m)	535
gearbox	Electric vehicle single-speed gearbox
Length x Width x Height (mm)	4825x1930x1666
Body structure	5-door 5-seater SUV
Maximum speed (km/h)	240
Official 0-100 km/h acceleration time (s)	5.1

Business cooperation

Add to desktop

Change of operating entity

(kWh/100km).	
Vehicle warranty period	4 years or 100,000 kilometers
First owner warranty period	6 years or 150,000 kilometers
Estimated total maintenance cost for 60,000 kilometers	471.0 yuan
Body	
Length (mm).	4825
Width (mm).	1930
Height(mm).	1666
Wheelbase (mm).	2925
Front track width (mm).	1649
Rear track width (mm).	1654
Minimum ground clearance (mm).	197
Body structure	SUV
Number of car doors	5
Car door opening method	Hinged door 
Number of seats	5
Curb weight (kg).	2350
Full load mass (kg).	2810
Towing weight (kg).	-
Front luggage compartment volume (L).	38
Luggage compartment volume (L).	905-1978
Minimum turning radius	5.8m
electric motor	
Electric motor description	503 horsepower pure electric
Motor type	Permanent magnet/synchronous 
Total power of electric motors (kW).	370kW (503Ps)
Total horsepower of electric motors (Ps).	503

Business cooperation

Add to desktop

Change of operating entity

Maximum power of the rear motor (kW).	370
Maximum torque of the rear motor (N·m).	535
Number of drive motors	single motor
Motor layout	Rear
Battery/Charging	
Battery Type	ternary lithium battery 
Battery Featured Technology.	Kirin Battery
Battery cell brands	Geely Times
Battery pack warranty.	Lifetime warranty for the first owner (exclusions are subject to official terms).
Battery capacity (kWh).	103
Battery energy density (Wh/kg).	-
Battery charging rate	• 6C
Battery charging	10 minutes of fast charging provides 14.7 hours of slow charging.
	• fast charging interface
Fast charging port location	Left fuel tank position
slow charging port location	Left fuel tank position
Battery heating system	• Standard configuration
Battery cooling system	• Liquid cooling
Single pedal mode	• Standard configuration
VTOL mobile power station function	• Standard configuration
VTOL maximum external discharge power	6kW
VTOV maximum external discharge power	60kW
gearbox	
Gearbox Description	Electric vehicle single-speed gearbox 
Number of gears	1
Transmission type	Fixed gear ratio gearbox 

Business cooperation

Add to desktop

Change of operating entity

driving_method	Rear-engine, rear-wheel drive
Front suspension	Double wishbone independent suspension
Rear suspension	Multi-link independent suspension
Steering type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	255/50 R19
Rear tire specifications and dimensions	255/50 R19
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ○ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead

Business cooperation

Add to desktop

Change of operating entity

Active braking	Standard configuration
Lane change assist	Standard configuration
Lane Keeping Assist	Standard configuration
Lane centering	Standard configuration
Fatigue driving warning	Standard configuration
Active DMS fatigue detection	Standard configuration
In-vehicle vital signs detection	Optional
Road traffic sign recognition	Standard configuration
Traffic light recognition	Standard configuration
Night vision system	-
passive safety - Standard configuration - Optional - none	
Front airbags	Driver's seat
	Passenger seat
Side airbags	Front row
Side curtain airbags	Standard configuration
Front knee airbags	-
Central airbag	Front row
Seatbelt reminder	Standard configuration
Tire pressure monitoring system	Tire pressure display 
Child car seat interface (ISOFIX)	Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration - Standard configuration - Optional - none	
Parking radar	forward
	back
Narrow Road Assist	Standard configuration
Driving assistance imaging	Reversing camera 
	Blind spot camera 
	360° panoramic imaging 

Business cooperation Add to desktop Change of operating entity

Cruise system	• cruise control • Adaptive cruise control • Full-speed adaptive cruise control
Automatic lane change assist	• Standard configuration
Automatic exit (entry) from the ramp.	◦ Optional
Navigation-assisted driving	◦ City Navigator ◦ High-speed navigation
Assisted driving level	• Level 2
Automatic parking	• Standard configuration
Reverse Tracking	-
Memory Parking	◦ Optional
Automated valet parking	• Standard configuration
Automatic parking (AUTOHOLD)	• Standard configuration
Hill Start Assist (HAC)	• Standard configuration
High-Descent Control (HDC)	• Standard configuration
Variable suspension adjustment	◦ Soft and hard + high and low
air suspension	◦ Optional
Air suspension type	◦ single cavity
Electromagnetic induction suspension	-
Magic Carpet Smart Suspension	◦ Optional
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Low-speed four-wheel drive	-
Overall active steering system	-
Unique U-turn technology	-

Business cooperation

Add to desktop

Change of operating entity

• snow

• Personalization

• Standard Comfort

• ECO/Economy

Driving mode selection	
--	--

External configuration

• Standard configuration

◦ Optional

- none

Skylight type	• Panoramic Sky Screen
Panoramic Sunshade	• Standard configuration
Intelligent dimming canopy	-
Roof rack	• Standard configuration
Sport appearance kit	-
Electric spoiler	-
Active grille shutters	• Standard configuration
Aluminum alloy wheels	• Standard configuration
Side foot pedals	-
Frameless design car doors	• Standard configuration
Concealed door handles	• Standard configuration
Drag hook	-

Internal configuration

• Standard configuration

◦ Optional

- none

Steering wheel material	• Genuine Leather
Steering wheel adjustment	• Up and down + front and back
Electric steering wheel adjustment	• Standard configuration
Steering wheel functions	• Multifunctional control
	• memory
	• heating
Gear shifting	• Electronic shifter
LCD instrument panel style	• Full LCD
LCD instrument panel dimensions (inches)	• 13.02

Comfort/Anti-theft features

• Standard configuration

◦ Optional

- none

Electric soft-close door	◦ Optional
Electric swing/opening doors	◦ Optional 16,000 yuan
Electric tailgate	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Electric tailgate position memory	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Smart remote key 
	• Mobile Bluetooth Key
	• UWB Digital Key
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	-
Head-up display (HUD) system	• Standard configuration
Augmented Reality Head-Up Display (AR-HUD)	• Standard configuration
Built-in dashcam	• Standard configuration
Active noise cancellation	-
Wireless charging for mobile phones	• First row 50W
110V/220V/230V power socket	◦ Optional
12V power outlet in luggage compartment	• Standard configuration
Seating configuration • Standard configuration ◦ Optional - none	
Seat material	• imitation leather
	◦ Genuine Leather
Leather Seat Style	◦ Nappa leather
Sporty seats	-
Seating layout	• 2+3
Second row individual seats	-
Electric seat adjustment	• Driver's seat
	• Passenger seat
	• Second row
Sinking rear seats fold down	-
	• Move forward and backward

	 Business cooperation  Add to desktop  Change of operating entity
	High and low adjustment
Driver's seat partial adjustment	- headrest - waist - Leg rest
passenger seat overall adjustment	- Move forward and backward - High and low adjustment - Backrest angle
Partial adjustment of the passenger seat	- headrest - waist - Leg rest
Second row seats are fully adjustable.	- Move forward and backward - Backrest angle adjustment
Second-row seats with partial adjustment	Leg rest
Front seat functions	- heating - ventilation - memory - massage
Second-row seat functions	- heating - memory - ventilation - massage
Third-row seat function	-
Boss key	Standard configuration
Front/rear armrests	- Front row - Back row
Rear cup holders	Standard configuration
Heated/cooled cup holder	-
Rear seat folding ratio	40:60
Rear seats can be folded down electrically.	Optional
Second row of small tables	Standard configuration
Smart Interconnection - Standard configuration - Optional - none	

Business cooperation

Add to desktop

Change of operating entity

Central control screen material	• led
The color screen resolution of the center console	3.5K
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	• Standard configuration
Roadside assistance services	• Standard configuration
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	• Original factory product
Connected Vehicles	• Standard configuration
4G/5G networks	• 5G
OTA upgrade	• Standard configuration
Facial recognition	• Standard configuration
Fingerprint recognition	-
Voiceprint recognition	• Standard configuration
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration
Voice regional wake-up recognition function	• Four registers
Continuous speech recognition	• Standard configuration
What is visible can be said	• Standard configuration
Voice assistant wake word	Hi, EVA
Gesture control function	-
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• Two in the front row
	• Two in the back row
USB/Type-C maximum charging power	60W in the front row
	27W in the back row
Car TV	-

Business cooperation

Add to desktop

Change of operating entity

Rear screen size (inches).	◦ 13
Simulated sound waves	• Standard configuration
Audio Brands	-
Number of speakers	• twenty one
Dolby Atmos	• Standard configuration
Speaker layout	• 7.1.4
Maximum output power of the amplifier (W).	• 2160
Seat speakers (headrest/shoulder area)	• Standard configuration
Sky Channel	• Standard configuration
Rear multimedia control	◦ Optional
Lighting configuration • Standard configuration ◦ Optional - none	
low beam headlights	• led
High beams	• led
Daytime running lights	• Standard configuration
Adaptive high and low beam	• Standard configuration
Automatic headlights	• Standard configuration
Turning auxiliary lights	-
Front fog lights	-
Adaptive Front-lighting System (AFS).	-
Headlight height adjustment	• Standard configuration
Headlight washing function	-
Interior ambient lighting	• Multicolor
Active ambient lighting.	-
Lighting features	• Matrix 
Light projection technology.	-
Headlights delayed shut off	• Standard configuration
Headlight rain/fog mode	-
Glass/Rearview Mirror • Standard configuration ◦ Optional - none	
Electric windows	• Front row
	• Back row

Business cooperation

Add to desktop

Change of operating entity

Anti-pinch function for car windows	• Standard configuration
Exterior rearview mirror function	• Electric adjustment
	• heating
	• Electric folding
	• memory
	• Automatic tilting when reversing
Interior rearview mirror function	• Automatic folding when locking
	• Automatic anti-glare
Car vanity mirror	• Driver's seat + lighting
	• Passenger seat with lighting
Rear privacy glass	• Standard configuration
Car interior sunshade	• Rear window side sunshade
Rain-sensing wipers	• Standard configuration
Rear wiper	• Standard configuration
Rear window open	-
Multi-layer soundproof glass	• Front row + back row
Electric windshield heating	-
Heated water nozzle	-
Air conditioner/refrigerator • Standard configuration ◦ Optional - none	
Air conditioning control methods	• automatic
Rear independent air conditioning	• Standard configuration
Rear air vents	• Standard configuration
Temperature zone control	• Three-zone air conditioning
Car air purifier	• Standard configuration
In-car PM2.5 filter	• Standard configuration
negative ion generator	-
In-car fragrance device	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Car refrigerator	○ Optional 2999 yuan
Car refrigerator function	○ heating
	○ refrigeration
	○ freezing
Intelligent configuration	
Assisted driving operating system	• ZEEKR AD
Assisted driving chip	• NVIDIA DRIVE Thor-U
Computing power (TOPS) of driver assistance chips	• 700
In-vehicle intelligent system	• ZEEKR OS
In-vehicle smart chip	• Qualcomm Snapdragon 8295
Vehicle infotainment system memory (GB)	• 32
Vehicle infotainment system storage (GB)	• 256
Remote control via mobile app	• Digital Key
	• Vehicle monitoring
	• Remote control
	• Charging Management
	• Service Appointment
Heat pump management system	• Standard configuration
Maximum forward detection range (m)	• 200
Number of exterior cameras (units)	• 11
External camera pixels	• 800W
Number of in-vehicle cameras	• 1
	○ 2
In-car camera pixels	-
Number of ultrasonic radars (units)	• 12
Number of millimeter-wave radars	• 5
Number of lidar units	• 1

Business cooperationAdd to desktopChange of operating entity

Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package • Standard configuration ◦ Optional - none	
Customized options	Three optional packages are available: exterior, interior, wheels, and brakes.
Integrated Smart Lighting Curtain Kit	ZEEKR Stargate Integrated Smart Lighting Canopy and Intelligent Auxiliary Interactive Lights
	◦ Optional 8000 yuan
Rear electric sectional sofa	Rear electric reclining seats (134° maximum backrest angle adjustment, integrated electric leg rests), rear seat ventilation/massage/forward and backward sliding/seat memory/electric one-touch folding (stepless suspension), 6-inch touch screen smart display, rear center armrest (including Type-C interface 27W*2), 220V AC power outlet in the trunk.
	◦ Optional 5000 yuan
Rear-seat technology interactive kit	13-inch 2K OLED rear smart screen, electric table
	◦ Optional 5000 yuan
Intelligent sensor automatic door interaction kit	Fully sensor-activated frameless automatic doors, intelligent B-pillar interaction system (facial recognition, information interaction, etc.)
	◦ Optional 16,000 yuan
Extreme Krypton Magic Carpet Air Suspension Set	Air suspension, CCD electromagnetic vibration reduction system, smart carpet
	◦ Optional 20,000 yuan

*The above specifications are for reference only. Please refer to the actual vehicle for details.
View parameter configuration details >