KEEN
by Khasm Networks

Enterprise 5G to 6G Perspectives: The Cellular Evolution Roadmap

From 5G Standalone to 5G Advanced to IMT-2030 - what the roadmap means for enterprise operations, private networks, and edge-connected industrial sites.

Enterprise technology briefing | June 2026 | Provided by Khasm Labs in partnership with Druid Software & Moso Networks

Druid

moso networks™

Based on 3GPP Release 19 and Release 20 documentation, 3GPP public release timelines, and ITU-R IMT-2030 framework guidance.

EXECUTIVE KICKOFF

Four-Generation Comparison

A concise view of how 4G LTE, 5G SA, 5G Advanced, and 6G differ for enterprise network planning.

2010s operating model

4G LTE

Mobile broadband baseline. Good public coverage and mature devices, but limited deterministic control, weak private-network isolation, and no native slicing or edge-aware service model.

Deployable now

5G SA

Cloud-native 5G core, NR radio, SIM-based identity, NPN/SNPN private-network constructs, edge UPF, and service slicing foundations. This is the deployable private 5G baseline.

Near-term roadmap

5G Advanced

Releases 18-20 mature 5G with AI/ML-assisted operations, enhanced NPN, RedCap/eRedCap, ambient/low-energy IoT, NTN evolution, energy improvements, XR/edge, and early sensing.

Strategic horizon

6G / IMT-2030

Expected to extend cellular into AI-native networking, integrated sensing, digital twins, ubiquitous TN/NTN coverage, stronger positioning, resilience, and new security models around 2030.


Executive takeaway: 6G is important strategically, but it is not a procurement reason to postpone 5G SA private-network deployments. The no-regrets path is to deploy a standards-aligned 5G SA architecture now, then preserve upgrade paths for 5G Advanced and 6G-era capabilities.

Decision lens	4G LTE	5G SA	5G Advanced	6G / IMT-2030
Architecture	EPC-centric, mobile broadband	5G core + NR + edge breakout	AI-assisted 5G with richer device/coverage classes	AI-native system with sensing and digital-twin concepts
Private network fit	Limited, usually indirect	Strong fit: NPN/SNPN, SIM identity, local control	Stronger NPN, device, energy, and telemetry roadmap	Native private/edge and ubiquitous connectivity expected
Operational value	Connectivity replacement	Reliable site coverage, edge apps, security, scanner/asset workflows	Optimization, lower OPEX, broader IoT, more resilient coverage	Sensing, autonomy, near-real-time automation, resilient multi-access
Planning posture	Maintain where sufficient	Deploy now for critical sites	Track through software, RAN, device, and NTN roadmaps	Monitor standards; avoid vendor hype before normative specs mature

RELEASE TIMELINE

Official Standards Path: 5G to 5G Advanced to 6G

3GPP Release 20 is explicitly split between continued 5G Advanced work and early 6G studies; Release 21 is expected to begin normative 6G work.



Source note: 3GPP release dates are based on 3GPP public release pages; future dates are projected and subject to change.

2024	2025/26	2027 projected	2030 horizon
Rel-18	**Rel-19**	**Rel-20**	**Rel-21+**
5G Advanced begins: AI/ML RAN, XR, eRedCap, energy and slicing enhancements.	Second phase of 5G Advanced: NTN, ambient IoT, AI/ML, NPN, XR/edge, RAN and core enhancements.	5G Advanced continues while 6G studies run in parallel; Stage 3 freeze is projected for 2027.	Expected normative 6G phase aligned to the ITU IMT-2030 window around 2029-2030.

Release dates and future 6G milestones are projections. 3GPP states that future dates are subject to change; ITU targets technology proposals for IMT-2030 in early 2029 and full system definition by mid-2030 at the latest.

FEATURE EVOLUTION

5G SA vs. 5G Advanced vs. 6G

The center of gravity shifts from connectivity to operational intelligence: the network becomes more aware of users, devices, workloads, location, energy, and physical-world events.

Capability domain	5G SA	5G Advanced	Expected 6G / IMT-2030
Network architecture	Cloud-native 5G core; service-based architecture; edge UPF.	More automated RAN/core optimization; richer slice/service controls.	AI-native architecture; tighter integration of compute, sensing, data, and connectivity.
Private networks	NPN/SNPN, SIM/eSIM identity, local core, controlled site coverage.	Enhanced NPN support, better interworking, expanded industrial/vertical use cases.	Private edge expected to be native to the system model, not a bolt-on.
Device ecosystem	5G NR endpoints; early industrial devices; high-end routers and gateways.	RedCap/eRedCap, low-power classes, ambient/energy-harvesting IoT direction.	Massive low-energy devices, stronger positioning, and new sensing-capable endpoints.
Coverage & resilience	Private cellular coverage and optional backhaul diversity.	NTN phases, satellite access evolution, energy and mobility improvements.	Unified terrestrial/non-terrestrial coverage and stronger continuity expectations.
Operations intelligence	Telemetry and edge application support depend on vendor implementation.	AI/ML for network optimization and “network for AI” service support.	AI agents, digital twin networks, intent-driven operations, and native sensing.
Security	5G AKA, SUPI privacy, SIM identity, controlled private access.	Zero-trust direction and security enhancements across NPN/core/device layers.	Quantum-resistant security, trust, identity, and resilience requirements under study.

Caution: performance claims for future 6G should be framed as research targets until normative specifications and commercial products mature. This final report avoids treating non-binding 6G marketing targets as deployment guarantees.

5G ADVANCED FOCUS

Release 19 and Release 20: What Matters Before 6G

Release 19 is primarily enhancement work, but several enhancements are directly relevant to private enterprise networks.

coverage continuity **NTN / satellite evolution** Rel-19 continues NTN and satellite access evolution, including NTN Phase 3 themes. Enterprise relevance: backup connectivity, remote-area coverage, and resilient service continuity.	sensor scale **Ambient and low-energy IoT** Ambient power-enabled IoT appears as a new Rel-19 theme. Enterprise relevance: lower-maintenance sensors across yards, containers, gates, pumps, trailers, and environmental systems.	automation **AI/ML for network operations** Rel-19 includes both “AI for Network” and “Network for AI.” Enterprise relevance: predictive optimization, anomaly detection, and better support for AI applications at the edge.
opex **Energy efficiency** Rel-19 emphasizes energy efficiency and energy saving. Enterprise relevance: lower site operating cost and better sustainability posture for always-on private infrastructure.	private network **NPN and verticals** Rel-19 continues vertical and Non-Public Network improvements. Enterprise relevance: better fit for industrial, logistics, safety, and secure facility deployments.	field productivity **XR, AR and edge computing** Rel-19 includes XR, AR, metaverse, and edge-computing topics. Enterprise relevance: remote expert, digital work instructions, and field support use cases.

Rel-20 planning matters because 3GPP has stated that Release 20 continues 5G Advanced enhancements while also carrying 6G studies. That means enterprise roadmaps should not jump directly from 5G SA to 6G; the practical innovation lane is 5G Advanced.

6G ENTERPRISE RELEVANCE

Key 6G Capabilities Expected to Matter for Enterprise Operations

For distribution yards, port terminals, logistics hubs, manufacturing, and secure industrial sites, the value of 6G is less about consumer speed and more about sensing, resilience, automation, and operating intelligence.


AI **AI-native network operations** Network functions are expected to use AI/ML more directly for real-time optimization, service assurance, anomaly detection, and self-healing operations.	ISAC **Integrated sensing and communication** Radio infrastructure is expected to support sensing-related capabilities. Enterprise use: asset localization, perimeter awareness, people/equipment movement context, and safety zones.	NDT **Digital twin networks** A virtual replica of the network can support simulation, planning, fault analysis, security testing, and capacity decisions without disrupting operations.	TN+NTN **Ubiquitous TN/NTN coverage** 6G is expected to extend continuity across terrestrial and non-terrestrial networks. Enterprise use: backup paths, remote coverage, and resilient operations during fiber or terrestrial outages.
positioning **Centimeter-class positioning direction** ITU lists positioning in the 1-10 cm range as an IMT-2030 capability area. Enterprise use: better asset localization, equipment tracking, and worker-safety geofencing.	security **Security and resilience by design** 6G studies include security, trust, digital identity, resilience, and quantum-resistant security concepts. Enterprise use: long-lived infrastructure with stronger future-proofing.	IoT density **Massive device density** ITU lists connection density in the 10^6-10^8 devices/km2 range. Enterprise use: dense sensor fields across yards, containers, tools, vehicles, cameras, and environmental monitors.	latency **Sub-ms automation target range** ITU lists latency in the 0.1-1 ms range as an IMT-2030 capability area. Enterprise use: future autonomous vehicles, robots, drone coordination, and closed-loop automation.

Planning implication: 6G will likely reward enterprises that already have clean telemetry, edge compute, device identity, private coverage, and operational data pipelines in place. A poorly instrumented 5G deployment will not magically become intelligent when 6G arrives.

PERFORMANCE TRAJECTORY

Capability Trajectory: Directional, Not a Site Guarantee

Public standards targets are useful for planning, but site results depend on spectrum, radio design, devices, interference, topology, backhaul, core placement, and application behavior.



Planning principle	Current action	5G Advanced watch item	6G watch item
Do not buy speed claims alone	Validate real application latency and session stability on site.	Track RAN/Core enhancements that improve reliability and energy per service.	Use official IMT-2030 targets, not vendor-only slogans, for long-range plans.
Use private coverage as the control point	Map dead zones, handovers, backhaul, and endpoint behavior.	Add low-power IoT classes and stronger telemetry where operationally valuable.	Position for native sensing and centimeter-class localization when standards mature.
Build telemetry before autonomy	Expose device, network, application, and edge metrics now.	Use AI/ML to reduce manual tuning and improve anomaly detection.	Feed future AI-native and NDT capabilities with high-quality operational data.

ENTERPRISE USE CASES

Where the Roadmap Matters in Industrial Operations

The most relevant roadmap categories are those that improve uptime, field productivity, safety, asset visibility, and automation readiness.

Operational domain	5G SA value now	5G Advanced direction	6G potential
Yard and terminal connectivity	Wide-area private coverage for handhelds, vehicles, cameras, gates, and edge applications.	Improved support for low-power devices, NPN enhancements, and AI-assisted service quality.	Native sensing and tighter asset/location awareness across the physical site.
Asset tracking and inventory	Reliable connectivity for RTLS, scanners, cameras, and gateway-connected sensors.	RedCap/eRedCap and ambient IoT direction reduce endpoint cost and maintenance burden.	Dense battery-light or battery-free sensing plus stronger centimeter-class positioning direction.
Security and perimeter awareness	Private SIM identity, controlled coverage, local traffic handling, and edge video analytics.	Improved slicing, NPN security posture, and AI/ML-driven anomaly detection.	ISAC, AI-native threat detection, digital identity, and quantum-resistant security direction.
Autonomy and drones	Low-latency, high-coverage command, telemetry, and video transport for local automation.	XR, edge compute, NTN backup, and AI-assisted network optimization.	Sub-ms target range, stronger sensing, and AI-agent coordination for higher autonomy levels.
Resilience and continuity	Optional backhaul diversity, local breakout, and site-owned network control.	NTN evolution and energy-efficiency improvements.	Native TN/NTN service continuity and zero-outage/resilience concepts under study.

KEEN ROADMAP ALIGNMENT

KEEN: Standards-Aligned Foundation with a Forward Roadmap

A private 5G deployment should be evaluated by how cleanly it supports the transition from current 5G SA operations to 5G Advanced capabilities and future 6G-era design patterns.

Capability	KEEN / 5G SA foundation	5G Advanced readiness	6G pathway
Private network control	Site-controlled 5G SA private architecture, local traffic handling, SIM/eSIM identity, and edge gateway model.	Map NPN enhancements, slice/service controls, telemetry, and interoperability improvements as they mature.	Native private edge design with AI-native operations and tighter compute/network integration.
Coverage and continuity	Private cellular coverage engineered for large outdoor/industrial sites and mobile workflows.	Add NTN/backhaul diversity and mobility improvements where operational risk justifies it.	Unified TN/NTN continuity and more resilient multi-access operation.
Edge applications	Local edge compute for cameras, scanners, sensors, remote access, automation, and analytics.	Expose APIs and telemetry required for AI-assisted service assurance.	AI agents and digital twin network workflows depend on the data plumbing built now.
Device and IoT ecosystem	5G NR endpoints, routers/gateways, handhelds, cameras, and industrial integrations.	RedCap/eRedCap and ambient IoT roadmap for lower-cost, lower-power endpoint classes.	Massive sensor density and sensing-capable devices.
Security posture	Private identity model, controlled local traffic, and reduced dependency on shared public infrastructure.	Zero-trust controls, device posture, enhanced NPN security, and better monitoring.	Quantum-resistant security, digital identity, and resilience requirements.

Key message: 5G SA is the architectural foundation that 5G Advanced builds upon. A well-designed private 5G deployment should not be treated as a dead-end investment; it should be treated as the operating base for the next two standards phases.

EVALUATION CHECKLIST

No-Regrets Roadmap Checklist

The following criteria separate an upgradeable private 5G architecture from a dead-end wireless project.

Checklist item	Why it matters	Executive test question
Standards traceability	Avoids vendor roadmaps that relabel proprietary features as “5G Advanced” or “6G ready.”	Which 3GPP release does each claimed feature map to: Rel-18, Rel-19, Rel-20 study, or future Rel-21+?
Edge and telemetry	Future AI, NDT, and automation depend on clean operational data from the current deployment.	Can the network expose device, radio, application, slice, backhaul, and edge metrics through usable APIs?
Modular RAN/core strategy	Reduces lock-in and preserves the ability to upgrade radios, software, spectrum plans, and endpoints.	Which components can be upgraded independently without replacing the full deployment?
Device roadmap	Private-network value is constrained by available devices, scanners, sensors, cameras, modems, and SIM/eSIM support.	Which endpoint classes are supported now, and what is the path to RedCap/eRedCap, ambient IoT, and future sensing endpoints?
Resilience design	Critical facilities need continuity during WAN, fiber, cloud, power, or public-network interruptions.	What continues to operate locally when the backhaul or cloud path is degraded?
Security and identity	Long-lived infrastructure requires identity, segmentation, monitoring, and future cryptographic agility.	How are SIM/eSIM identity, device posture, traffic isolation, logging, and key lifecycle managed?

Procurement discipline: require vendors and integrators to distinguish deployed capability, roadmap commitment, standards study item, and speculative 6G concept. These categories are not interchangeable.

SOURCE APPENDIX

Source Basis and Assumptions

This report is intentionally conservative: official standards documents are treated as authoritative; future-looking performance values are framed as research or planning targets, not product commitments.

Source	Used for	Notes
3GPP TR 21.919 V2.0.0 (2026-05), Release 19 Description	Release 19 feature themes including NTN, IoT/RedCap, ambient IoT, AI/ML, energy efficiency, NPN, XR/edge, and RAN/core improvements.	3GPP technical report; summarized at executive level.
3GPP TR 22.870 V20.0.0 (2026-03), Study on 6G Use Cases and Scenarios	6G use-case themes including security, resilience, AI, integrated sensing, ubiquitous connectivity, NDT, positioning, and vertical use cases.	Study document, not a commercial product specification.
3GPP public Release pages	Release dates, Release 19/20 characterization, Rel-20 study role, and Rel-21 normative 6G expectation.	Future release dates are projected and subject to change.
ITU-R Recommendation M.2160-0 (11/2023), IMT-2030 framework	IMT-2030 usage scenarios, capability ranges, and 2030 deployment timeline.	Targets are research/planning ranges and do not apply simultaneously to every use case.
Khasm Labs KEEN visual system and briefing structure	Brand direction, light executive briefing format, 4-generation comparison, timeline concept, and KEEN roadmap framing.	Used for visual direction and report structure.

Assumption discipline: “6G-ready” should mean standards awareness, modular architecture, telemetry, software upgradeability, device roadmap clarity, and security/identity maturity. It should not mean a guarantee that current equipment will deliver undefined future 6G performance.