



Masters India  
Private Limited

# ALU SHADE


Color Coated Aluminium Roofing

## Roofing Trends Redefined

AluShade Redefines Modern  
Roofing Trends and Aesthetics.

Sustainable Living  
with AluShade





# About Us About Us

CHOOSE ALUSHADE, WHERE ROOFS TRANSFORM INTO CANVASES, AND LIVING SPACES REACH NEW HEIGHTS.





Welcome to **AluShade**, the latest innovation from **Masters India**, a brand synonymous with quality and innovation since 1999.

**AluShade** goes beyond roofing; it symbolizes our dedication to **reshaping living spaces** with elegance and durability. In an era where roofs make architectural statements, AluShade is our **testament to craftsmanship** and **sustainable living**.

Discover meticulously crafted roofing solutions at **AluShade**, ranging from **classic to modern** designs. Each roof reflects our relentless **pursuit of excellence**, ensuring **structural integrity** and a seamless blend with contemporary aesthetics. Our **heartfelt thanks** to **partners and clients** for trusting us—the driving force behind our journey.





## ALUSHADE – CRAFTING MODERN ROOFTOPS

**AluShade** redefines roofing with cutting-edge aluminum solutions, utilizing high-grade alloys such as **Grade 3105** and **Grade 3003/3004** for lightweight resilience and enduring strength.

With **over 100 options available**, AluShade transforms rooftops into canvases, seamlessly merging innovation and sophistication to create a personalized blend of endurance and elegance in architectural design.

## GI vs Aluminium Roofing

Feature	PPGL/ PPGI	AluShade Roofing
Green Metal	No	Yes
Weight in comparison	Heavy	1/3 of Colour coated Sheets ( PPGL/ PPGI)
Life span	5-10 Years	Lifelong base metals warranty
No of profile/ design options	10-15	100+
Less load stress on building	No	Yes
Rust proof for decades	No	Yes
Resale value	Nil	Upto 70%
Maintenance Requirements	Yes	No



## AluShade Residential Roofing Excellence

### Elevating Homes

Engineered for heat resistance and leakage prevention, these exclusive profiles prioritize functionality while adding an aesthetic appeal to your home.

With a variety of captivating colors and textures, AluShade roofs redefine elegance, seamlessly blending durability with visual allure.

- Heat-Resistant Durability
- Rust & Leakage-Proof
- Functional Aesthetics
- Captivating Variety
- Paint protection warranty



|||||

## Ideal for Industrial & Commercial Excellence

### Unrivalled Strength

Specifically engineered to withstand the rigors of industrial & commercial challenges, AluShade's roofing systems ensure not only longevity but also exceptional resilience. Elevate your spaces with a roofing solution that goes beyond conventional standards, combining strength, reliability.

- Industrial & Commercial
- Resilience
- Engineered Endurance
- Beyond Standards Strength


# Product Profile



**AluShade**, a wide selection for industrial and roofing applications. AluShade High Rib stands out as the perfect solution for factories, warehouses, and storage facilities. This profile ensures robust and enduring protection, particularly in challenging weather conditions.

- Sturdy and long-lasting
- Crafted from the superior 3105 grade aluminum alloy
- Resistant to corrosion
- Exhibits fire-resistant properties

## ALUSHADE High Rib




<b>Thickness (TCTP in mm)</b>	0.50- 0.91
<b>Effective Cover Width (mm)</b>	872 + 10
<b>Overall Width (mm)</b>	942 + 10
<b>Pitch (mm)</b>	125
<b>Trough Depth (mm)</b>	38
<b>Length</b>	Standard / Customised

\* The images shown are for illustration purpose only and the actual colours may vary slightly


### Available color

- Metallic
  - Copper
  - Grey
  - Brown
- Texture
  - Matt Black
  - Brown
- Solids
  - Grey
  - Red
  - Brown
  - Blue
  - Off- white



<b>Thickness (TCTP in mm)</b>	0.38- 0.55
<b>Effective Cover Width (mm)</b>	996 + 10
<b>Overall Width (mm)</b>	1062 + 10
<b>Pitch (mm)</b>	125 + 2
<b>Trough Depth (mm)</b>	38
<b>Length</b>	Standard / Customised


\* Any Colour customisation available on request.



**Alushade** specializes in commercial roofing with a focus on these premier products: Alushade Max, Alushade Super, and Alushade Pro Max.

Ideal for diverse commercial applications such as office buildings, shopping centers, and hospitality establishments, these roofing solutions provide durability, customization options, and advanced features to meet the unique requirements of modern commercial spaces.


## ALUSHADE Max



<b>Thickness (TCTP in mm)</b>	0.40- 0.91
<b>Effective Cover Width (mm)</b>	1020 + 2
<b>Overall Width (mm)</b>	1098 + 2
<b>Pitch (mm)</b>	204+2
<b>Trough Depth (mm)</b>	25+2
<b>Length</b>	Standard / Customised

\* The images shown are for illustration purpose only and the actual colours may vary slightly


## ALUSHADE Super



<b>Thickness (TCTP in mm)</b>	0.40- 0.91
<b>Effective Cover Width (mm)</b>	1000 + 2
<b>Overall Width (mm)</b>	1065 + 2
<b>Pitch (mm)</b>	200
<b>Trough Depth (mm)</b>	30
<b>Length</b>	Standard / Customised


### Available color

- Metallic
  - Copper
  - Grey
  - Brown
- Texture
  - Matt Black
  - Brown
- Solids
  - Grey
  - Red
  - Brown
  - Blue
  - Off- white



<b>Thickness (TCTP in mm)</b>	0.40- 0.91
<b>Effective Cover Width (mm)</b>	1020 + 10
<b>Overall Width (mm)</b>	1097 + 10
<b>Pitch (mm)</b>	255 + 2
<b>Trough Depth (mm)</b>	30 + 2
<b>Length</b>	Standard / Customised


## ALUSHADE Pro Max




<b>Thickness (TCTP in mm)</b>	0.40- 0.91
<b>Effective Cover Width (mm)</b>	1200 + 2
<b>Overall Width (mm)</b>	1262 + 2
<b>Pitch (mm)</b>	200
<b>Trough Depth (mm)</b>	30
<b>Length</b>	Standard / Customised

\* Any Colour customisation available on request.

**AluShade Residential:** Stylish, durable roofing. Crafted from 3105 grade aluminum, it offers sleek protection with corrosion resistance and fire-resistant properties. Elevate your home with AluShade - a smart and compact roofing choice.




### ALUSHADE Glam Tile



<b>Thickness (TCTP in mm)</b>	0.50- 0.91
<b>Effective Cover Width (mm)</b>	993+ 10
<b>Overall Width (mm)</b>	1134 + 10
<b>Pitch (mm)</b>	248+2
<b>Trough Depth (mm)</b>	28+2
<b>Length</b>	8ft,10ft,12ft,14ft,16ft & 18 ft

### ALUSHADE Terra Tile




<b>Thickness (TCTP in mm)</b>	0.50- 0.91
<b>Effective Cover Width (mm)</b>	1100
<b>Overall Width (mm)</b>	960 + 5
<b>Pitch (mm)</b>	160+2
<b>Trough Depth (mm)</b>	30+2
<b>Length</b>	8ft,10ft,12ft,14ft,16ft & 18 ft

\* The images shown are for illustration purpose only and the actual colours may vary slightly

#### Available color

- Metallic
  - Texture
  - Solids
- |        |            |            |
|--------|------------|------------|
| Copper | Matt Black | Grey       |
| Grey   | Brown      | Red        |
| Brown  |            | Brown      |
|        |            | Blue       |
|        |            | Off- white |

### ALUSHADE Lux Tile



<b>Thickness (TCTP in mm)</b>	0.50-0.91
<b>Effective Cover Width (mm)</b>	1114 + 4
<b>Overall Width (mm)</b>	1168 + 4
<b>Pitch (mm)</b>	222.8
<b>Trough Depth (mm)</b>	20
<b>Length</b>	8ft,10ft,12ft,14ft,16ft & 18 ft

\* Any Colour customisation available on request.

# Why Alushade?

#### Elevate Your Roofing Experience:

At AluShade, we take pride in being the epitome of unwavering strength, long-lasting durability, and unparalleled excellence. Our commitment is not just to deliver roofing solutions; it's about elevating your entire roofing



#### Proven Legacy:

With an extensive legacy in manufacturing and a constant pursuit of innovation, Alushade stands as a testament to reliability.



#### Versatile Manufacturing:

Alushade offers a range of thickness and width options, providing you with the flexibility to choose the perfect fit for your specific requirements.



#### Ethical and Transparent:

Alushade is not just a manufacturer; we are committed to ethical and transparent business practices.



#### Top-tier Quality:

When it comes to quality, Alushade sets the bar high. Your trust is our commitment to delivering excellence.



#### Reliable Brand:

Our roofing sheets are designed not only to withstand the test of time but also to provide consistent and reliable protection for your property. With our Life Long warranty certificate, your roof's life and looks are covered.



# Roofing Care Instructions

## Do these:

- ✓ **Regular Inspections:** Conduct routine checks for damage and signs of wear.
- ✓ **Clean Gutters:** Ensure debris-free gutters to maintain proper drainage.
- ✓ **Trim Overhanging Branches:** Prevent potential damage from stormy weather by trimming nearby branches.
- ✓ **Professional Maintenance:** Schedule yearly professional inspections to identify and address issues.
- ✓ **Prompt Repairs:** Address minor issues promptly to prevent escalation.

## Don'ts:

- ✗ **Avoid High-Pressure Washing:** High-pressure washing can damage shingles and protective coatings.
- ✗ **Refrain from walking over roofing sheets :** Avoid stepping on the ribs of the profile sheets to avoid dents & damages.
- ✗ **Don't Neglect Ventilation:** Neglecting ventilation can lead to mold growth and structural issues.
- ✗ **Disregard Manufacturer Guidelines:** Don't deviate from the manufacturer's guidelines for installation, maintenance, and repairs. Adhering to these guidelines ensures optimal performance and longevity.
- ✗ **Avoid DIY Complex Repairs:** Attempting complex repairs without professional guidance can worsen the problem.

Roofing Care  
**Roofing Care**





**Masters India**  
Private Limited

# **ALU SHADE**

Color Coated Aluminium Roofing

**Contact No:** 0484-4148-168/736

**Email ID:** info@alushade.in

**Website:** www.alushade.in

## **Address:**

**Mumbai** – Plot No:63/1,2,3 Paiki, Wada Manor Road, Village/post:Varale,  
Tal. Wada, Palghar Dist, Maharashtra 421303

**Ernakulam** – S-26, 7th Floor, Centre A, Alapatt Heritage Building, MG Road  
North End, Ernakulam-682035, Ph: +91 9607907023

**Delhi NCR**– D-247/4A Procapitus Business Park, Sector 63, Noida, Uttar  
Pradesh, 201301, Ph: +91 9625939797