

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

search

Q

Basic Inform...

Body

engine

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

Li Auto L6 2026 Ultra

< +Comparison >

249,800

Ask for the lowest price

Basic Information

Official guide price	249,800
Manufacturers	Li Auto
level	Mid-to-large SUV
Energy type	Range extender
Launch date	2026.07
electric motor	408 horsepower extended range
Pure electric range (km). WLTC	245
Pure electric range (km). CLTC	300
Combined driving range (km) WLTC	1040
Combined driving range (km) CLTC	1250
Charging time	Fast charging in 12 minutes
Fast charging capacity (%).	20-80
Maximum power (kW).	300kW (408Ps)
Maximum torque (N·m).	529
gearbox	Electric vehicle single-speed gearbox
Length x Width x Height (mm).	4935x1960x1735
Body structure	5-door 5-seater SUV
Maximum speed (km/h)	200
Official 0-100 km/h acceleration time (s).	5.4



Business cooperation



Add to desktop



Change of operating entity

Energy consumption per 100 kilometers (kWh/100km).	22.3
Minimum state-of-charge fuel consumption (L/100km) WLTC	7.1
Vehicle warranty period	5 years or 100,000 kilometers

Body

Length (mm).	4935
Width (mm).	1960
Height (mm).	1735
Wheelbase (mm).	2920
Front track width (mm).	1696
Rear track width (mm).	1704
Minimum ground clearance (mm).	148
Body structure	SUV
Number of car doors	5
Car door opening method	Hinged door
Number of seats	5
Curb weight (kg).	2520
Full load mass (kg).	2995
Towing weight (kg).	1500
Fuel tank capacity (L).	50.0
Luggage compartment volume (L).	-
Minimum turning radius	-

engine

Engine Model	L2E15M
Displacement (mL).	1496
Displacement (L)	1.5
Intake form	Turbocharged
Engine layout	Horizontal
Cylinder arrangement	L
Number of cylinders	4

Business cooperation

Add to desktop

Change of operating entity

Compression ratio	12.5
Gas distribution mechanism	DOHC
Maximum horsepower (Ps)	154
Maximum power (kW)	113
Maximum net power (kW)	110kW (150Ps)
Maximum power speed (rpm)	4800
Maximum torque (N·m)	245
Maximum torque speed (rpm)	2500-4000
Engine thermal efficiency (%)	40.5
Engine-specific technology	-
fuel form	Range extender
fuel grade	95#
fuel supply method	Direct Injection
Cylinder head material	aluminum alloy
Cylinder block material	aluminum alloy
Environmental standards	National VI b
electric motor	
Electric motor description	408 horsepower extended range
Motor type	Permanent magnet/synchronous
Total power of electric motors (kW)	300kW (408Ps)
Total horsepower of electric motors (Ps)	408
Total torque of the electric motor (N·m)	529
Maximum power of the front motor (kW)	130
Maximum torque of the front motor (N·m)	220
Maximum power of the rear motor (kW)	170
Maximum torque of the rear motor (N·m)	309

Business cooperation

Add to desktop

Change of operating entity

Motor layout	Front + Rear 
Battery/Charging	
Battery Type	Lithium iron phosphate batteries 
Battery cell brands	Sunwoda
Battery pack warranty	8 years or 160,000 kilometers
Battery capacity (kWh)	51
Battery energy density (Wh/kg)	-
Battery charging rate	-
Battery charging	Fast charging in 12 minutes fast charging interface
Maximum fast charging power (kW)	260
Fast charging port location	Right side fuel tank position
slow charging port location	Right side fuel tank position
Battery heating system	Standard configuration
Battery cooling system	Liquid cooling
Single pedal mode	-
VTOL mobile power station function	Standard configuration
VTOL maximum external discharge power	3.5kW
VTOV maximum external discharge power	-
gearbox	
Gearbox Description	Electric vehicle single-speed gearbox 
Number of gears	1
Transmission type	Fixed gear ratio gearbox 
Chassis/Steering	
driving method	Dual-motor four-wheel drive
Four-wheel drive type	Electric four-wheel drive 
Front suspension	Double wishbone independent suspension

Business cooperation

Add to desktop

Change of operating entity

Steering type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	255/50 R20
Rear tire specifications and dimensions	255/50 R20
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ◦ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead
	• Braking for traffic ahead
Active braking	• Standard configuration
Lane change assist	• Standard configuration
Lane Keeping Assist	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

fatigue driving warning	• Standard configuration
Active DMS fatigue detection	• Standard configuration
In-vehicle vital signs detection	• Standard configuration
Road traffic sign recognition	• Standard configuration
Traffic light recognition	• Standard configuration
Night vision system	-
passive safety	• Standard configuration ◦ Optional - none
Front airbags	• Driver's seat • Passenger seat
Side airbags	• Front row • Back row
Side curtain airbags	• Standard configuration
Front knee airbags	-
Central airbag	• Front row
Seatbelt reminder	• Standard configuration
Tire pressure monitoring system	• Tire pressure display 
Child car seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration	• Standard configuration ◦ Optional - none
Parking radar	• forward • back
Narrow Road Assist	• Standard configuration
Driving assistance imaging	• Reversing camera  • Blind spot camera  • 360° panoramic imaging  • Transparent Image
Cruise system	• cruise control  • Adaptive cruise control 

 Business cooperation

 Add to desktop

 Change of operating entity

Automatic lane change assist	• Standard configuration
Automatic exit (entry) from the ramp.	• Standard configuration
Navigation-assisted driving	• City Navigator
	• High-speed navigation
Assisted driving level	• Level 2 
Automatic parking	• Standard configuration
Reverse Tracking	-
Memory Parking	• Standard configuration
Automated valet parking	• Standard configuration
Automatic parking (AUTOHOLD).	• Standard configuration
Hill Start Assist (HAC).	• Standard configuration
High-Descent Control (HDC).	• Standard configuration
Engine start-stop technology.	-
Variable suspension adjustment	• soft and hard
air suspension	-
Air suspension type	-
Electromagnetic induction suspension	-
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Low-speed four-wheel drive	-
Overall active steering system	-
Unique U-turn technology.	-
Driving mode selection	• sports
	• Off-road
	• snow

Business cooperation

Add to desktop

Change of operating entity

• ECU/Economy

• Standard Comfort

External configuration

• Standard configuration

◦ Optional

- none

Skylight type

• Panoramic Sky Screen

◦ Sectional, non-opening sunroof

Panoramic Sunshade

• Standard configuration

Intelligent dimming canopy

-

Roof rack

-

Sport appearance kit

-

Electric spoiler

-

Active grille shutters

• Standard configuration

Aluminum alloy wheels

• Standard configuration

Side foot pedals

-

Frameless design car doors

-

Concealed door handles

-

Drag hook

◦ Optional

6000 yuan

Internal configuration

• Standard configuration

◦ Optional

- none

Steering wheel material

• leather

Steering wheel adjustment

• Up and down + front and back

Electric steering wheel adjustment

• Standard configuration

Steering wheel functions

• Multifunctional control

• memory

• heating

Gear shifting

• Electronic shifter

LCD instrument panel style

-

LCD instrument panel dimensions (inches)

-

Comfort/Anti-theft Configuration

• Standard configuration

◦ Optional

- none

Electric soft-close door

• Standard configuration

Electric swing/opening doors

◦ Optional

Electric tailgate

• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Electric tailgate position memory	• Standard configuration
Engine electronic anti-theft	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Mobile Bluetooth Key
	• NFC/RFID Key
	• UWB Digital Key
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	-
Head-up display (HUD) system	• Standard configuration
Built-in dashcam	• Standard configuration
Original ETC	• Standard configuration
Active noise cancellation	• Standard configuration
Wireless charging for mobile phones	• First row 50W
110V/220V/230V power socket	-
12V power outlet in luggage compartment	• Standard configuration
Seating configuration • Standard configuration ◦ Optional - none	
Seat material	• imitation leather
Sporty seats	-
Seating layout	• 2+3
Second row individual seats	-
Zero Gravity Seat	◦ Optional 10,000 yuan
Electric seat adjustment	• Driver's seat
	• Passenger seat
	• Second row
Sinking rear seats fold down	-
	• Move forward and backward

	 Business cooperation  Add to desktop  Change of operating entity
	• High and low adjustment
Driver's seat partial adjustment	• headrest • waist ○ Leg rest
passenger seat overall adjustment	• Move forward and backward • High and low adjustment • Backrest angle
Partial adjustment of the passenger seat	• headrest • waist ○ Leg rest
Second row seats are fully adjustable.	• Backrest angle adjustment
Second-row seats with partial adjustment	-
Front seat functions	• heating • ventilation • memory • massage
Second-row seat functions	• heating • ventilation
Third-row seat function	-
Boss key	• Standard configuration
Front/rear armrests	• Front row • Back row
Rear cup holders	• Standard configuration
Heated/cooled cup holder	-
Fold the front seats flat	• Standard configuration
Rear seat folding ratio	• 40:60
Rear seats can be folded down electrically.	• Standard configuration
Second row of small tables	-
Smart Interconnection	• Standard configuration ○ Optional - none
Central control screen size (inches)	• 29

Business cooperation

Add to desktop

Change of operating entity

The color screen resolution of the center console	6K
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	-
Roadside assistance services	• Standard configuration
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	• Original factory product
Connected Vehicles	• Standard configuration
4G/5G networks	• 5G
OTA upgrade	• Standard configuration
Facial recognition	• Standard configuration
Fingerprint recognition	-
Voiceprint recognition	• Standard configuration
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration
Voice regional wake-up recognition function	• Five-tone range
Continuous speech recognition	• Standard configuration
What is visible can be said	• Standard configuration
Voice assistant wake word	Ideal classmate
Gesture control function	• Standard configuration
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• Two in the front row • One in the back row
USB/Type-C maximum charging power	67W in the front row 67W in the back row
Car TV	-
Rear LCD screen	• Standard configuration
Rear screen size (inches)	◦ twenty one 10,000 yuan

Business cooperation

Add to desktop

Change of operating entity

Simulated sound waves	-
Audio Brands	-
Number of speakers	• 19
	◦ twenty one
Dolby Atmos	◦ Optional
Speaker layout	• 7.3.4
Maximum output power of the amplifier (W)	• 1920
	◦ 2160
Sky Channel	• Standard configuration
Rear multimedia control	• Standard configuration
Lighting configuration • Standard configuration ◦ Optional - none	
low beam headlights	• led 
High beams	• led
Daytime running lights	• Standard configuration
Adaptive high and low beam	• Standard configuration
Automatic headlights	• Standard configuration
Turning auxiliary lights	• Standard configuration
Front fog lights	-
Adaptive Front-lighting System (AFS)	-
Headlight height adjustment	• Standard configuration
Headlight washing function	-
Interior ambient lighting	• Multicolor
Active ambient lighting	• Standard configuration
Lighting features	-
Light projection technology	-
Headlights delayed shut off	• Standard configuration
Headlight rain/fog mode	-
Glass/Rearview Mirror • Standard configuration ◦ Optional - none	
Electric windows	• Front row
	• Back row

Business cooperation

Add to desktop

Change of operating entity

Anti-pinch function for car windows	• Standard configuration
Exterior rearview mirror function	• Electric adjustment
	• heating
	• Electric folding
	• memory
	• Automatic tilting when reversing
	• Automatic folding when locking
Interior rearview mirror function	• Automatic anti-glare
	◦ Streaming
Car vanity mirror	• Driver's seat + lighting
	• Passenger seat with lighting
	◦ Rear seats with lighting
Rear privacy glass	• Standard configuration
Car interior sunshade	• Rear window side sunshade 
Rain-sensing wipers	• Standard configuration
Rear wiper	• Standard configuration
Rear window open	-
Multi-layer soundproof glass	• Front row + back row
Electric windshield heating	-
Heated water nozzle	-
Air conditioner/refrigerator	• Standard configuration ◦ Optional - none
Air conditioning control methods	• automatic
Rear independent air conditioning	• Standard configuration
Rear air vents	• Standard configuration
Temperature zone control	• Five-zone air conditioning
Car air purifier	-
In-car PM2.5 filter	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

In-car fragrance device	-
AQS Air Quality Management System	Standard configuration
Car refrigerator	Standard configuration
Car refrigerator function	heating
	refrigeration
	freezing
Intelligent configuration	
Assisted driving operating system	Mach Intelligent Assisted Driving
Assisted driving chip	Mach M100
	Mach M100*2
Computing power (TOPS) of driver assistance chips	1280
	2560
In-vehicle smart chip	Qualcomm Snapdragon 8797
Vehicle infotainment system memory (GB)	32
Vehicle infotainment system storage (GB)	256
Remote control via mobile app	Digital Key
	Vehicle monitoring
	Remote control
	Charging Management
	Service Appointment
Heat pump management system	Standard configuration
Number of exterior cameras (units)	12
External camera pixels	-
Number of in-vehicle cameras	2
	3
In-car camera pixels	-
Number of millimeter-wave radars	1
Number of lidar units	1
	4

Business cooperationAdd to desktopChange of operating entity

Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package • Standard configuration ◦ Optional - none	
Customized options	Three optional packages are available: exterior, interior, wheels, and brakes.
Dual Mach M100 Body Intelligence Kit	Mach M100 chip ×2, lateral solid-state variable zoom lidar ×2, rearward solid-state variable zoom lidar
	◦ Optional 30,000 yuan
Rear cabin entertainment screen package	The rear cabin features a 21-inch 4K entertainment screen, an ultra-clear anti-glare streaming rearview mirror, dual independent vanity mirrors in the second row, two center-mounted flat-panel speakers in the second row, a total peak audio power of 2160W, and a rear RGB visual module.
	◦ Optional 10,000 yuan
Obsidian Black Exclusive Sports Design Kit	High-gloss black window frame trim, high-gloss black rearview mirror base, high-gloss black wheel rims
	◦ Optional 2000 yuan

*The above specifications are for reference only. Please refer to the actual vehicle for details.
View parameter configuration details >