










-  Mixer Grinder
-  Steam/Dry Iron
-  Gas Cooktop
-  Induction
-  Rice Cooker
-  Electric Kettle

HOUSEHOLD APPLIANCES

About Us

GravsIndiaOverseasPvt.Ltd.isadiversifiedgroupofmanufacturer&exporterhavingover3decadesof experience catering to variousproducts across the globe.



Our productsare highlyacclaimed of theirDurability,Energyefficiency,High performanceand User-friendliness.



Ourproductsaremadeby usinghigh qualityinputsandlatesttechnologyand machinery.



Westringentlydoqualitytestfor individual product range on various parameterstoensureflawlessness,before the final delivery.

We have a dynamic team ofhighly qualifiedengineers ensuring that all productsmeetthehighestqualitystandardsbyfollowingstringent quality systems& continuous qualityaudits at every stage. Sinceour inception we have been passionate aboutqualityand havea strong focus on development & continuous improvement in our products & systems. We operatewith strict accordancetoIndian& International specifications & standards.



Mixer Grinder



Model No : AM 21



Model No : AM 23



Model No : AM 24

Specifications

Wattage : 450Watt
Voltage : 230Ac50Hz
Rating : 30Minutes(5MinOn&2MinOff)
RPM : 18000

Features

PowerfulMotor:CCA (Hybrid)
ShockProofABSBody
3 Speed With Incher
1.5ltr.BlendingJar(SanJar)
300 ml Chutney Jar (Stainless Steel)

Compact Design
OverloadProtection
Vacuum Feet
800mlDryGrindingJar(StainlessSteel)
BIS Certified
LidsinLD /PPE





Mixer Grinder



Model No:AM91



Model No:AM 11



Model No:AM 31

Specifications

Wattage	:	450to600Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

Powerful Motor :CCA (Hybrid) & Copper
Shock Proof ABS Body
3 Speed With Incher
1.5ltr.WetGrindingJar(StainlessSteel)
300 ml Chutney Jar (Stainless Steel)

Compact Design
Overload Protection
Vacuum Feet
800mlDryGrindingJar(StainlessSteel)
BIS Certified
Dome & Lid in Polycarbonate / LDPPE

Mixer Grinder



Model No : MG 011



Model No : MG 021



Model No : MG 071

Specifications

Wattage	:	450TO600 Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

Powerful Motor:CCA(Hybrid)&Copper
ShockProofABSBody
3 Speed With Incher
1.5ltr.WetGrindingJar(StainlessSteel)
300 ml Chutney Jar (Stainless Steel)
BIS Certified

Compact Design
OverloadProtection
Vacuum Feet
800mlDryGrindingJar(StainlessSteel)
Dome & Lid in Polycarbonate / LD / PPE





Mixer Grinder



Model No:MG031



Model No:MG061



Model No:AM 91

Specifications

Wattage	:	600to750Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

Powerful Motor :CCA (Hybrid) & Copper
Shock Proof ABS Body

3 Speed With Incher

1.2ltr./1.5ltr.WetGrindingJar(StainlessSteel)

250ml/300mlChutneyJar(StainlessSteel)

BIS Certified

Compact Design

Overload Protection

Vacuum Feet

1ltr.DryGrindingJar(StainlessSteel)

Dome &LidinPolycarbonate /LD /PPE

Mixer Grinder



Specifications

Wattage	:	550TO750 Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

Powerful Motor:CCA(Hybrid)&Copper
ShockProofABSBODY
3 Speed With Incher
1.5ltr.WetGrindingJar(StainlessSteel)
300 ml Chutney Jar (Stainless Steel)
BIS Certified

Compact Design
OverloadProtection
Vacuum Feet
800mlDryGrindingJar(StainlessSteel)
Dome & Lid in Polycarbonate / LD / PPE



Mixer Grinder



Specifications

Wattage	:	900TO1000 Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

Powerful Motor:CCA(Hybrid)&Copper
ShockProofABSBody
3 Speed With Incher
1.5ltr.WetGrindingJar(StainlessSteel)
300 ml Chutney Jar (Stainless Steel)
BIS Certified

Compact Design
OverloadProtection
Vacuum Feet
800mlDryGrindingJar(StainlessSteel)
Dome & Lid in Polycarbonate / LD / PPE



Nutri Blender/Smoothie Maker



Specifications

Wattage	:	400 Watt
Voltage	:	230Ac 50Hz
Rating	:	30Minutes(5MinOn&2MinOff)
RPM	:	18000

Features

DoubleActionBladesCutsVerticallyAnd
Horizontally

1SpeedPressonwithLimit Switch

2 Pet Bottles with Shipper Cap (food Grade) 500ml

BIS Certified

Compact Design

RemovableJar

OverloadProtection

Vacuum Feet

No Ice Crushing



Dry Iron



Model No : GDI - 001



Model No : GDI - 003



Model No : GDI - 004

Specifications

Power : 1000 Watt
Voltage : 230Ac 50Hz

Features

LightWeight

CordWire : 3Pin,3Core,1.5M
360° Swivel Cord
Thermostat for Temperature Control

SolePlate : TeflonCoated
CoatingThikness : 20-22Micron





Dry Iron



Model No : GDI-005

Specifications

Power	:	1000 Watt
Voltage	:	230Ac 50Hz

Features

LightWeight

CordWire	:	3Pin,3Core,1.5M
360° Swivel Cord		
Thermostat for Temperature Control		
SolePlate	:	TeflonCoated
CoatingThikness	:	20-22Micron



ModelNo:GDI-006
(Heavy Weight)

Specifications

Power	:	1000Watt
Voltage	:	230Ac 50Hz

Features

Heavy Weight

CordWire	:	3Pin,3Core,1.5M
360° Swivel Cord		
Thermostat for Temperature Control		
SolePlate	:	TeflonCoated
CoatingThikness	:	20-22Micron

Dry Iron



Specifications

Power : 1000 Watt
Voltage : 230Ac 50Hz

Features

LightWeight

CordWire : 3Pin,3Core,1.5M
360° Swivel Cord
Thermostat for Temperature Control

SolePlate : TeflonCoated
CoatingThickness : 20-22Micron



Dry Iron



Specifications

Power : 1000 Watt
Voltage : 230Ac 50Hz

Features

Heavy Weight

CordWire : 3Pin,3Core,1.5M
360° Swivel Cord
Thermostat for Temperature Control

SolePlate : TeflonCoated
CoatingThickness : 20-22Micron





Steam Iron



Specifications

Power : 1200 to 1400 Watt

Voltage : 230Ac 50Hz

Features

LightWeight

Cord Wire

360° Swivel Cord

Thermostat for Temperature Control, 3 Pin, 3 Core, 1.5 M

SolePlate : TeflonCoated

CoatingThickness : 20-22Micron

StainlessSteelCooktop



Model No : GSCT 021
(Single Burner)



Model No : GSCT 022
(2 Burner)

Specifications

Material : StainlessSteel,Rust Free,GlossyFinish
Ideal for Coastal Areas

Thickness : 0.4 mm

Features

GasStoveType

Burner Material : Manual

Size of the Burner : Brass, High Efficiency

: Medium(SingleBurner)
1Big, 1Small (Two Burner)

Knobs : Ergonomic

Colour : Silver





GlassCooktop



Model No:GSCT041



ModelNo : GSCT 042



ModelNo : GSCT 043

Specifications

Material : Toughened, Premium Finish Glass Top

Thickness : 6mm

Features

Gas Stove type : Automatic

Shape : Round

Burner Material : Brass, High Efficiency

Burner : 1Large,1Small(2BurnerCooktop)
1Small, 2 Medium (3 Burner Cooktop)
2Small,1Medium&1Jumbo(4BurnerCooktop)

Knobs : Ergonomic

Colour : Black



Induction Cooktop



Induction Cooktop
(Push Button)



Induction Cooktop
(Push Button)



Induction Cooktop
(Touch Button)

Specifications

Power Consumption	:	1350w to 1800w +-10%
Input Power Supply	:	220-240V, 50Hz

Features

Main PCB	:	15A
Control PCB	:	AM-06/AI-7-16B/BDC-88
Coil	:	14*27 4. Sensor for Induction
Power Cord	:	1.3 Mtr, CCA 3 Pin
Fan	:	2400 RPM
China Glass	:	250*250/270*280/280*350
Top	:	ABS
Bottom	:	PP

Induction Infrared



Induction Infrared
(Metal Body)



Induction Infrared
(PC Body)

Specifications

Power Consumption	:	1350w to 1800w +-10%
Input Power Supply	:	220-240V, 50Hz

Features

Main PCB	:	AMT-GB01
Control PCB	:	KM-DTL-A51/AT-3-12B
Coil	:	Infrared
Power Cord	:	1.3 Mtr, CCA 3 Pin
Fan	:	3000 RPM
Crystal Glass	:	280*360
Body	:	Metal/PC





Rice Cooker



Specifications

Power	:	500W to 700W
Voltage	:	220v-240v 50hz
Capacity	:	1.5L to 1.8L
Outer Wall	:	0.3 mm to 0.4 mm
Inner Pot	:	300 Gram
Heating Plate	:	380 Gram
Keep Warm Function	:	Yes
Power Cable	:	3 Pin 3 Core 1000mm



Rice Cooker



Specifications

Power	:	500W to 700W
Voltage	:	220v-240v 50hz
Capacity	:	1.5L to 1.8L
Outer Wall	:	0.3 mm to 0.5 mm
Inner Pot	:	300 Gram
Heating Plate	:	380 Gram
Keep Warm Function	:	Yes
Power Cable	:	3 Pin 3 Core 1000mm



Electric Kettle




Specifications

Material	:	Stainless Steel, Plastic Part : PP Food grade
Thickness	:	0.26mm to 0.35mm
Size/Capacity	:	1.2L to 1.8L

Features

Power	:	220V to 240V AC 50/60Hz
Wattage	:	1200W To 1800W
Power Cable	:	3 Pin, 1000mm
Indicator Light	:	Yes
Over Heat Protection	:	Boil & Dry
Indicator Light	:	Yes

Associates



BOROSIL

SINGER

SURYA
Empowering Lifestyles



Moulinex



morphyrichards



cromā
in-store | online | mobile

SPHEREHOT
SMART LIVING



GRAVS

GRAVS INDIA OVERSEAS PVT. LTD.



Address

GEL Tower, Plot No. 16, 1st Floor,
Sector-20, Dwarka, New Delhi-
110075, India



Phone

Mob. : +91-9810399092
+91-9354926039
Ph. : +91-11-28051957,
28051927



Email

sales@gravs.in
vimal@gravs.in

"Agents/Distributors Required"

www.gravs.in