



Date:	
Type:	
Firm Name:	
Project:	

LinearPro Wall Washer VDC



Specifications

Product Code	Color	Nominal Length	Wattage	Input	Technology	Beam Angle	Operating Temperature	Aluminum Finish
W-LP12-9-DWXO-XX	RGBW	12"	9W	24VDC	ON/OFF	20°, 35°, 10° x 40°	14°F - 122°F	RAL9006 (Grey)
W-LP24-18-DWXO-XX	RGBW	24"	18W	24VDC	ON/OFF	20°, 35°, 10° x 40°	14°F - 122°F	RAL9006 (Grey)
W-LP36-27-DWXO-XX	RGBW	36"	27W	24VDC	ON/OFF	20°, 35°, 10° x 40°	14°F - 122°F	RAL9006 (Grey)
W-LP48-36-DWXO-XX	RGBW	48"	36W	24VDC	ON/OFF	20°, 35°, 10° x 40°	14°F - 122°F	RAL9006 (Grey)

* White options of 2700K, 3000K, 4000K, 5000K, 6500K

Cable Conductor Specifications


Cable	Function	Wire Color
Power Lead In	DC+	Red
	DC-	Black




Product Specification

Units: mm


W-LP12-9-DWXO-XX




W-LP24-18-DWXO-XX



W-LP36-27-DWXO-XX







W-LP48-36-DWXO-XX







Mounting Accessories

Units: mm







ITEM: W-LP-Mount-81

DESCRIPTION: Adjustable mounting option for applications that require angle adjustments. It can rotate up to 180 degree.



ITEM: W-LP-Mount-100

DESCRIPTION: Adjustable mounting option for applications that require angle adjustments. It can rotate up to 180 degree.



ITEM: W-LP-Mount-Lbracket

DESCRIPTION: L-shape adjustable mounting option for applications that require angle adjustments. It can rotate up to 180 degree.




Mounting Accessories

Units: mm





ITEM: W-LP-Antiglare
Asymmetric anti-glare louver that coordinates to length of the wall washer.




ITEM: W-LP-Mount-Stake

DESCRIPTION: Adjustable mounting option for landscape lighting application



ITEM: W-LP-Mount-ExtendedS
ITEM: W-LP-Mount-Extended

Wall mount option for application that requires wall mounting with length 150mm – 230mm
Wall mount option for application that requires wall mounting with length 355mm – 560mm



**need to order this item together with the fixture as it requires special mounting brackets to lock the wall mounting arm.*



Cable Accessories

W-CNT-2F-DC Wall Washer connector, IP66, 2-pin Female, DC Power input

W-CNT-2JP-XX Wall Washer connector, IP66, 2-pin Jumper, XX inch length

W-TMN-2M Wall Washer connector, IP66, 2-pin Male, DC End Cap

