

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

search

Q

Basic Inform...

Body

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Inter...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

Mercedes-Benz GLC EV 2026 GLC 350 L 4MATIC...

<

+Comparison

>

nailed on the left side

339,800

Ask for the lowest price

Basic Information

Official guide price	339,800
Manufacturers	Beijing Benz
level	Mid-size SUV
Energy type	pure electric
Launch date	2026.07
electric motor	422 horsepower pure electric
Pure electric range (km). Ministry of Industry and Information Technology	680
Pure electric range (km). CLTC	680
High-voltage fast charging platform	• 800V
Charging time	Fast charging takes 22 minutes, slow charging takes 13.5 hours.
Fast charging capacity (%)	10-80
Maximum power (kW)	310kW (422Ps)
Maximum torque (N·m)	800
gearbox	2-speed automatic
Length x Width x Height (mm)	4933x1914x1710
Body structure	5-door 5-seater SUV
Maximum speed (km/h)	200
Official 0-100 km/h acceleration time (s)	4.9

Business cooperation

Add to desktop

Change of operating entity

(kWh/100km).	
Vehicle warranty period	3 years unlimited mileage
Body	
Length (mm).	4933
Width (mm).	1914
Height(mm).	1710
Wheelbase (mm).	3027
Front track width (mm).	1626
Rear track width (mm).	1643
Minimum ground clearance (mm).	-
Body structure	SUV
Number of car doors	5
Car door opening method	Hinged door 
Number of seats	5
Curb weight (kg).	2515
Full load mass (kg).	2985
Towing weight (kg).	-
Front luggage compartment volume (L).	128
Luggage compartment volume (L).	605
Minimum turning radius	-
electric motor	
Electric motor description	422 horsepower pure electric
Motor type	Permanent magnet/synchronous 
Total power of electric motors (kW).	310kW (422Ps)
Total horsepower of electric motors (Ps).	422
Total torque of the electric motor (N·m).	800
Maximum power of the front motor (kW).	163

Business cooperation

Add to desktop

Change of operating entity

Number of drive motors	Dual motors
Motor layout	Front + Rear
Battery/Charging	
Battery Type	ternary lithium battery
Battery cell brands	CATL
Battery pack warranty	8 years or 160,000 kilometers
Battery capacity (kWh)	89
Battery energy density (Wh/kg)	-
Battery charging rate	-
Battery charging	Fast charging takes 22 minutes, slow charging takes 13.5 hours.
	• fast charging interface
Maximum fast charging power (kW)	320
Fast charging port location	Right side fuel tank position
slow charging port location	Right side fuel tank position
Battery heating system	• Standard configuration
Battery cooling system	• Liquid cooling
Single pedal mode	• Standard configuration
VTOL mobile power station function	-
VTOL maximum external discharge power	-
VTOV maximum external discharge power	-
gearbox	
Gearbox Description	2-speed automatic
Number of gears	2
Transmission type	Automatic transmission (AT)
Chassis/Steering	
driving method	Dual-motor four-wheel drive
Four-wheel drive type	Electric four-wheel drive

Business cooperation

Add to desktop

Change of operating entity

Rear suspension	Multi-link independent suspension
Steering type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	235/50 R20
Rear tire specifications and dimensions	265/45 R20
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ○ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead
	• Braking for traffic ahead
Active braking	• Standard configuration
Lane change assist	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Lane centering	• Standard configuration
Fatigue driving warning	• Standard configuration
Active DMS fatigue detection	• Standard configuration
In-vehicle vital signs detection	• Standard configuration
Road traffic sign recognition	• Standard configuration
Traffic light recognition	• Standard configuration
Night vision system	-

passive safety

• Standard configuration

◦ Optional

- none

Front airbags	• Driver's seat • Passenger seat
Side airbags	• Front row • Back row
Side curtain airbags	• Standard configuration
Front knee airbags	• Driver's seat • Passenger seat
Central airbag	• Front row
Seatbelt reminder	• Standard configuration
Tire pressure monitoring system	• Tire pressure display 
Child car seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-

Assist/Control Configuration

• Standard configuration

◦ Optional

- none

Parking radar	• forward • back
Driving assistance imaging	• Reversing camera  • 360° panoramic imaging  • Transparent Image
Cruise system	• cruise control  • Adaptive cruise control 

Business cooperation

Add to desktop

Change of operating entity

Automatic lane change assist	• Standard configuration
Automatic exit (entry) from the ramp.	• Standard configuration
Navigation-assisted driving	• High-speed navigation
	• City Navigator
Assisted driving level	• Level 2 
Automatic parking	• Standard configuration
Reverse Tracking	• Standard configuration
Memory Parking	-
Automatic parking (AUTOHOLD)	• Standard configuration
Hill Start Assist (HAC)	• Standard configuration
High-Descent Control (HDC)	• Standard configuration
Variable suspension adjustment	◦ Soft and hard + high and low
air suspension	◦ Optional
Air suspension type	◦ Dual-chamber
Electromagnetic induction suspension	-
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Low-speed four-wheel drive	-
Overall active steering system	◦ Optional
Unique U-turn technology	-
Driving mode selection	• sports
	• Off-road
	• Personalization
	• ECO/Economy
	• Standard Comfort
External configuration • Standard configuration ◦ Optional - none	

Business cooperation

Add to desktop

Change of operating entity

Intelligent dimming canopy	• Standard configuration
Roof rack	• Standard configuration
Sport appearance kit	◦ Optional
Electric spoiler	-
Active grille shutters	-
Aluminum alloy wheels	• Standard configuration
Side foot pedals	-
Frameless design car doors	-
Concealed door handles	• Standard configuration
Drag hook	-

Internal configuration

• Standard configuration

◦ Optional

- none

Steering wheel material	• Genuine Leather
Steering wheel adjustment	• Up and down + front and back
Electric steering wheel adjustment	• Standard configuration
Steering wheel functions	• Multifunctional control
	• memory
	• heating
Gear shifting	• Electronic shifter
LCD instrument panel style	• Full LCD
LCD instrument panel dimensions (inches)	• 10.25

Comfort/Anti-theft Configuration

• Standard configuration

◦ Optional

- none

Electric soft-close door	-
Electric tailgate	• Standard configuration
Sensor-activated tailgate	• Standard configuration
Electric tailgate position memory	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Smart remote key 
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Vehicle summoning function	-
Head-up display (HUD) system	◦ Optional 5100 yuan
Built-in dashcam	• Standard configuration
Original ETC	◦ Optional 3000 yuan
Active noise cancellation	-
Wireless charging for mobile phones	• First row
110V/220V/230V power socket	-
12V power outlet in luggage compartment	-

Seating configuration

• Standard configuration ◦ Optional - none

Seat material	• imitation leather
Sporty seats	-
Seating layout	• 2+3
Second row individual seats	-
Electric seat adjustment	• Driver's seat
	• Passenger seat
Sinking rear seats fold down	-
Driver's seat overall adjustment	• Move forward and backward
	• Backrest angle
	• High and low adjustment
Driver's seat partial adjustment	• headrest
	• waist
	• Leg rest
passenger seat overall adjustment	• Move forward and backward
	• High and low adjustment
	• Backrest angle
Partial adjustment of the passenger seat	• headrest
	• waist
	• Leg rest
Second row seats are fully adjustable.	-

Business cooperation

Add to desktop

Change of operating entity

Front seat functions	• heating
	• ventilation
	• memory
	• massage
Second-row seat functions	• heating
	• ventilation
	• massage
Third-row seat function	-
Boss key	• Standard configuration
Front/rear armrests	• Front row
	• Back row
Rear cup holders	• Standard configuration
Heated/cooled cup holder	-
Rear seat folding ratio	• 40:60
Rear seats can be folded down electrically.	-
Second row of small tables	-
Smart Interconnection • Standard configuration ◦ Optional - none	
Central control screen size (inches)	• 14
	◦ 39.1 10200 yuan
Central control screen material	-
The color screen resolution of the center console	8K
Passenger screen size (inches)	• 14
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	• Standard configuration
Roadside assistance services	• Standard configuration
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	• CarPlay 
	• HUAWEI HiCar
Connected Vehicles	• Standard configuration
4G/5G networks	• 5G

		Business cooperation	Add to desktop	Change of operating entity
facial recognition		• Standard configuration		
Fingerprint recognition	-			
Voiceprint recognition	-			
Voice recognition control system		• Standard configuration		
Voice wake-up-free function		• Standard configuration		
Voice regional wake-up recognition function		• Four registers		
Continuous speech recognition		• Standard configuration		
What is visible can be said		• Standard configuration		
Voice assistant wake word	Hello Mercedes			
Gesture control function	-			
Wi-Fi hotspot	-			
Audio-visual entertainment		• Standard configuration	◦ Optional	- none
Multi-finger swipe control	-			
App Store		• Standard configuration		
Number of USB/Type-C ports		• Two in the front row		
		• Two in the back row		
USB/Type-C maximum charging power		100W in the front row		
		100W in the back row		
Car TV	-			
Rear LCD screen	-			
Simulated sound waves		◦ Optional		
Audio Brands		• Berlin Voice 		
Number of speakers		• 19		
Dolby Atmos		• Standard configuration		
Maximum output power of the amplifier (W)		• 750		
Seat speakers (headrest/shoulder area)		• Standard configuration		
Rear multimedia control	-			
Lighting configuration		• Standard configuration	◦ Optional	- none
low beam headlights		• led		
High beams		• led 		

Business cooperation

Add to desktop

Change of operating entity

Adaptive high and low beam	• Standard configuration
Automatic headlights	• Standard configuration
Turning auxiliary lights	-
Front fog lights	-
Adaptive Front-lighting System (AFS)	-
Headlight height adjustment	• Standard configuration
Headlight washing function	-
Interior ambient lighting	• 64 colors
Active ambient lighting	• Standard configuration
Lighting features	-
Light projection technology	-
Headlights delayed shut off	• Standard configuration
Headlight rain/fog mode	-
Glass/Rearview Mirror • Standard configuration ◦ Optional - none	
Electric windows	• Front row
	• Back row
One-touch window operation	• The whole vehicle
Anti-pinch function for car windows	• Standard configuration
Exterior rearview mirror function	• Electric adjustment
	• heating
	• Electric folding
	• memory
	• Automatic tilting when reversing
	• Automatic folding when locking
Interior rearview mirror function	• Automatic anti-glare
Car vanity mirror	• Driver's seat + lighting
	• Passenger seat with lighting
Rear privacy glass	◦ Optional

Business cooperation

Add to desktop

Change of operating entity

Rain-sensing wipers	• Standard configuration
Rear wiper	• Standard configuration
Rear window open	-
Multi-layer soundproof glass	• Front row
Electric windshield heating	-
Heated water nozzle	• Standard configuration
Air conditioner/refrigerator	• Standard configuration ◦ Optional - none
Air conditioning control methods	• automatic
Rear independent air conditioning	• Standard configuration
Rear air vents	• Standard configuration
Temperature zone control	• Four-zone air conditioning
Car air purifier	-
In-car PM2.5 filter	• Standard configuration
negative ion generator	-
In-car fragrance device	-
AQS Air Quality Management System	• Standard configuration
Car refrigerator	-
Car refrigerator function	-
Intelligent configuration	
Assisted driving operating system	• MB.DRIVE Assisted Driving Pro
In-vehicle intelligent system	• MBUX
In-vehicle smart chip	• Qualcomm Snapdragon 8295
Vehicle infotainment system memory_(GB)	• 32
Remote control via mobile app	• Vehicle monitoring
	• Remote control
	• Charging Management
	• Service Appointment
Heat pump management system	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

External camera pixels	-
Number of in-vehicle cameras	• 1
In-car camera pixels	-
Number of ultrasonic radars (units)	• 12
Number of millimeter-wave radars	• 5
High-precision map	-
Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package • Standard configuration ◦ Optional - none	
Customized options	Two optional packages are available: exterior, interior, wheels, and brakes.
AMG Long Range Package	AMG Sport Package: Dynamic star-shaped welcome lights, dual LCD projectors, AMG body styling package, Nappa leather multi-function sports steering wheel, AMG floor mats, AMG dynamic sound system; Night Package: Dark-tinted privacy glass.
	◦ Optional 8000 yuan
Driving and comfort components	Rear-wheel active steering system, air suspension system
	◦ Optional 17,600 yuan

*The above specifications are for reference only. Please refer to the actual vehicle for details.
[View parameter configuration details >](#)