

Beijing

Today's traffic

Intelligent assistant

Comprehensive Decl...

Search

Release works

Global

Download the App

Small program

Search for all...

Current position: Choose a car > ROX polar stone >

Note: The following parameter configuration is for reference only, and the actual parameters shall be subject to the vehicles sold in the store.

Basic parameters

Body

Engine

Electric motor

Battery/Charging

Gearbox

Chassis steering

Wheel braking

Passive safety

Active safety

Driving control

Four-wheel drive/

Driving hardware

Driving function

Appearance/Anti-

Lights outside the

Skylight/glass

Exterior rearview m

Interconnection/Ir

Steering wheel/in

Charging in the ca

Seat configuration

...

Year: The 2024 model is discontinued There are 2 models in total Number of seats ☒ 6 seats ☐ 7 seats

☐ Highlight different parameters

☐ Hide the same parameters

☐ Hide no content for

Nailed on the left side

X

Jishi 01 2024 Enjoy 6-seat standard endurance version

<

-Contrast

>

Nailed on the left side

X

Jishi 01 2024 Exclusive 6-seat long-range version

<

-Contrast

>

Manufacturer's guide price (yuan)

30.99万 [% Calculator](#)

35.99 million [% Calculator](#)

Dealer's quotation

No quotation for the time being [about the resale](#)

No quotation for the time being [about the resale](#)

Basic parameters

Manufacturer	ROX polar stone	ROX polar stone
Level	Medium and large SUV	Medium and large SUV
Types of energy	Add programs	Add programs
Environmental protection standards	Country VI	Country VI
Listing time	2024-08-16	2024-08-16
WLTC pure electric range (km)	180	252
CLTC pure electric range (km)	215	306
Battery fast charging time (hours)	0.4	0.4
Slow charging time of battery (hours)	6.8	8.8
Battery fast charging range (%)	20-80	20-80
Battery slow charging range (%)	0-100	0-100
Maximum power (kW)	350	350
Maximum torque (N·m)	740	740
Gearbox	Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles
Body structure	5-door 6-seat SUV	5-door 6-seat SUV
Engine	1.5T 152 horsepower L4	1.5T 152 horsepower L4
Electric motor (Ps)	476	476
Length*width*height (mm)	5050*1980*1869	5050*1980*1869

<u>Official 0-100km/h acceleration(s)</u>	5.5	5.5
<u>Maximum speed (km/h)</u>	190	190
<u>WLTC comprehensive fuel consumption (L/100km)</u>	-	0.45
<u>Fuel consumption in the lowest charge state (L/100km) WLTC</u>	-	7.95
<u>Electric energy ealess fuel consumption (L/100km)</u>	-	2.79
<u>Quality assurance of the whole vehicle</u>	○ Five years or 100,000 kilometers	○ Five years or 100,000 kilometers
<u>Preparation mass (kg)</u>	2625	2660
<u>Maximum full load mass (kg)</u>	3189	3189
<u>Total mass of quasi-towed trailer (kg)</u>	750	750

Body

<u>Length (mm)</u>	5050	5050
<u>Width (mm)</u>	1980	1980
<u>Height (mm)</u>	1869	1869
<u>Wheelbase (mm)</u>	3010	3010
<u>Front wheelbase (mm)</u>	1692	1692
<u>Rear wheelbase (mm)</u>	1701	1701
<u>The minimum ground clearance of full load (mm)</u>	205	205
<u>Approach angle (°)</u>	22.2	22.2
<u>Departure angle (°)</u>	25.1	25.1
<u>Longitudinal passing angle (°)</u>	19.7	19.7
<u>Maximum climbing angle (°)</u>	45	45
<u>Minimum turning radius (m)</u>	5.98	5.98
<u>Maximum wading depth (mm)</u>	700	700
<u>Body structure</u>	SUVs	SUVs
<u>How to open the car door</u>	Open the door	Open the door
<u>Number of car doors (pieces)</u>	○ 5	○ 5
<u>Number of seats (s)</u>	○ 6	○ 6

<u>Fuel tank volume (L)</u>	70	70
<u>Trang volume (L)</u>	548	548
<u>Wind resistance coefficient (Cd)</u>	–	–

Engine

<u>Engine model</u>	B15F	B15F
<u>Displacement (mL)</u>	1496	1496
<u>Displacement (L)</u>	1.5	1.5
<u>Air intake form</u>	Turbocharge	Turbocharge
<u>Engine layout</u>	Horizontally	Horizontally
<u>Cylinder arrangement pattern</u>	L	L
<u>Number of cylinders (pieces)</u>	four	four
<u>Number of valves per cylinder (pcs)</u>	four	four
<u>Gas distribution mechanism</u>	DOHC.	DOHC.
<u>Maximum horsepower (Ps)</u>	152	152
<u>Maximum power (kW)</u>	112	112
<u>Maximum power speed (rpm)</u>	–	–
<u>Maximum torque (N·m)</u>	–	–
<u>Maximum torque speed (rpm)</u>	–	–
<u>Maximum net power (kW)</u>	110	110
<u>Types of energy</u>	Add programs	Add programs
<u>Fuel label</u>	No. 95	No. 95
<u>Oil supply method</u>	Direct spray	Direct spray
<u>Cylinder head material</u>	Aluminum alloy	Aluminum alloy
<u>Cylinder block material</u>	Aluminum alloy	Aluminum alloy
<u>Environmental protection standards</u>	Country VI	Country VI

Electric motor

<u>Model of front motor</u>	TZ210XS000	TZ210XS000
<u>Rear motor model</u>	TZ220XS000	TZ220XS000
<u>Motor type</u>	Permanent magnet/synchronization	Permanent magnet/synchronization
<u>Total power of the motor (kW)</u>	350	350

<u>Total horsepower of electric motor (Ps)</u>	476	476
<u>Total torque of motor (N·m)</u>	740	740
<u>The maximum power of the front motor (kW)</u>	150	150
<u>The maximum torque of the front motor (N·m)</u>	340	340
<u>The maximum power of the rear motor (kW)</u>	200	200
<u>The maximum torque of the rear motor (N·m)</u>	400	400
<u>System comprehensive power (kW)</u>	350	350
<u>System integrated horsepower (Ps)</u>	476	476
<u>System comprehensive torque (N·m)</u>	740	740
<u>Number of driving motors</u>	Dual motor	Dual motor
<u>Motor layout</u>	Front + rear	Front + rear
<u>Quality assurance of three electric systems</u>	○ Eight years or 160,000 kilometers	○ Eight years or 160,000 kilometers

Battery/Charging

<u>Battery type</u>	○ Ternary lithium battery	○ Ternary lithium battery
<u>Cell brand</u>	○ Ningde era	○ Ningde era
<u>Battery cooling method</u>	Liquid cooling	Liquid cooling
<u>WLTC pure electric range (km)</u>	180	252
<u>CLTC pure electric range (km)</u>	215	306
<u>WLTC comprehensive range (km)</u>	1065	1132
<u>CLTC comprehensive endurance (km)</u>	1275	1362
<u>Battery energy (kWh)</u>	44.5	58.4
<u>Power consumption per 100 kilometers (kWh/100km)</u>	–	23.6
<u>Fast charging function</u>	Support	Support
<u>Fast charging power (kW)</u>	one hundred	one hundred
<u>Battery fast charging time (hours)</u>	0.4	0.4

<u>Battery fast charging range (%)</u>	20-80	20-80
<u>Slow charging time of battery (hours)</u>	6.8	8.8
<u>Battery slow charging range (%)</u>	0-100	0-100
<u>Position of slow charging interface</u>	The right rear of the car	The right rear of the car
<u>Position of fast charging interface</u>	The right rear of the car	The right rear of the car
<u>Outer AC discharge power (kW)</u>	2.2	2.2

Gearbox

<u>Abbreviated</u>	Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles
<u>The number of gears</u>	1	1
<u>Gearbox type</u>	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering

<u>Driving mode</u>	☐ Dual motor four-wheel drive	☐ Dual motor four-wheel drive
<u>Four-wheel drive form</u>	☐ Electric four-wheel drive	☐ Electric four-wheel drive
<u>Type of front suspension</u>	Double fork arm ☐ independent suspension	Double fork arm ☐ independent suspension
<u>Rear suspension type</u>	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension
<u>Type of help</u>	☐ Electric power assistance	☐ Electric power assistance
<u>Car body structure</u>	Load-bearing	Load-bearing

Wheel braking

<u>Types of front brake</u>	☐ Ventilated disc type	☐ Ventilated disc type
<u>Types of rear brake</u>	☐ Ventilated disc type	☐ Ventilated disc type
<u>Parking Brake Type</u>	☐ Electronic parking	☐ Electronic parking
<u>Specifications of the front tire</u>	☐ 275/45 R21	☐ 275/45 R21
<u>Specifications of rear tires</u>	☐ 275/45 R21	☐ 275/45 R21
<u>Spare tire specifications</u>	☐ Tire repair tools ☐ Full size (6,000 yuan)	☐ Tire repair tools ☐ Full size (6,000 yuan)
<u>How to place the spare tire</u>	☐ Back-bearing	☐ Back-bearing

Passive	Standard	Optional	Nothing
<u>Airbag for the main/co-driver seat</u>	on Lord ☐ /Deputy ☐	Lord ☐ /Deputy ☐	
<u>Front/rear side airbags</u>	Before ☐ /After-	Before ☐ /After-	
<u>Front/rear head airbag (air curtain)</u>	Before ☐ /after ☐	Before ☐ /after ☐	

Active	Standard	Optional	Nothing
<u>ABS anti-dead</u>	on ☐	☐	
<u>Braking force distribution (EBD/CBC, etc.)</u>	☐	☐	
<u>Brake assistance (EBA/BAS/BA, etc.)</u>	☐	☐	
<u>Traction control (ASR/TCS/TRC, etc.)</u>	☐	☐	
<u>Body stability control (ESC/ESP/DSC, etc.)</u>	☐	☐	
<u>Tire pressure monitoring function</u>	☐ Tire pressure display	☐ Tire pressure display	
<u>Reminder that the seat belt is not fastened</u>	☐ Front row ☐ The second row	☐ Front row ☐ The second row	
<u>ISOFIX child seat interface</u>	☐	☐	
<u>Lane Departure Warning System</u>	☐	☐	
<u>Active brake / active safety system</u>	☐	☐	
<u>Tips for fatigue driving</u>	-	☐	
<u>DOW opening warning</u>	☐	☐	
<u>Forward collision warning</u>	☐	☐	
<u>Rear collision warning</u>	☐	☐	
<u>Sentinel Mode/Clairvoyance</u>	-	☐	
<u>Low-speed driving warning</u>	☐	☐	
<u>Built-in driving recorder</u>	☐	☐	
<u>Road rescue call</u>	☐	☐	
<u>Anti-slipping system</u>	☐	☐	

Driving	Standard	Optional	Nothing
<u>Driving mode switching</u>	on ☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Cross-country ☐ Snowy	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Cross-country ☐ Snowy	

<u>Energy recovery system</u>	☐	☐
<u>Automatic parking</u>	☐	☐
<u>Uphill assistance</u>	☐	☐
<u>The steep slope is gentle.</u>	☐	☐
<u>Variable suspension function</u>	☐ Suspension soft and hard adjustment	☐ Suspension soft and hard adjustment
<u>Drag mode</u>	☐	☐

Four-

<u>Drag hook</u>	☐ Manual (2399 yuan) ☐ Optional — Nothing	☐ Manual (2399 yuan)
<u>Drive/off-Standard configuration</u>	☐ Optional — Nothing	
<u>Front/rear parking radar</u>	☐ Before ☐ /after ☐	☐ Before ☐ /after ☐
<u>Driving auxiliary image</u>	☐ 360-degree panoramic image	☐ 360-degree panoramic image
<u>Transparent chassis/540-degree image</u>	—	☐
<u>Assisted driving chip</u>	☐ Double TDA4	☐ 2 pieces of NVIDIA Orin-X ☐ Double TDA4
<u>Front sensing camera</u>	☐ Binoculars	☐ Binoculars
<u>Number of cameras</u>	☐ Six	☐ Six ☐ 11 pieces
<u>Front sensing camera pixels</u>	☐ 2 million	☐ 2 million ☐ 8 million
<u>Look around the camera pixels</u>	☐ 2 million	☐ 2 million
<u>The number of ultrasonic radars</u>	☐ 12	☐ 12 ☐ 14
<u>The number of millimeter-wave radars</u>	☐ 5	☐ 5
<u>Lidar brand</u>	—	☐ HESAI Technology
<u>Lidar model</u>	—	☐ AT128 ☐ FT120
<u>The number of lidars</u>	—	☐ 3
<u>Number of lidar lines</u>	—	☐ 128 lines ☐ 120 lines
<u>Lidar 10% reflectance detection distance</u>	—	☐ 200 meters ☐ 100 meters
<u>The number of LiDAR point clouds</u>	—	☐ 1.53 million/second ☐ 190,000/second

Driving ☐ Standard ☐ Optional — Nothing
function configuration

<u>Cruise system</u>	☐ Full-speed adaptive cruise	☐ Full-speed adaptive cruise
<u>Assisted driving level</u>	☐ L2	☐ L2
<u>Reverse side warning system</u>	☐	☐
<u>Satellite navigation system</u>	☐	☐
<u>Navigation road condition information display</u>	☐	☐
<u>Map brand</u>	☐ Baidu	☐ Baidu
<u>High-espinite map</u>	-	☐
<u>Parallel auxiliary</u>	☐	☐
<u>Lane maintenance auxiliary system</u>	☐	☐
<u>Keep the lane in the middle</u>	☐	☐
<u>Road traffic sign identification</u>	☐	☐
<u>Assisted parking in place</u>	☐	☐
<u>Remote parking</u>	☐	☐
<u>Memory parking</u>	-	☐
<u>Assist in changing lanes</u>	☐	☐
<u>The auxiliary ramp automatically drives out (in)</u>	-	☐
<u>Remote summoning</u>	☐	☐
<u>Auxiliary driving section</u>	-	☐ High-speed section

Appearance/Anti-

Standard

☐ Optional

- Nothing

<u>Wheel rim material</u>	☐ Aluminum alloy	☐ Aluminum alloy
<u>Electric suction door</u>	☐ Tailgate	☐ Tailgate
<u>Roof rack</u>	☐	☐
<u>Anti-theft electronic engine</u>	☐	☐
<u>Central control lock in the car</u>	☐	☐
<u>Key type</u>	☐ Remote control key ☐ Bluetooth key	☐ Remote control key ☐ Bluetooth key
<u>Keyless launch system</u>	☐	☐
<u>Keyless entry function</u>	☐ The whole car	☐ The whole car
<u>Remote start function</u>	☐	☐
<u>Side pedals</u>	-	☐ fixed

<u>External discharge</u>	☐	☐
---------------------------	-----------------------	-----------------------

Lights

<u>Near-light source</u>	☐ LED ☐ Optional ☐ - Nothing	☐ LED
<u>The source of high-light</u>	☐ LED	☐ LED
<u>LED daytime running lights</u>	☐	☐
<u>Adaptive far and near beam</u>	☐	☐
<u>Automatic headlight</u>	☐	☐
<u>Fog lights in front of the car</u>	-	-
<u>Adjustable headlight height</u>	☐	☐
<u>Headlights delay in switching off</u>	☐	☐

Skylight/glass

<u>Type of skylight</u>	☐ Standard ☐ Optional ☐ - Nothing	☐ Standard ☐ Optional ☐ - Nothing
<u>Front/rear electric window</u>	Before ☐ /after ☐	Before ☐ /after ☐
<u>One-click lifting function of the car window</u>	☐ The whole car	☐ The whole car
<u>The anti-pinch function on car windows</u>	☐	☐
<u>Multi-layer soundproof glass for side windows</u>	☐ Front row ☐ Back row	☐ Front row ☐ Back row
<u>Rear side privacy glass</u>	☐	☐
<u>In-car makeup mirror</u>	☐ Main driver + light ☐ Co-pilot + light	☐ Main driver + light ☐ Co-pilot + light
<u>Rear wiper</u>	☐	☐
<u>Induction wiper function</u>	☐ Rain volume sensing type	☐ Rain volume sensing type

Exterior

<u>Exterior rearview mirror function</u>	☐ Standard ☐ Optional ☐ - Nothing	☐ Standard ☐ Optional ☐ - Nothing
	☐ Electric adjustment ☐ Electric folding ☐ Rearview mirror memory ☐ Rearview mirror heating ☐ Reverse the car and turn down automatically ☐ Automatic folding of the lock car ☐ Automatic anti-glare	☐ Electric adjustment ☐ Electric folding ☐ Rearview mirror memory ☐ Rearview mirror heating ☐ Reverse the car and turn down automatically ☐ Automatic folding of the lock car ☐ Automatic anti-glare

Interconnection/Intelligence	Standard	
	○ configuration	○ Optional – Nothing
<u>Central control color screen</u>	○ Touch LCD screen	○ Touch LCD screen
<u>Central control screen size</u>	○ 15.7 inches	○ 15.7 inches
<u>Central control screen resolution</u>	○ three k	○ three k
<u>Bluetooth / car phone</u>	○	○
<u>Mobile phone interconnection / mapping</u>	○ Support CarPlay ○ Original factory interconnection/mapping	○ Support CarPlay ○ Original factory interconnection/mapping
<u>Voice recognition control system</u>	○	○
<u>Voice assistant wake-up words</u>	○ Hello, Stone	○ Hello, Stone
<u>Voice wake-up words</u>	○	○
<u>Voice sub-area wake-up recognition</u>	○ Four regions	○ Four regions
<u>Continuous voice recognition</u>	○	○
<u>You can say it if you can see it.</u>	○	○
<u>Car-computer intelligent chip</u>	○ Qualcomm Snapdragon 8155	○ Qualcomm Snapdragon 8155
<u>Rear LCD screen size</u>	○ 15.6 inches	○ 15.6 inches
<u>The number of multimedia screens in the back row</u>	○ 1 piece	○ 1 piece
<u>Screen anti-peeping</u>	○	○
<u>Internet of Vehicles</u>	○	○
<u>4G/5G network</u>	○ 5G	○ 5G
<u>OTA upgrade</u>	○	○
<u>Wi-Fi hotspot</u>	○	○
<u>Mobile phone APP remote function</u>	○	○
<u>In-car KTV</u>	○	○

Steering

<u>Material of steering wheel</u>	○ cortex ○ Optional – Nothing	○ cortex
<u>Steering wheel position adjustment</u>	Manual up and down ○ + front and back adjustment	Manual up and down ○ + front and back adjustment
<u>Gear shift form</u>	○ Electronic shift lever	○ Electronic shift lever
<u>Multifunctional steering wheel</u>	○	○

<u>Steering wheel heating</u>	☐	☐
<u>Steering wheel memory</u>	–	–
<u>Driving computer display screen</u>	☐ Colorful	☐ Colorful
<u>Full LCD dashboard</u>	☐	☐
<u>LCD instrument size</u>	☐ 12.3 inches	☐ 12.3 inches
<u>Internal rearview mirror function</u>	☐ Automatic anti-glare ☐ Streaming media	☐ Automatic anti-glare ☐ Streaming media

Charging

<u>Multimedia/Charging Interface</u>	☐ Optional – Nothing ☐ Type-C	☐ USB ☐ Type-C
<u>Number of USB/Type-C interfaces</u>	☐ 3 in the front row/6 in the back row	☐ 3 in the front row/6 in the back row
<u>USB/Type-C maximum charging power</u>	☐ 45W	☐ 45W
<u>220V/230V power supply</u>	☐	☐
<u>Wireless charging function of mobile phone</u>	☐ Front row	☐ Front row
<u>Wireless charging power of mobile phone</u>	☐ 15W	☐ 15W

Seat

<u>Seat material</u>	☐ Standard ☐ Genuine leather	☐ Optional – Nothing ☐ Genuine leather
<u>Main seat adjustment method</u>	☐ Front and rear adjustment ☐ Backrest adjustment High and low ☐ adjustment (4 directions) ☐ Leg support adjustment ☐ Waist support (4 directions)	☐ Front and rear adjustment ☐ Backrest adjustment High and low ☐ adjustment (4 directions) ☐ Leg support adjustment ☐ Waist support (4 directions)
<u>Secondary seat adjustment method</u>	☐ Front and rear adjustment ☐ Backrest adjustment High and low ☐ adjustment (2 directions) ☐ Waist support (4 directions)	☐ Front and rear adjustment ☐ Backrest adjustment High and low ☐ adjustment (2 directions) ☐ Waist support (4 directions)
<u>Electric adjustment of the main/co-driver's seat</u>	Lord ☐ /Deputy ☐	Lord ☐ /Deputy ☐
<u>Front seat function</u>	☐ Heating ☐ Ventilation ☐ Massage	☐ Heating ☐ Ventilation ☐ Massage
<u>Memory function of electric seat</u>	☐ Driver's seat	☐ Driver's seat

<u>Adjustable button in the back of the co-driver's seat</u>	☐	☐
<u>Second-row seat adjustment</u>	☐ Front and rear adjustment ☐ Backrest adjustment ☐ High and low adjustment ☐ Waist adjustment ☐ Leg support adjustment	☐ Front and rear adjustment ☐ Backrest adjustment ☐ High and low adjustment ☐ Waist adjustment ☐ Leg support adjustment
<u>Electric adjustment of the second row of seats</u>	☐	☐
<u>The function of the second row of seats</u>	☐ Heating ☐ Ventilation ☐ Massage	☐ Heating ☐ Ventilation ☐ Massage
<u>The second row of independent seats</u>	☐	☐
<u>Third row seat adjustment</u>	☐ Backrest adjustment	☐ Backrest adjustment
<u>Seat layout</u>	☐ 2-2-2	☐ 2-2-2
<u>Rear seat folding form</u>	☐ Put down the proportion	☐ Put down the proportion
<u>Front/rear central armrest</u>	Before ☐ /after ☐	Before ☐ /after ☐
<u>Rear cup holder</u>	☐	☐

Audio/In-Standard

<u>Speaker brand name</u>	on- ☐ Optional - Nothing	-
<u>The number of speakers</u>	☐ 14 loudspeakers	☐ 14 loudspeakers
<u>Touch reading lamp</u>	☐	☐
<u>In-car ambient light</u>	☐ 256 colors	☐ 256 colors

Air

Standard

<u>Air conditioning temperature control method</u>	☐ configuration ☐ Automatic air conditioning	☐ Optional - Nothing ☐ Automatic air conditioning
<u>Independent rear air conditioning</u>	☐	☐
<u>Air outlet in the back seat</u>	☐	☐
<u>Temperature Zone Control</u>	☐	☐
<u>Car air purifier</u>	☐	☐
<u>PM2.5 filter device in the car</u>	☐	☐
<u>Negative ion generator</u>	☐	☐
<u>Air quality monitoring</u>	☐	☐

Color

Appearance color	☐ Cloud curtain gray ☐ Wild Forest Green ☐ Snow mountain white ☐ Glacier silver ☐ Black Warrior Special Edition 3,000 yuan	☐ Snow mountain white ☐ Wild Forest Green ☐ Cloud curtain gray ☐ Glacier silver ☐ Black Warrior Special Edition 3,000 yuan
Interior color	☐ Sheep fat white ☐ Amber orange ☐ Pearl black	☐ Sheep fat white ☐ Pearl black ☐ Amber orange

Optional

Standard

Black Warrior Special Edition	☐ Optional ☐ Nothing onIncluding: all-black exterior kit (including tungsten steel exterior parts) ☐ Optional (3,000 yuan)	-
Travel through the spare tire	Including: time-traveling spare tire ☐ Optional (6,000 yuan)	-