



4WD Rough Terrain Forklift Truck

RTA30

HIGH PERFORMANCE

- ❖ Equipped with high-performance QUANCHAI engine, featuring low energy consumption and excellent heat dissipation.
- ❖ 4WD design for operation on various complex terrains.

EASY MAINTENANCE

- ❖ Board forward visibility
- ❖ Ergonomics Operation
- ❖ Full closed cabin
- ❖ Heater and cooler(optional)

RELIABILITY

- ❖ Durable and powerful engines
- ❖ Wide-base deep tread tyres
- ❖ High Ground Clearance



Standard configuration		Optional	Available attachment
Standard Chinese engine	Traction pin	2 stage mast 3.3-5m	Side shifter
Automatic transmission	Backrest	2 stage FFL mast 3-4m	Fork positioner
2 stage 3m mast wide view	Overhead guard	3 stage FFL mast 4-7m	Fork
Rear mirror	Backward buzzer	Mechanical transmission	Bale clamp
2 section control valve	Filter of hydraulic oil circuit	Fork 1520-2000mm	Paper roll clamp
Pneumatic tires	Safety switch for neutral gear	Half closed cabin	Rotating fork
Parking brake lever	Rainproof for overhead guard	Full closed cabin	Cargo boom
Inching control pedal	Durable tire with pattern	Heater or Cooler	Multi-function drum clamp
Fuse box	Cable type parking brake	Solid tire	Rotating clamp
Rearview mirrors	Full hydraulic power steering	No-marking solid tires	Widen fork carrier
Anti-restart ignition key switch	Levers for lifting and tilting	Double front pneumatic tire	Lengthen fork extension
2 starting key Light switch	Double air cleaner	Double front solid tires	Load stabilizer
Electric horn	Adjustable steering column	Speed meter	Push-pull
Wide view mast	Engine fault indicator	In oil air filters	Tilting fork/bucket
Luxury seat	Preheating indicator	Fire extinguisher	
Front lamp	Hydraulic oil gauge	Rear working light	
Rear combined light	Transmission oil gauge	Suspension seat	
Shaped pedal pad	Reversing light	OPS seat	
Transmission oil filter	Hour meter Fuel gauge	Custom paint	
Fork 1220mm-1520mm	Charging indicator	High installed exhaust	
Water temperature gauge	Oil pressure alarm		



Technical parameters			
Item	Specification		
1	Product model		RTA30
2	Power type		Diesel
3	Load capacity	Kg	3000
4	load center	mm	500
5	Engine model		QuanChai 4B2-52M22
6	Engine power	kw	38
7	Transmission model		280 dual high and low speed torque converter
8	Drive type		Full-time four-wheel drive
9	Axle		Cast steel wheel side reduction air brake bridge
10	Operation type		Sitting
11	Steering type		Hydraulic power assist
12	Fuel tank capacity	L	50
13	Maximum lifting height	mm	4500
14	Wheel base	mm	1780
15	Maximum formal speed	km/h	33
16	Maximum driving speed at full load	km/h	18
17	Minimum turning radius	mm	2500
18	Gate frame inclination angle (front/rear)		First 8 ° and then 10 °
19	Demensions (L*W*H)	mm	3800*1800*2350
20	Service weight(kg)	kg	3900
21	Fork options	mm	1200、1370、1520
RTA35			
Diesel			



3500
500
QuanChai 4B2-52M22
38
4500
280 dual high and low speed torque converter
Full-time four-wheel drive
Cast steel wheel side reduction air brake bridge
Sitting
Hydraulic power assist
50
1780
33
18
2500
First 8 ° and then 10 °
3800*1800*2350
4400
1200、1370、1520