



SCREWBEETM

TURN • TIGHT • TRUST



SCREWS

Turn Tight Trust

About Us



Screwbee is committed to becoming India's most trusted manufacturer of drywall screws, delivering fastening solutions that combine strength, precision, and reliability for modern construction and interior applications. Our screws are manufactured using advanced Taiwan technology in accordance with ISO 9001:2015 standards, ensuring internationally recognized specifications for drywall fastening systems. To ensure durability and corrosion resistance, our products undergo salt spray testing for up to 124 hours, verifying their ability to perform reliably even in demanding environments.



SCREWBEE

TURN • TIGHT • TRUST



With a strong focus on technology, quality control, and continuous improvement, Screwbee aims to set new benchmarks in the Indian fastener industry. Our mission is to provide builders, contractors, and distributors with fastening solutions they can trust for strength, efficiency, and long-lasting performance.

Screwbee – Built for Strength. Engineered for Precision.

Fastening Solutions

Explore our range of precision-engineered screws designed for reliable fastening and professional applications.

01

Zinc Screws

Phillips Bugle Head • Zinc

05

02

Black Screws

Phillips Bugle Head • Black Zinc

06

03

Chipboard Screws

Phillips Countersunk Head • Yellow Zinc

07

04

Flat Head Allen Screws

Hex Socket Flat Head • Black Zinc

08

05

Self-Drilling Screws

Hex Washer Head • Zinc Plated

09

Built for Strength. Engineered for Precision.


Quality fastening solutions for construction, interiors, and professional applications.

S

Phillips Bugle Head

Zinc


Fine thread



d	dk (max)	k	z	p
M3.5	8-8.4	0.8	No.2	1.49
M4.2	8-8.4	0.8	No.2	1.69
M4.8	8.8-9.2	0.8	No.2	2.12



Coarse thread



d	dk (max)	k	z	p
M3.5	8-8.4	0.8	No.2	2.82
M4.2	8-8.4	0.8	No.2	3.18
M4.8	8.8-9.2	0.8	No.2	3.18



Size
(mm)

	16		19		
	19		25		
	25		32		50
3.5 X	32	4.2 X	38	4.8 X	60
	38		50		
	50		60		

Size
(inch)


	5/8		3/4		
	3/4		1		
	1		1-1/4		2
3.5 X	1-1/4	4.2 X	1-1/2	4.8 X	2-3/8
	1-1/2		2		
	2		2-3/8		



Phillips Bugle Head

Black


Fine thread



d	dk (max)	k	z	p
M3.5	8-8.4	0.8	No.2	1.49
M4.2	8-8.4	0.8	No.2	1.69
M4.8	8.8-9.2	0.8	No.2	2.12



Coarse thread



d	dk (max)	k	z	p
M3.5	8-8.4	0.8	No.2	2.82
M4.2	8-8.4	0.8	No.2	3.18
M4.8	8.8-9.2	0.8	No.2	3.18



Size
(mm)

3.5 X	16	4.2 X	19	4.8 X	
	19		25		
	25		32		50
	32		38		60
	38		50		
	50		60		

Size
(inch)

3.5 X	5/8	4.2 X	3/4	4.8 X	
	3/4		1		
	1		1-1/4		2
	1-1/4		1-1/2		2-3/8
	1-1/2		2		
	2		2-3/8		




Phillips Countersunk Head

CHIPBOARD SCREWS

Yellow Zinc

Coarse thread



d	dk (max)	k	z	p
3.0	5.6-6.0	1.8	No.1	1.50
3.5	6.7-7.0	2.1	No.2	1.75
4.0	7.6-8.0	2.4	No.2	2.00
5.0	9.6-10.0	3.0	No.2	2.50
6.0	11.6-12.0	3.6	No.3	3.00

Size
(mm)

3.0 X	12 16 20	3.5 X	12 16 20 25 30 35	4.0 X	16 20 25 30 35 40 45 50 60 75	5.0 X	20 25 35 50 60 75 100	6.0 X	35 50

Size
(inch)

3.0 X	1/2 5/8 3/4	3.5 X	1/2 5/8 3/4 1 1-3/16 1-3/8	4.0 X	5/8 3/4 1 1-3/16 1-3/8 1-9/16 1-3/4 2 2-3/8 3	5.0 X	3/4 1 1-3/8 2 2-3/8 3 4	6.0 X	1-3/8 2




Hex Socket Flat Head

FLAT HEAD ALLEN SCREWS

Black Zinc

Full thread



d	dk (max)	k	z	p
M3.5	7.0-7.4	2.0	2.5	1.75
M4.2	8.0-8.4	2.3	2.5	2.00
M4.8	9.0-9.4	2.6	3.0	2.20

Size
(mm)

3.5 X	16	4.2 X	19	4.8 X	50
	19		25		60
	25		32		
	32		38		
	38		50		
	50		60		

Size
(inch)

3.5 X	5/8	4.2 X	3/4	4.8 X	2
	3/4		1		2-3/8
	1		1-1/4		
	1-1/4		1-1/2		
	1-1/2		2		
	2		2-3/8		




Hex Washer Drill Point

SELF-DRILLING SCREWS

Zinc Plated

Drill point



d	dk (max)	k	z	p
No.8 / 4.2	9.2-9.6	4.0	1/4"	1.41

Size
(mm)

No.8 X	13
	19
	25
	32
	38
	50

Size
(inch)

No.8 X	1/2
	3/4
	1
	1-1/4
	1-1/2
	2





SCREWBEE™

TURN • TIGHT • TRUST

TAIWAN
Quality In **INDIA**

