




2D/3D Template dxf-files

concrete skin cut



Important Notes

- The panel curve as well as the milling curve must be a closed curve.
- Drillholes can be represented by circle or cross.
- Perforations must be a closed curve.
- For mitre cuts please type the degrees in an additional information outside of the panel (see above).
- If mitre cuts are on the front side please add "mitre front", otherwise we'll assume the mitre cuts are on the rear side.

- Texture direction are for the following Textures relevant: GM01 Groove, GM04 Twine, SI03 Lumber, SI02 Slate
- All panels from a Call-Off must be transmitted in one file.
- A partitioning by packaging of the panels according to customer requirements must be indicated accordingly.
- Bull nose in section.
- More details about the CAD standard of Rieder are available in the download area at www.rieder.cc.

Layer Structure

- Layer 01 - panel curve
- Layer 02 - perforations
- Layer 03 - drilling
- Layer 04 - mitre
- Layer 05 - position number
- Layer 06 - quantity
- Layer 07 - dimension
- Layer 08 - substructure
- Layer 09 - bull nose
- Layer 10 - section
- Layer 11 - milling
- Layer 12 - texture direction


Material Information

- colour, surface, texture
- kind of drilling
- viewing direction: front side or rear side
- measurements in mm
- scal 1:1
- without scaling


2D/3D Template dxf-files

formparts L/U-shape

Rückseite / unfolded view



Rückseite / unfolded view



Important Notes

- The panel curve as well as the milling curve must be a closed curve.
- Drillholes can be represented by circle or cross.
- Perforations must be a closed curve.
- For mitre cuts please type the degrees in an additional information outside of the panel (see above).
- If mitre cuts are on the front side please add "mitre front", otherwise we'll assume the mitre cuts are on the rear side.

- Texture direction are for the following Textures relevant: GM01 Groove, GM04 Twine, SI03 Lumber, SI02 Slate
- All panels from a Call-Off must be transmitted in one file.
- A partitioning by packaging of the panels according to customer requirements must be indicated accordingly.
- Bull nose in section.
- More details about the CAD standard of Rieder are available in the download area at www.rieder.cc.

Layer Structure

- Layer 01 - panel curve
- Layer 02 - perforations
- Layer 03 - drilling
- Layer 04 - mitre
- Layer 05 - position number
- Layer 06 - quantity
- Layer 07 - dimension
- Layer 08 - substructure
- Layer 09 - bull nose
- Layer 10 - section
- Layer 11 - milling
- Layer 12 - texture direction



Material Information

- colour, surface, texture
- kind of drilling
- viewing direction: front side or rear side
- measurements in mm
- scal 1:1
- without scaling

2D/3D Template dxf-files

C-shape

Rückseite / unrolled view



Important Notes

- The panel curve as well as the milling curve must be a closed curve.
- Drillholes can be represented by circle or cross.
- Perforations must be a closed curve.
- For mitre cuts please type the degrees in an additional information outside of the panel (see above).
- If mitre cuts are on the front side please add "mitre front", otherwise we'll assume the mitre cuts are on the rear side.

- Texture direction are for the following Textures relevant: GM01 Groove, GM04 Twine, SI03 Lumber, SI02 Slate
- All panels from a Call-Off must be transmitted in one file.
- A partitioning by packaging of the panels according to customer requirements must be indicated accordingly.
- Bull nose in section.
- More details about the CAD standard of Rieder are available in the download area at www.rieder.cc.

Layer Structure

- Layer 01 - panel curve
- Layer 02 - perforations
- Layer 03 - drilling
- Layer 04 - mitre
- Layer 05 - position number
- Layer 06 - quantity
- Layer 07 - dimension
- Layer 08 - substructure
- Layer 09 - bull nose
- Layer 10 - section
- Layer 11 - milling
- Layer 12 - texture direction



Material Information

- colour, surface, texture
- kind of drilling
- viewing direction: front side or rear side
- measurements in mm
- scal 1:1
- without scaling

2D/3D Template dxf-files

C-shape with extension

Rückseite / unrolled view



Important Notes

- The panel curve as well as the milling curve must be a closed curve.
- Drillholes can be represented by circle or cross.
- Perforations must be a closed curve.
- For mitre cuts please type the degrees in an additional information outside of the panel (see above).
- If mitre cuts are on the front side please add "mitre front", otherwise we'll assume the mitre cuts are on the rear side.

- Texture direction are for the following Textures relevant: GM01 Groove, GM04 Twine, SI03 Lumber, SI02 Slate
- All panels from a Call-Off must be transmitted in one file.
- A partitioning by packaging of the panels according to customer requirements must be indicated accordingly.
- Bull nose in section.
- More details about the CAD standard of Rieder are available in the download area at www.rieder.cc.

Layer Structure

- Layer 01 - panel curve
- Layer 02 - perforations
- Layer 03 - drilling
- Layer 04 - mitre
- Layer 05 - position number
- Layer 06 - quantity
- Layer 07 - dimension
- Layer 08 - substructure
- Layer 09 - bull nose
- Layer 10 - section
- Layer 11 - milling
- Layer 12 - texture direction

Material Information

- colour, surface, texture
- kind of drilling
- viewing direction: front side or rear side
- measurements in mm
- scal 1:1
- without scaling