

WIZPLUS



Electric Scissor Lift Platform (Hydraulic Steering)

Model: CKJC-EH 7858

Standard Models
Available in Stock

Ships in 20-30
Days

FCL Sea Freight
Preferred

Compact electric scissor lift with hydraulic steering for smooth, fully powered travel — no towing, no external power needed. Proportional handlebar controls, real-time fault diagnostics, and full built-in safety protections deliver precise, low-maintenance operation at full platform height, with working heights from 5m to 6.8m across four models to match different reach requirements.

VOLTAGE

24V DC

HYDRAULIC LIFT MOTOR

24V 3.0KW

HYDRAULIC TANK

8 L

BATTERY

4*6V 200Ah

CHARGER

24V 30A

STANDARDS & CERTIFICATIONS

CE


ANSI

ISO 9001 QMS

Dimensions

CKJC785EH	
Safe working load (kg)	300
Maximum number of passengers	2
Maximum allowable manual force (N)	200
Extension platform load (kg)	113
Maximum allow able machine tilt	1.5°/3°
Rise and fall time (s)	18-25
Maximum travel speed(lowered/raised) (km/h)	4.0/0.5
Climbing ability (%)	25
Minimum ground clearance (mm)	100
Machine weight (kg)	1390

WIZPLUS



■ SPECIFICATIONS

Maximum Working Height (mm)	7800
Maximum Platform Height (mm) A	5800
Overall length (including pedals) (mm) C	1840
Overall length (excluding pedals) (mm)	1690
Overall Height (mm) H	2140

Platform Length (mm) F	1670
Platform Width (mm) E	740
Wheelbase (mm) D	1355
Electric drive wheel track (mm) B	710
Wheelbase front wheel(mm)	710

WIZPLUS

Feature 01

Enhanced Operational Safety

The strobe warning light and audible buzzer provide clear visual and sound alerts while the equipment is operating, helping protect nearby workers and reduce accident risks.



Feature 02

Precise and Easy Operation

The ergonomic upper control panel provides intuitive controls for lifting, lowering and platform movement, allowing operators to work safely and efficiently.



Feature 03

Secure Elevated Working Area

The spacious platform is equipped with strong safety guardrails, providing operators with a stable and protected working environment at height.



Feature 04

Stable and Reliable Lifting

High-strength steel scissor arms and precision pivot points provide balanced load support, smooth vertical lifting and dependable long-term performance.

