


Engineered protection

Enclosures for Machine Vision cameras

Reliable performance through smart mechanical design



2Connect
VISION TECHNOLOGIES BY **cei**

Setting the scene

Machine vision cameras play a central role in modern industrial automation, medical technology, advanced manufacturing, and inspection systems. Their performance depends not only on sensor resolution, optics, and software, but also on the mechanical and environmental protection provided by the camera enclosure.

An enclosure is far more than a protective shell. It safeguards sensitive electronics from dust, moisture, vibration, and temperature variation, while also enabling precise positioning, stable mounting, and efficient integration into complex systems. As machine vision applications become more diverse and specialized, enclosure design has evolved into a critical engineering discipline.

This whitepaper explores the role of machine vision camera enclosures, key design principles, customization strategies, and mounting solutions, drawing on deep machine vision expertise and a portfolio of U.S. patented enclosure and mounting innovations within Components Express, Inc. (CEI), 2Connect's Vision technology entity focused on machine vision connectivity and enclosure solutions.

Table of content

Understanding the role of camera enclosures	4
From generic housings to tailored solutions	5
Design principles for modern machine vision enclosures	6
Customization for diverse applications	7
Mounting solutions	8
Best practices and industry trends	9
Building on partnership	10
The future of machine vision enclosures	11

Understanding the role of camera enclosures

In industrial environments, machine vision cameras are often exposed to harsh conditions: washdown processes, airborne contaminants, mechanical vibration, and temperature fluctuations. Without proper protection, even the most advanced camera technology can suffer from reduced accuracy, shortened lifespan, or unexpected downtime.

Beyond environmental protection, enclosures also influence:



Optical stability and alignment, which directly affect image quality.



Ease of installation and maintenance, impacting system uptime.



Integration with lighting, cabling, and mounting hardware.



Overall footprint and system design flexibility.

For OEMs and system integrators operating in high-mix, low-volume environments, standard enclosure solutions frequently fall short. This has driven demand for enclosures that are not only robust, but also precisely matched to specific camera models and applications.

From generic housings to tailored solutions

Through its work in the machine vision ecosystem, CEI identified a clear market gap. Many available enclosures were essentially generic housings, relying on foam inserts or adapters to accommodate different camera models. While functional, these solutions often compromise compactness, sealing integrity, and long-term reliability.

CEI's approach was to rethink enclosure design from the ground up, focusing on exact-fit engineering and usability in real-world production environments. Rather than treating the enclosure as an accessory, it became an integral part of the vision system.

Key design drivers

- ✓ Exact fit for specific camera makes and models, avoiding oversized housings
- ✓ Compact construction, minimizing system footprint
- ✓ High mechanical robustness to withstand industrial use
- ✓ Designed to protect against environmental exposure, including dust, dirt, water, chemicals, and both high and low temperatures.
- ✓ Quick and precise focus adjustment, without disassembly
- ✓ Versatile mounting options, supporting a wide range of installations
- ✓ Cord grips facilitate quick replacement of damaged units, while their elimination can hinder signal performance and system efficiency.

This evolution reflects a broader trend in machine vision: moving from generic components toward application-specific, engineered solutions.





Core principles

Design principles for modern machine vision enclosures

Effective enclosure design balances multiple, often competing requirements. Based on industry experience and CEI's development philosophy, several core principles emerge.

Precise mechanical fit

An enclosure designed specifically for a given camera model ensures optimal alignment reduces internal movement, and eliminates the need for foam inserts. This improves repeatability and long-term stability.

Environmental protection

Designed to protect against demanding environmental conditions such as dust, dirt, water, chemicals, light exposure, and temperature extremes (heat and cold), ensuring reliable camera performance in harsh and variable operating environments.

Cable and connector integration

Traditional cord grips squeeze the cable and for many vision protocols this impacts performance. Integrated connectors and custom cabling reduce failure points and simplify installation and maintenance.

Ease of use

In production environments, cameras often need to be adjusted, replaced, or cleaned. Features such as alignment marks, tool-free access, and intuitive adjustment mechanisms significantly reduce downtime.

Compact and lightweight construction

Minimizing size and weight improves flexibility, especially for robotic and mobile applications. Lightweight aluminum enclosures, some weighing as little as 120 grams, enable easy integration without sacrificing strength.

Key differentiator

Customization for diverse applications

Machine vision application vary widely, from factory automation and medical inspection to logistics and mobile platforms. As a result, enclosure customization has become a key differentiator.

Common customization options include:

Custom lengths and diameters

Tailoring the enclosure to camera and lens combinations minimizes unused space and optimized system layout.

Accessory integration

Support for visors, air curtains, retractable washdown flaps, and cable management improves performance in challenging environments.

Thermal management

Passive cooling solutions, such as heat-transmitting shims and enclosure geometry optimization, help dissipate heat without adding complexity.

Material selection

Aluminum offers an optimal balance of strength and weight, while stainless steel is preferred in corrosive or hygienic environments.

These options allow OEMs and system integrators to deploy vision systems that are both robust and precisely matched to their operational requirements.



Mounting solutions

Mounting is a critical but sometimes underestimated aspect of enclosure design. Even minor alignment deviations can affect inspection accuracy, while complex mounting mechanisms can slow installation and maintenance.

CEI's mounting systems address these challenges by combining precision with flexibility.

Key characteristics

- ✓ 360° rotation and adjustable fit, enabling fine positioning
- ✓ Collet-style locking mechanisms, providing strong and stable fixation
- ✓ Index marks, allowing repeatable setup after maintenance or replacement
- ✓ Compatibility with collaborative robots and production lines

These features support fast commissioning and reliable repositioning, which are essential in dynamic production environments.



Best practices and industry trends

Several broader trends are shaping the future of machine vision enclosure design:

Customer-driven engineering

Close collaboration between enclosure designers, camera manufacturers, and system integrators leads to solutions that address real-world constraints rather than theoretical requirements.

Modularity and scalability

Enclosures and mounts increasingly form modular systems that can adapt to different camera sizes, lenses, and accessories without complete redesign.

Regulatory and hygienic design

In medical, food, and pharmaceutical applications, material certifications, smooth surfaces, and cleanability are becoming standard requirements.

Integrated connectivity

Designing enclosures together with cabling and connectors reduces interfaces, lowers failure risk, and simplifies installation and servicing.

Together, these trends reinforce the importance of treating enclosures as engineered system components, not add-ons.

Building on partnership

The development of advanced machine vision enclosure solutions highlights the value of close collaboration between specialized product technology and system-level expertise. Components Express, Inc. (CEI), as 2Connect's product technology entity focused on machine vision, contributes deep application knowledge and domain-specific design capabilities. This includes several U.S. patents covering key enclosure and mount designs and features, reflecting CEI's long-standing focus on innovation within the machine vision industry.

This product technology expertise is complemented by 2Connect's broader capabilities and expertise in connectivity, materials, and system integration. By aligning enclosure design with cabling, mounting, and application requirement within a single engineering framework, OEMs benefit from solutions that are easier to integrate, more reliable in operation, and better suited for long-term use. This integrated approach shortens development cycles and reduces complexity across the machine vision value chain.



Conclusion

The future of machine vision enclosures

As machine vision expands into new industries and applications, the demands placed on camera enclosures will continue to grow. Flexibility, robustness, and ease of integration will be just as important as optical performance.

Engineered enclosure solutions, tailored to specific cameras, environment, and use cases, will play a key role in ensuring reliable system performance. The evolution of enclosure design, shaped by the combined expertise within 2Connect and its CEI Vision technology entity, demonstrates how engineering expertise and customer collaboration drive progress in machine vision connectivity.

For OEMs and system integrators facing increasingly complex requirements, enclosure design is no longer a secondary consideration, it is a strategic element of system success.

2Connect

2Connect B.V.

Gompenstraat 17

NL-5145 RM Waalwijk

The Netherlands

Tel +31 (0)416 671780

Email info@2-connect.com

2-connect.com