

InterNACHI's Estimated Life Expectancy Chart

The following chart details the predicted life expectancy of appliances, products, materials, systems and components. Surface preparation and paint quality are the most important determinants of a paint's life expectancy. Ultraviolet (UV) rays (sunshine) can shorten life expectancy.

Note: Life expectancy varies with usage, weather, installation, maintenance and quality of materials. This list should be used only as a general guideline and not as a guarantee or warranty regarding the performance or life expectancy of any appliance, product, system or component.

| ADHESIVES, CAULK & PAINTS | YEARS |
|---------------------------|----------|
| Caulking | 5 to 10 |
| Construction Glue | 20+ |
| Paint (exterior) | 7 to 10 |
| Paint (interior) | 10 to 15 |
| Roofing Adhesives/Cements | 15+ |
| Sealants | 8 |
| Stains | 3 to 8 |

Appliance life expectancy depends to a great extent on the use it receives. Furthermore, consumers often replace appliances long before they become worn out due to changes in styling, technology and consumer preferences.

| APPLIANCES | YEARS |
|--------------------------|--------|
| Air Conditioner (window) | 5 to 7 |
| Compactors (trash) | 6 |
| Dehumidifiers | 8 |
| Dishwashers | 9 |
| Disposals (food waste) | 12 |
| Dryer Vents (plastic) | 5 |

| Dryer Vents (steel) | 20 |
|----------------------------|----------|
| Dryers | 13 |
| Exhaust Fans | 10 |
| Freezers | 10 to 20 |
| Gas Ovens | 10 to 18 |
| Hand Driers | 10 to 12 |
| Humidifiers (portable) | 8 |
| Microwave Oven | 9 |
| Range/Oven Hood | 14 |
| Electric Range | 13 to 15 |
| Gas Range | 15 to 17 |
| Refrigerator | 9 to 13 |
| Washing Machine | 5 to 15 |
| Whole House Vacuum Systems | 20 |

Modern kitchens are larger and more elaborate, and together with the family room, modern kitchens now form the "great room."

| CABINETRY & STORAGE | YEARS |
|------------------------------------|-------|
| Bathroom Cabinets | 50+ |
| Closet Shelves | 100+ |
| Entertainment Center/Home Office | 10 |
| Garage/Laundry Cabinets | 70+ |
| Kitchen Cabinets | 50 |
| Medicine Cabinet | 25+ |
| Modular (stock manufacturing-type) | 50 |

Walls and ceilings last the full lifespan of the home.

| CEILINGS & WALLS | YEARS |
|-------------------------|-------|
| Acoustical Tile Ceiling | 40+ |
| Ceramic Tile | 70+ |
| Concrete | 75+ |
| Gypsum | 75 |

| Wood Paneling | 20 to 50 |
|-------------------|----------|
| Suspended Ceiling | 25+ |

Natural stone countertops, which are less expensive than they were just a few years ago, are becoming more popular, and one can expect them to last a lifetime. Cultured marble countertops have a shorter life expectancy, however.

| COUNTERTOPS | YEARS |
|-----------------|----------|
| Concrete | 50 |
| Cultured Marble | 20 |
| Natural Stone | 100+ |
| Laminate | 20 to 30 |
| Tile | 100+ |
| Wood | 100+ |

Decks are exposed to a wide range of conditions in different climates, from wind and hail in some areas, to relatively consistent, dry weather in others. See FASTENERS & STEEL section for fasteners.

| DECKS | YEARS |
|-----------------|----------|
| Deck Planks | 15 |
| Composite | 8 to 25 |
| Structural Wood | 10 to 30 |

Exterior fiberglass, steel and wood doors will last as long as the house, while vinyl and screen doors have a shorter life expectancy. The gaskets/weather- stripping of exterior doors may have to be replaced every 5 to 8 years.

| DOORS | YEARS |
|-----------------------------|----------|
| Closet (interior) | 100+ |
| Fiberglass (exterior) | 100+ |
| Fire-Rated Steel (exterior) | 100+ |
| French (interior) | 30 to 50 |
| Screen (exterior) | 30 |
| Vinyl (exterior) | 20 |
| Wood (exterior) | 100+ |
| Wood (hollow-core interior) | 20 to 30 |

| Wood (solid-core interior) | 30 to 100+ |
|----------------------------|------------|
| | |

Copper-plated wiring, copper-clad aluminum, and bare copper wiring are expected to last a lifetime, whereas electrical accessories and lighting controls, such as dimmer switches, may need to be replaced after 10 years. GFCIs could last 30 years, but much less if tripped regularly.

| ELECTRICAL | YEARS |
|---|-------------------------|
| Accessories | 10+ |
| Arc-Fault Circuit Interrupters (AFCIs) | 30 |
| Bare Copper | 100+ |
| Bulbs (compact fluorescent) | 8,000 to 10,000+ hours |
| Bulbs (halogen) | 4,000 to 8,000+ hours |
| Bulbs (incandescent) | 1,000 to 2,000+ hours |
| Bulbs (LED) | 30,000 to 50,000+ hours |
| Copper-Clad Aluminum | 100+ |
| Copper-Plated | 100+ |
| Fixtures | 40 |
| Ground-Fault Circuit Interrupters (GFCIs) | Up to 30 |
| Lighting Controls | 30+ |
| Residential Propane Backup Generators | 12 |
| Service Panel | 60 |
| Solar Panels | 20 to 30 |
| Solar System Batteries | 3 to 12 |
| Wind Turbine Generators | 20 |

Floor and roof trusses and laminated strand lumber are durable household components, and engineered trim may last 30 years.

| ENGINEERED LUMBER | YEARS |
|-------------------------|-------|
| Engineered Joists | 80+ |
| Laminated Strand Lumber | 100+ |
| Laminated Veneer Lumber | 80+ |
| Trusses | 100+ |

Galvanized fasteners do not last long if the home is located in a coastal region.

| FASTENERS & STEEL | YEARS |
|-----------------------------------|----------|
| Adjustable Steel Columns | 50+ |
| Fasteners (bright or coated) | 25 |
| Fasteners (copper) | 75+ |
| Fasteners (electro-galvanized) | 10 to 30 |
| Fasteners (hot-dipped galvanized) | 15 to 60 |
| Fasteners (stainless) | 100 |
| Steel Beams | 200+ |
| Steel Columns | 100+ |
| Steel Plates | 100+ |

Flooring life is dependent on maintenance and the amount of foot traffic the floor endures.

| FLOORING | YEARS |
|---------------------|-----------|
| All Wood Floors | 100+ |
| Bamboo | 100+ |
| Brick Pavers | 100+ |
| Carpet | 8 to 10 |
| Concrete | 50+ |
| Engineered Wood | 50+ |
| Exotic Wood | 100+ |
| Granite | 100+ |
| Laminate | 15 to 25 |
| Linoleum | 25 |
| Marble | 100+ |
| Other Domestic Wood | 100+ |
| Slate | 100 |
| Terrazzo | 75+ |
| Tile | 75 to 100 |
| Vinyl | 25 |

Concrete and poured-block footings and they were properly built. Waterproofing with bituminous coating lasts 10 years, but if it cracks, it is immediately damaged.

| FOUNDATIONS | YEARS |
|---|----------|
| Baseboard Waterproofing System | 50 |
| Bituminous-Coating Waterproofing | 10 |
| Concrete Block | 100+ |
| Insulated Concrete Form | 100 |
| Post and Pier | 20 to 65 |
| Post and Tensioned Slab on Grade | 100+ |
| Poured-Concrete Footings and Foundation | 100+ |
| Slab on Grade (concrete) | 100 |
| Wood Foundation | 5 to 40 |

Framing and structural systems have extended longevities; poured-concrete systems, timber frame houses and structural insulated panels will all last a lifetime.

| FRAMING | YEARS |
|-----------------------------|-----------|
| Log | 80 to 200 |
| Poured-Concrete Systems | 100+ |
| Steel | 100+ |
| Structural Insulated Panels | 100+ |
| Timber Frame | 100+ |

The quality and frequency of use will affect the longevity of garage doors and openers.

| GARAGES | YEARS |
|---------------------|----------|
| Garage Doors | 20 to 25 |
| Garage Door Openers | 10 to 15 |

Home technology systems have diverse life expectancies and may have to be upgraded due to evolution in technology.

| HOME TECHNOLOGY | YEARS |
|---------------------------|---------|
| Built-In Audio | 20 |
| Carbon Monoxide Detectors | 10 |
| Door Bells | 45 |
| Home Automation System | 5 to 50 |

| Intercoms | 20 |
|------------------------|--------------|
| Security System | 5 to 20 |
| Smoke/Heat Detectors | Less than 10 |
| Wireless Home Networks | 5 |

Thermostats may last 35 years but they are usually replaced before they fail due to technological improvements.

| HVAC | YEARS |
|-------------------------------------|-----------|
| Air Conditioners | 7 to 15 |
| Attic Fan | 15 to 25 |
| Boilers | 40 |
| Burner | 10+ |
| Central Air-Conditioning Unit | 7 to 15 |
| Dampers | 20+ |
| Dehumidifier | 8 |
| Diffusers, Grilles and Registers | 25 |
| Ducting | 60 to 100 |
| Electric Radiant Heaters | 40 |
| Evaporator Coolers | 15 to 25 |
| Furnaces | 15 to 25 |
| Gas Fireplaces | 15 to 25 |
| Heat Exchangers | 10 to 15 |
| Heat Pumps | 10 to 15 |
| Heat-Recovery Ventilator | 20 |
| Hot-Water and Steam-Radiant Boilers | 40 |
| Humidifiers | 12 |
| Induction and Fan-Coil Units | 10 to 15 |
| Chimney Caps (concrete) | 100+ |
| Chimney Caps (metal) | 10 to 20 |
| Chimney Caps (mortar) | 15 |
| Chimney Flue Tile | 40 to 120 |
| Thermostats | 35 |

| Ventilators | 7 |
|-------------|---|
|-------------|---|

As long as they are not punctured, cut or burned and are kept dry and away from UV rays, cellulose, fiberglass and foam insulation materials will last a lifetime.

This is true regardless of whether they were installed as loose-fill, housewrap or batts/rolls.

| INSULATION & INFILTRATION BARRIERS | YEARS |
|------------------------------------|----------|
| Batts/Rolls | 100+ |
| Black Paper (felt paper) | 15 to 30 |
| Cellulose | 100+ |
| Fiberglass | 100+ |
| Foamboard | 100+ |
| Housewrap | 80+ |
| Liquid-Applied Membrane | 50 |
| Loose-Fill | 100+ |
| Rock Wool | 100+ |
| Wrap Tape | 80+ |

Masonry is one of the most enduring household components. Fireplaces, chimneys and brick veneers can last the lifetime of a home.

| MASONRY & CONCRETE | YEARS |
|---|---------|
| Brick | 100+ |
| Insulated Concrete Forms (hybrid block) | 100+ |
| Concrete Masonry Units | 100+ |
| Man-Made Stone | 25 |
| Masonry Sealant | 2 to 20 |
| Stone | 100+ |
| Stucco/EIFS | 50+ |
| Veneer | 100+ |

Custom millwork and stair parts will last a lifetime and are typically only upgraded for aesthetic reasons.

| MOLDING, MILLWORK & TRIM | YEARS |
|--------------------------|-------|
| Attic Stairs (pull-down) | 50 |
| Custom Millwork | 100+ |
| Pre-Built Stairs | 100+ |
| Stair Parts | 100+ |
| Stairs | 100+ |

The lifetime of any wood product depends heavily on moisture intrusion.

| PANELS | YEARS |
|-----------------------------|-------|
| Flooring Underlayment | 25 |
| Hardboard | 40 |
| Particleboard | 60 |
| Plywood | 100 |
| Softwood | 30 |
| Oriented Strand Board (OSB) | 60 |
| Wall Panels | 100+ |

The quality of plumbing fixtures varies dramatically. The mineral content of water can shorten the life expectancy of water heaters and clog shower heads.

| PLUMBING, FIXTURES & FAUCETS | YEARS |
|-------------------------------------|----------|
| ABS and PVC Waste Pipes | 50 to 80 |
| Accessible/ADA Handles | 100+ |
| Acrylic Kitchen Sink | 50 |
| Cast-Iron Bathtub | 100 |
| Cast-Iron Waste Pipe (above ground) | 60 |
| Cast-Iron Waste Pipe (below ground) | 50 to 60 |
| Ceiling Fans | 5 to 10 |
| Concrete Waste Pipes | 100+ |
| Copper Water Lines | 70 |
| Enamel Steel Kitchen Sinks | 5 to 10 |
| Faucets | 15 to 20 |
| Fiberglass Bathtub and Shower | 20 |
| Gas Lines (black steel) | 75 |

| Gas Lines (flex) | 30 |
|-----------------------------------|----------|
| Hose Bibs | 30 |
| Instant (on-demand) Water Heaters | 10 |
| PEX | 40 |
| Plastic Water Lines | 75 |
| Saunas/Steam Room | 15 to 20 |
| Sewer Grinder Pumps | 10 |
| Shower Enclosure/Module | 50 |
| Shower Doors | 20 |
| Showerheads | 100+ |
| Soapstone Kitchen Sink | 100+ |
| Sump Pumps | 7 |
| Toilet Tank Components | 5 |
| Toilets, Bidets and Urinals | 100+ |
| Water Heaters | 7 to 12 |
| Water Line (copper) | 50 |
| Water Line (plastic) | 50 |
| Well Pumps | 15 |
| Water Softeners | 20 |
| Whirlpool Tub | 20 to 50 |

Radon systems have but one moving part: the radon fan.

| RADON SYSTEMS | YEARS |
|--|---------|
| Air Exchangers | 15 |
| Barometric Backdraft Dampers/Fresh- Air Intakes | 20 |
| Caulking | 5 to 10 |
| Labeling | 25 |
| Manometer | 15 |
| Piping | 50+ |
| Radon Fan | 5 to 8 |

The life of a roof depends on local weather conditions, building and design, material quality, and adequate maintenance. Hot climates drastically reduce asphalt shingle life.

| ROOFING | YEARS |
|---|-----------|
| Aluminum Coating | 3 to 7 |
| Asphalt Shingles (3-tab) | 20 |
| Asphalt (architectural) | 30 |
| BUR (built-up roofing) | 30 |
| Cellulose Fiber | 20 |
| Clay/Concrete | 100+ |
| Coal and Tar | 30 |
| Copper | 70+ |
| EPDM (ethylene propylene diene monomer) Rubber | 15 to 25 |
| Fiber Cement | 25 |
| Green (vegetation-covered) | 5 to 40 |
| Metal | 40 to 80 |
| Modified Bitumen | 20 |
| Simulated Slate | 10 to 35 |
| Slate | 60 to 150 |
| TPO | 7 to 20 |
| Wood | 30 |

Outside siding materials typically last a lifetime.

| SIDINGS, FLASHING & ACCESSORIES | YEARS |
|---|----------|
| Aluminum Siding | 25 to 40 |
| Aluminum Gutters, Downspouts, Soffit and Fascia | 20 |
| Asbestos Shingle | 100 |
| Brick | 100+ |
| Cementitious | 100+ |
| Copper Downspouts | 100 |
| Copper Gutters | 50+ |

| Engineered Wood | 100+ |
|-------------------------------------|------|
| Fiber Cement | 100+ |
| Galvanized Steel Gutters/Downspouts | 20 |
| Manufactured Stone | 100+ |
| Stone | 100+ |
| Stucco/EIFS | 50+ |
| Trim | 25 |
| Vinyl Siding | 60 |
| Vinyl Gutters and Downspouts | 25 |
| Wood/Exterior Shutters | 20 |

Site and landscaping elements have life expectancies that vary dramatically.

| SITE & LANDSCAPING | YEARS |
|--------------------------|----------|
| American Red Clay | 100+ |
| Asphalt Driveway | 15 to 20 |
| Brick and Concrete Patio | 15 to 25 |
| Clay Paving | 100+ |
| Concrete Walks | 40 to 50 |
| Controllers | 15 |
| Gravel Walks | 4 to 6 |
| Mulch | 2 |
| Polyvinyl Fences | 100+ |
| Sprinklers | 10 to 14 |
| Underground PVC Piping | 60+ |
| Valves | 20 |
| Wood Chips | 5 |
| Wood Fences | 20 |

Swimming pools are comprised of many systems and components, all with varying life expectancies.

| SWIMMING POOLS | YEARS |
|----------------|-------|
| Concrete Shell | 25+ |

| Covers | 7 |
|-------------------|----------|
| Diving Boards | 10 |
| Filters and Pumps | 10 |
| Interior Finish | 10 to 35 |
| Vinyl Liners | 10 |
| Water Heaters | 8 |
| Waterline Tile | 15+ |

Aluminum windows are expected to last between 15 and 20 years, while wooden windows should last nearly 30 years.

| WINDOWS | YEARS |
|------------------------------------|----------|
| Aluminum/Aluminum-Clad Double-Pane | 15 to 20 |
| Skylights | 8 to 20 |
| Window Glazing | 10+ |
| Vinyl Windows Wood | 20 to 40 |
| Aluminum/Aluminum-Clad Double-Pane | 30+ |

Note: Life expectancy varies with usage, weather, installation, maintenance and quality of materials. This list should be used only as a general guideline and not as a guarantee or warranty regarding the performance or life expectancy of any appliance, product, system or component.