

Self-Propelled Single-Mast Lift Platform

Model: AM-S Series

 Standard Models Available in Stock	 Ships in 20-30 Days	 FCL Sea Freight Preferred
--	---	---

The AM Series Self-Propelled Single-Mast Lift Platform is designed for indoor applications where space is limited and mobility is essential. Featuring a lightweight, high-strength aluminum mast and working heights from 8 m to 9.5 m, it combines a compact footprint with a zero-emission electric drive, providing safe, agile, and efficient elevated access for warehouses, factories, retail facilities, and building maintenance.

DRIVE MOTOR

24 V DC/2*0.5KW

LIFT MOTOR

12V 1.6KW

CHARGER

24V 30A

BATTERY

2*12V 100Ah

STANDARDS & CERTIFICATIONS


CE	ANSI	ISO 9001 QMS
----	------	--------------



Dimensions

	AM-S06	AM-S75
Maximum Safe Load (kg)	159	159
Maximum number of passengers	1	1
Maximum driving speed (folded state)	3.5	3.5
Extension platform load (kg)	113	113
Maximum allow able machine tilt	1.5°/3°	1.5°/3°
Rise and fall time (s)	20-25	20-25
Maximum travel speed(lowered/raised) (km/h)	4.0/0.5	4.0/0.5
Climbing ability (%)	25	25
Minimum ground clearance folded/raised (mm)	65/15	65/15

WIZPLUS



SPECIFICATIONS

Maximum Working Height (mm)	8000-9500
Maximum Platform Height (mm)	6000-7500
Overall Machine Length (mm)	1450-1500
Overall Width (mm)	800
Overall Height (mm)	1990

Platform Extension Length (mm)	840
Platform Extension Width (mm)	750
Wheelbase (mm)	1120
Overall Machine Weight (kg)	1100-1350
Tire	Φ305 × 100

WIZPLUS

Feature 01

Stable and Powerful Drive

The durable hydraulic drive wheel delivers smooth and reliable movement. Its robust construction improves stability and performance on different working surfaces.



Feature 02

Convenient and Reliable Charging

The integrated charging port provides easy access for daily charging. Clear indicator lights allow operators to quickly check the charging and power status.



Feature 03

Simple Ground-Level Control

The lower control panel provides convenient access to essential machine functions. The emergency stop button, key switch and clear display support safe operation.



Feature 04

Precise and Easy Operation

The ergonomic upper control panel provides intuitive controls for lifting, lowering and platform movement, allowing operators to work safely and efficiently.

