

3M Marine
Aftermarket Product Catalog



Trusted Leader in

Boat Care & Repair

3M.com/Marine









3M

Section	Page
Surface Finishing	5-87
Abrasives.....	5-77
Compounds, Polishes & Buff Pads	78-87
Fillers & Coatings	88-93
Premium Body Fillers	88
Standard Body Fillers	88
Putty	89
Hardener.....	89-90
Bondo® Marine Products™	90
Fillers & Coatings Accessories	90
Dynamic Mixing System Products.....	91
Fiberglass Repair	91-93
Coatings Applications Products	94-96
Accuspray™ System.....	94
Turbine Spray Guns & Turbine Unit.....	94
PPS™ Paint Preparation System Products	95-96
Wax & Maintenance	97-101
Marine Cleaners	97
Marine Boat Waxes	98-99
Plastic and Metal Polishes	99
Cleaners & Accessories.....	100-101
Bonding & Sealing	102-107
3M™ Marine Adhesive/Sealant Fast Cure 4000 UV	102
3M™ Marine Adhesive/Sealant Fast Cure 4200.....	102
3M™ Marine/Sealant 5200.....	103
3M™ Marine Adhesive/Sealant Fast Cure 5200.....	104
3M™ Aerosol Adhesives	104-105
3M™ Scotch-Weld™ Polyurethane Reactive Adhesive TS230.....	105
3M™ Marine Sealant Silicone	106
3M™ Hi-Strength 90 Spray Adhesive	106
3M™ Fasteners	106
Bonding & Sealing Accessories.....	107
Masking & Surface Protection	108-120
Masking Products	108-113
Tapes.....	113-120
Miscellaneous	121-123
Water Filtration	121-122

Section	Page
Energy and Sound Management Products	122
Fasteners	123
Reflective Products.....	123
Health & Safety	126
placeholder	126









Abrasives: High Performance

Grinding Abrasives

	01728	01729	01730	01743
Description	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: P80E. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 36. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: P80. Primary markets: metalworking,woodworking.
Part Number	01728	01729	01730	01743
UPC	0-00-51131-01728-3	0-00-51131-01729-0	0-00-51131-01730-6	0-00-51131-01743-6
Product Name	3M™ Imperial™ Hookit™ Disc 745I	3M™ Imperial™ Hookit™ Disc 740I	3M™ Imperial™ Hookit™ Disc 740I	3M™ Imperial™ Hookit™ Disc 745I
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	5 in	5 in	5 in	8 in
Color	Purple	Purple	Purple	Purple
Grade	P80	40	36	P80
	01744	01745	01768	01770
Description	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 36. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking,woodworking.
Part Number	01744	01745	01768	01770
UPC	0-00-51131-01744-3	0-00-51131-01745-0	0-00-51131-01768-9	0-00-51131-01770-2
Product Name	3M™ Imperial™ Hookit™ Disc 740I	3M™ Imperial™ Hookit™ Disc 740I	3M™ Hookit™ Disc 740I	3M™ Hookit™ Disc 740I
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	8 in	8 in	8 in	5 in
Color	Purple	Purple	Purple	Purple
Grade	40	36	60	60









Abrasives: High Performance

Grinding Abrasives (continued)

	01791	01793	01794	01835
Description	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking,woodworking.
Part Number	01791	01793	01794	01835
UPC	0-00-51131-01791-7	0-00-51131-01793-1	0-00-51131-01794-8	0-00-51131-01835-8
Product Name	3M™ Imperial™ Hookit™ Sheet 745I	3M™ Imperial™ Hookit™ Sheet 740I	3M™ Imperial™ Hookit™ Sheet 740I	3M™ Imperial™ Hookit™ Dust-Free Disc 740I
Packaging	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case	25 discs per box 4 boxes per case
Size	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	P80	40	36	60
	01836	01837	01850	01851
Description	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 36. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: P80. Primary markets: metalworking,woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking,woodworking.
Part Number	01836	01837	01850	01851
UPC	0-00-51131-01836-5	0-00-51131-01837-2	0-00-51131-01850-1	0-00-51131-01851-8
Product Name	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	3M™ Imperial™ Hookit™ Dust-Free Disc 745I	3M™ Imperial™ Hookit™ Dust-Free Disc 740I
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	6 in	6 in	8 in	8 in
Color	Purple	Purple	Purple	Purple
Grade	40	36	P80	60









Abrasives: High Performance

Grinding Abrasives (continued)

	01852	01853	01876	01877
Description	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking, woodworking.	 Hookit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 36. Primary markets: metalworking, woodworking.	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.
Part Number	01852	01853	01876	01877
UPC	0-00-51131-01852-5	0-00-51131-01853-2	0-00-51131-01876-1	0-00-51131-01877-8
Product Name	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	3M™ Imperial™ Hookit™ Sheet 745I	3M™ Imperial™ Hookit™ Sheet 740I
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	10 sheets per box 5 boxes per case	10 sheets per box 5 boxes per case
Size	8 in	8 in	4-1/2 in x 30 in	4-1/2 in x 30 in
Color	Purple	Purple	Purple	Purple
Grade	40	36	P80	P60
	01878	01879	02700	02701
Description	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Uniquely blended mineral construction and tough E weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.	 Dust free file sheet used for stripping paint to metal, shaping and sanding plastic filler.	 Dust free file sheet used for stripping paint to metal, shaping and sanding plastic filler.
Part Number	01878	01879	02700	02701
UPC	0-00-51131-01878-5	0-00-51131-01879-2	0-00-51131-02700-8	0-00-51131-02701-5
Product Name	3M™ Imperial™ Hookit™ Sheet 740I	3M™ Imperial™ Hookit™ Sheet 740I	3M™ Hookit™ Sheet Dust Free 740I	3M™ Hookit™ Sheet Dust Free 740I
Packaging	10 sheets per box 5 boxes per case	10 sheets per box 5 boxes per case	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case
Size	4-1/2 in x 30 in	4-1/2 in x 30 in	2-3/4 in x 16 in	2-3/4 in x 16 in
Color	Purple	Purple	Purple	Purple
Grade	P40	P36	36	40


Abrasives: High Performance

Grinding Abrasives (continued)





	02702	30684	30685	30686
Description	 Dust free file sheet used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05776 or PN 05865	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05776	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05776, or PN 05865.
Part Number	02702	30684	30685	30686
UPC	0-00-51131-02702-2	0-00-51131-30684-4	0-00-51131-30685-1	0-00-51131-30686-8
Product Name	3M™ Hookit™ Sheet Dust Free 745I	3M™ Purple Abrasive Disc	3M™ Purple Abrasive Disc	3M™ Purple Abrasive Disc
Packaging	25 sheets per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	2-3/4 in x 16 in	6 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	P80	P80	60	40
	30687	30784	30785	30786
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05776, or PN 05865.	 7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05865, or PN 05551.	 7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05865, or PN 05551.	 7 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05865, or PN 05551.
Part Number	30687	30784	30785	30786
UPC	0-00-51131-30687-5	0-00-51131-30784-1	0-00-51131-30785-8	0-00-51131-30786-5
Product Name	3M™ Purple Abrasive Disc	3M™ Purple Abrasive Disc D/F	3M™ Purple Abrasive Disc D/F	3M™ Purple Abrasive Disc D/F
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	6 in	6 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	36	P80	60	40

Abrasives: High Performance

Grinding Abrasives (continued)









30787	
Description	 <p>7 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested back-up pads PN 05865, or PN 05551.</p>
Part Number	30787
UPC	0-00-51131-30787-2
Product Name	3M™ Purple Abrasive Disc D/F
Packaging	25 discs per box 4 boxes per case
Size	6 in
Color	Purple
Grade	36

Sanding Abrasives

	01810	01811	01812	01813
Description	 <p>Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.</p>	 <p>Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.</p>	 <p>Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested back-up pads PN05551, PN05865 and PN05777 interface pad.</p>	 <p>Disc with precise hole design for improved life and dust extraction. Coarsest grade available for fine featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05551, PN05865 and PN05777 interface pad.</p>
Part Number	01810	01811	01812	01813
UPC	0-00-51131-01810-5	0-00-51131-01811-2	0-00-51131-01812-9	0-00-51131-01813-6
Product Name	3M™ Purple Clean Sanding Hookit™ Disc 334U	3M™ Purple Clean Sanding Hookit™ Disc 334U	3M™ Purple Clean Sanding Hookit™ Disc 334U	3M™ Purple Clean Sanding Hookit™ Disc 334U
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	6 in	6 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	P500	P400	P320	P280









Abrasives: High Performance

Sanding Abrasives (continued)

	01814	01815	01816	01817
Description	 Disc with precise hole design for improved life and dust extraction. Finest grade available for rough featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05551, PN05865 and PN05777 interface pad.	 Disc with precise hole design for improved life and dust extraction. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05551, PN05865 and PN05777 interface pad.	 Disc with precise hole design for improved life and dust extraction. Use for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05551 and PN05865.	 Disc with precise hole design for improved life and dust extraction. Use for rough featheredging, used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs. Suggested backup pads PN05551, and PN05865.
Part Number	01814	01815	01816	01817
UPC	0-00-51131-01814-3	0-00-51131-01815-0	0-00-51131-01816-7	0-00-51131-01817-4
Product Name	3M™ Purple Clean Sanding Hookit™ Disc 334U	3M™ Purple Clean Sanding Hookit™ Disc 734U	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	6 in	6 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	P240	P220	P180	P150
	01818	01819	01820	01838
Description	 Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05865.	 Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN05865.	 Use for fine featheredging, last final sanding step before priming, or preping before blending. Suggested backup pads PN05865 and PN05551.	 Use for fine featheredging, last final sanding step before priming, or preping before blending. Suggested backup pads 05858 and 05775.
Part Number	01818	01819	01820	01838
UPC	0-00-51131-01818-1	0-00-51131-01819-8	0-00-51131-01820-4	0-00-51131-01838-9
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Abrasive Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	6 in	6 in	6 in	8 in
Color	Purple	Purple	Purple	Purple
Grade	P120	100	P80	P320









Abrasives: High Performance

Sanding Abrasives (continued)

	01839	01840	01841	01842
Description	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	 High-performance sheets designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems.
Part Number	01839	01840	01841	01842
UPC	0-00-51131-01839-6	0-00-51131-01840-2	0-00-51131-01841-9	0-00-51131-01842-6
Product Name	3M™ Purple Abrasive Hookit™ Disc	3M™ Purple Abrasive Hookit™ Disc	3M™ Purple Abrasive Hookit™ Disc	3M™ Purple Abrasive Hookit™ Disc
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	8 in	8 in	8 in	8 in
Color	Purple	Purple	Purple	Purple
Grade	P220	P180	P150	P120
	01844	01845	01848	01860
Description	 Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	 High-performance discs designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems. Use with disc pads Part Number 05881.	 Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.
Part Number	01844	01845	01848	01860
UPC	0-00-51131-01844-0	0-00-51131-01845-7	0-00-51131-01848-8	0-00-51131-01860-0
Product Name	3M™ Purple Abrasive Hookit™ D/F Disc	3M™ Purple Abrasive Hookit™ D/F Disc	3M™ Purple Abrasive Hookit™ Disc D/F	3M™ Purple Hookit™ Sheet
Packaging	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	50 sheets per box 5 boxes per case
Size	8 in	8 in	8 in	2-3/4 in x 16-1/2 in
Color	Purple	Purple	Purple	Purple
Grade	P320	P220	P120	P320









Abrasives: High Performance

Sanding Abrasives (continued)

	01862	01863	01864	01865
Description	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.
Part Number	01862	01863	01864	01865
UPC	0-00-51131-01862-4	0-00-51131-01863-1	0-00-51131-01864-8	0-00-51131-01865-5
Product Name	3M™ Purple Hookit™ Sheet	3M™ Purple Hookit™ Sheet	3M™ Purple Hookit™ Sheet	3M™ Hookit™ Sheet 734U
Packaging	50 sheets per box 5 boxes per case	50 sheets per box 5 boxes per case	50 sheets per box 5 boxes per case	50 sheets per box 5 boxes per case
Size	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in
Color	Purple	Purple	Purple	Purple
Grade	P220	P180	P150	P120
	02704	02705	02706	02707
Description	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended accessories, PN05744 hand file board, and PN05740, PN05741 and PN05742 blocks.	 Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.	 Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.	 Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.
Part Number	02704	02705	02706	02707
UPC	0-00-51131-02704-6	0-00-51131-02705-3	0-00-51131-02706-0	0-00-51131-02707-7
Product Name	3M™ Hookit™ Purple Abrasive Sheet D/F	3M™ Purple Hookit™ Sheet D/F	3M™ Purple Hookit™ Sheet D/F	3M™ Purple Hookit™ Sheet D/F
Packaging	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case	25 sheets per box 4 boxes per case
Size	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16 in
Color	Purple	Purple	Purple	Purple
Grade	P120	P150	P180	P220









Abrasives: High Performance

Sanding Abrasives (continued)

	02708	30260	30261	30272
Description	 Dust free file sheet used for fine featheredging and for final sanding of primer. Recommended blocks PN05207, PN05208, PN05209, PN05210.	 Use for scuffing the blend area prior to painting. Suggested backup pad (3M™ Clean Sanding Disc Pad Kit, Part No. 20427) and 3M™ Hookit™ Soft Interface Pad, Part No. 05771).	 Use for primer sanding or for scuffing the blend area prior to painting. Suggested backup pads (PN 20427 and PN 05771).	 Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427 and part number 05771 soft interface pad.
Part Number	02708	30260	30261	30272
UPC	0-00-51131-02708-4	0-00-51131-30260-0	0-00-51131-30261-7	0-00-51131-30272-3
Product Name	3M™ Purple Hookit™ Sheet D/F	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	25 sheets per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	2-3/4 in x 16 in	3 in	3 in	3 in
Color	Purple	Purple	Purple	Purple
Grade	P320	P800	P600	P500
	30273	30275	30277	30278
Description	 Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427 and part number 05771 soft interface pad.	 Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427 and part number 05771 soft interface pad.	 Disc with precise hole design for improved life and dust extraction. Finest grade available for rough featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427.	 Disc with precise hole design for improved life and dust extraction. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427.
Part Number	30273	30275	30277	30278
UPC	0-00-51131-30273-0	0-00-51131-30275-4	0-00-51131-30277-8	0-00-51131-30278-5
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	3 in	3 in	3 in	3 in
Color	Purple	Purple	Purple	Purple
Grade	P400	P320	P240	P220









Abrasives: High Performance

Sanding Abrasives (continued)

	30279	30280	30281	30282
Description				
	Disc with precise hole design for improved life and dust extraction. Use for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN 20427.	Disc with precise hole design for improved life and dust extraction. Use for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN 20427.	Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN 20427.	Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN 20427.
Part Number	30279	30280	30281	30282
UPC	0-00-51131-30279-2	0-00-51131-30280-8	0-00-51131-30281-5	0-00-51131-30282-2
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	3 in	3 in	3 in	3 in
Color	Purple	Purple	Purple	Purple
Grade	P180	P150	P120	P100
	30283	30460	30461	30472
Description				
	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN20427.	Use for scuffing the blend area prior to painting. Suggested backup pads (PN 05858 and PN 05775).	Use for primer sanding or for scuffing the blend area prior to painting. Suggested backup pads (PN 05858 and PN 05775).	Disc with precise hole design for improved life and dust extraction. Coarsest grade available for fine featheredging. Would require finer featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855, part number 05858, soft interface pad part number 05773.
Part Number	30283	30460	30461	30472
UPC	0-00-51131-30283-9	0-00-51131-30460-4	0-00-51131-30461-1	0-00-51131-30472-7
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	3 in	5 in	5 in	5 in
Color	Purple	Purple	Purple	Purple
Grade	P80	P800	P600	P500




Abrasives: High Performance

Sanding Abrasives (continued)





	30473	30475	30477	30478
Description				
	Disc with precise hole design for improved life and dust extraction. Coarsest grade available for fine featheredging. Would require finer featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855, part number 05858, soft interface pad part number 05773.	Disc with precise hole design for improved life and dust extraction. Coarsest grade available for fine featheredging. Would require finer featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855, part number 05858, soft interface pad part number 05773.	Disc with precise hole design for improved life and dust extraction. Coarsest grade available for rough featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.
Part Number	30473	30475	30477	30478
UPC	0-00-51131-30473-4	0-00-51131-30475-8	0-00-51131-30477-2	0-00-51131-30478-9
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	5 in	5 in	5 in	5 in
Color	Purple	Purple	Purple	Purple
Grade	P400	P320	P240	P220
	30479	30480	30481	30482
Description				
	Disc with precise hole design for improved life and dust extraction. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.	Disc with precise hole design for improved life and dust extraction. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.	Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.	Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855.
Part Number	30479	30480	30481	30482
UPC	0-00-51131-30479-6	0-00-51131-30480-2	0-00-51131-30481-9	0-00-51131-30482-6
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	5 in	5 in	5 in	5 in
Color	Purple	Purple	Purple	Purple
Grade	P180	P150	P120	P100

Abrasives: High Performance

Sanding Abrasives (continued)









	30483	30760	30761
Description	 <p>Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05855.</p>	 <p>Use for prepping before blending. Suggested backup pads (PN 05551 and PN 05775).</p>	 <p>Use for primer sanding, or prepping before blending. Suggested backup pads (PN 05551 and PN 05777).</p>
Part Number	30483	30760	30761
UPC	0-00-51131-30483-3	0-00-51131-30760-5	0-00-51131-30761-2
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc 334U	3M™ Purple Clean Sanding Hookit™ Disc 334U
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	5 in	6 in	6 in
Color	Purple	Purple	Purple
Grade	P80	P800	P600

Finishing - Film

	00907	00908	00909	00910
Description	 <p>Use to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad 05769 and Interface Pad 05771.</p>	 <p>Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05769 and Interface Pad 05771.</p>	 <p>Levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Suggested backup pad 05769 and Interface Pad 05771.</p>	 <p>Use for scuffing the blend area prior to painting. Suggested backup pad 05769 and Interface Pad 05771.</p>
Part Number	00907	00908	00909	00910
UPC	0-00-51131-00907-3	0-00-51131-00908-0	0-00-51131-00909-7	0-00-51131-00910-3
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	3 in	3 in	3 in	3 in
Color	White	White	White	White
Grade	P1500	P1200	P1000	P800


Abrasives: High Performance

Finishing - Film (continued)




	00911	30567	30568	30569
Description	 Use for scuffing the blend area prior to painting. Suggested backup pad 05769 and Interface Pad 05771.	 Levels orange peel, dust nibs and paint runs in refinish paint. Suggested backup pad 05858 and Interface Pad 20278	 Levels orange peel, dust nibs and paint runs in refinish paint. Suggested backup pad 05858 and Interface Pad 20278	 Use for scuffing the blend area prior to painting. Remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding. Suggested backup pad 05858 and Interface Pad 20278
Part Number	00911	30567	30568	30569
UPC	0-00-51131-00911-0	0-00-51131-30567-0	0-00-51131-30568-7	0-00-51131-30569-4
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Purple Finishing Film Disc	3M™ Hookit™ Purple Finishing Film Disc	3M™ Hookit™ Purple Finishing Film Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	3 in	5 in	5 in	5 in
Color	White	Purple	Purple	Purple
Grade	P600	P1500	P1200	P1000
	30570	30571	30669	30671
Description	 Use for scuffing the blend area prior to painting. Suggested backup pad 05858 and Interface Pad 20278	 Use for scuffing the blend area prior to painting. Suggested backup pad 05858 and Interface Pad 20278	 Use for scuffing the blend area prior to painting. Remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding. Suggested backup pad (part number 05778) and interface pad (part number 05777).	 Use for scuffing the blend area prior to painting. Suggested backup pad (part number 05778) and interface pad (part number 05777).
Part Number	30570	30571	30669	30671
UPC	0-00-51131-30570-0	0-00-51131-30571-7	0-00-51131-30669-1	0-00-51131-30671-4
Product Name	3M™ Hookit™ Purple Finishing Film Disc	3M™ Hookit™ Purple Finishing Film Disc	3M™ Purple Finishing Film Hookit™ Disc	3M™ Purple Finishing Film Hookit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case
Size	5 in	5 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	P800	P600	P1000	P600

Abrasives: High Performance

Finishing - Film (continued)





30769	
Description	 <p>Use for scuffing the blend area prior to painting. Remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding. Suggested backup pad (part number 05551) and interface pad (part number 05777).</p>
Part Number	30769
UPC	0-00-51131-30769-8
Product Name	3M™ Purple Finishing Film Hookit™ Disc Dust-Free
Packaging	50 discs per box 4 boxes per case
Size	6 in
Color	Purple
Grade	P1000

Finishing - Trizact™





	02085	02087	02088	02090
Description	 <p>Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M™ Perfect-It™ 3000 Panel Repair System. When work on contour surface, use interface pad Part Number 05777.</p>	 <p>Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M™ Perfect-It™ 3000 Panel Repair System. When working on contour surface, use interface pad Part Number 05777.</p>	 <p>Incorporates Trizact™ technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad PN05551 and PN05777 soft interface pad.</p>	<p>3M™ Trizact Foam Blending disc for use on prepping blend panels prior to painting. Use with Hookit™ Disc pad PN 05551 and Hookit™ soft interface pad PN 05777.</p>
Part Number	02085	02087	02088	02090
UPC	0-00-51131-02085-6	0-00-51131-02087-0	0-00-51131-02088-7	0-00-51131-02090-0
Product Name	3M™ Trizact™ Hookit™ Foam Discs	3M™ Trizact™ Hookit™ Foam Discs	3M™ Trizact™ Hookit™ Clear Coat Sanding Disc	3M™ Trizact™ Hookit™ Blending Disc
Packaging	15 discs per box 4 boxes per case	15 discs per box 4 boxes per case	25 discs per box 4 boxes per case	15 discs per box 4 boxes per case
Size	6 in	3 in	6 in	6 in
Color	Gray	Gray	Purple	Gray
Grade	P3000	P3000	P1500	1000

Abrasives: High Performance

Finishing - Trizact™ (continued)









	02091	02094	02095	02096
Description	 3M™ Foam Trizact™ disc for use in scuff sanding blend panels prior to painting. Use with Hookit™ 3 inch Pad - PN 20427 and Hookit™ Soft Interface Pad - PN 05771.	 Incorporates Trizact™ technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad Part Number 20427 and Part Number 05771 soft interface pad.	 Incorporates Trizact™ technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints.	 Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M™ Perfect-It™ Rubbing Compound. When working on contour surface, use interface pad Part Number 05773.
Part Number	02091	02094	02095	02096
UPC	0-00-51131-02091-7	0-00-51131-02094-8	0-00-51131-02095-5	0-00-51131-02096-2
Product Name	3M™ Trizact™ Hookit™ Blending Disc	3M™ Trizact™ Hookit™ Clear Coat Sanding Disc	3M™ Trizact™ Hookit™ Clear Coat Sanding Disc	3M™ Trizact™ Hookit™ Foam Discs
Packaging	15 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case	15 discs per box 4 boxes per case
Size	3 in	3 in	5 in	5 in
Color	Gray	Purple	Purple	Gray
Grade	P1000	P1500	P1500	P3000

Stikit™ Discs & Sheets

	00367	00368	00371	00372
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05555 and 05575.	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05555 and 05575.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's Performance Class Abrasive. Suggested backup pads 05556 and 05576.	 Stikit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking, woodworking.
Part Number	00367	00368	00371	00372
UPC	0-00-51131-00367-5	0-00-51131-00368-2	0-00-51131-00371-2	0-00-51131-00372-9
Product Name	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Disc Roll	3M™ Imperial™ Stikit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	100 discs per roll 4 rolls per case	50 discs per box 4 boxes per case
Size	5 in	5 in	6 in	6 in
Color	Purple	Purple	Purple	Purple
Grade	40	36	P80	60



Abrasives: High Performance

Stikit™ Discs & Sheets (continued)

	00373	00374	00377	00379
Description	 Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05556 and 05576.	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05556 and 05576.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05568 and 05579.	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad 05579.
Part Number	00373	00374	00377	00379
UPC	0-00-51131-00373-6	0-00-51131-00374-3	0-00-51131-00377-4	0-00-51131-00379-8
Product Name	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Disc
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	25 discs per box 4 boxes per case	25 discs per box 4 boxes per case
Size	6 in	6 in	8 in	8 in
Color	Purple	Purple	Purple	Purple
Grade	40	36	P80	40
	00380	00391	00392	00393
Description	 Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad 05579.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.	 Stikit™ Ceramic Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking, woodworking.	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.
Part Number	00380	00391	00392	00393
UPC	0-00-51131-00380-4	0-00-51131-00391-0	0-00-51131-00392-7	0-00-51131-00393-4
Product Name	3M™ Imperial™ Stikit™ Disc	3M™ Imperial™ Stikit™ Sheet	3M™ Imperial™ Stikit™ Sheet 740I	3M™ Imperial™ Stikit™ Sheet
Packaging	25 discs per box 4 boxes per case	50 sheets per box 4 boxes per case	50 sheets per box 4 boxes per case	50 sheets per box 4 boxes per case
Size	8 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in
Color	Purple	Purple	Purple	Purple
Grade	36	P80	60	40

Abrasives: High Performance


Stikit™ Discs & Sheets (continued)

	00394	00434	00435	00436
Description	 Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.	 Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.
Part Number	00394	00434	00435	00436
UPC	0-00-51131-00394-1	0-00-51131-00434-4	0-00-51131-00435-1	0-00-51131-00436-8
Product Name	3M™ Imperial™ Stikit™ Sheet	3M™ Imperial™ Stikit™ Roll 745I	3M™ Imperial™ Stikit™ Roll 740I	3M™ Imperial™ Stikit™ Roll 740I
Packaging	50 sheets per box 4 boxes per case	6 rolls per case	6 rolls per case	6 rolls per case
Size	2-3/4 in x 16-1/2 in	2-3/4 in x 20 yd	2-3/4 in x 20 yd	2-3/4 in x 20 yd
Color	Purple	Purple	Purple	Purple
Grade	36	P80	60	40
	00437	00499	00500	00501
Description	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.	Excellent for stripping paint or sanding marine fairing compounds. Tough E weight backing provides for a fast cutting, longer lasting abrasive.
Part Number	00437	00499	00500	00501
UPC	0-00-51131-00437-5	0-00-51131-00499-3	0-00-51131-00500-6	0-00-51131-00501-3
Product Name	3M™ Imperial™ Stikit™ Roll 740I	3M™ Imperial™ Stikit™ Roll 745I	3M™ Imperial™ Stikit™ Roll 745I	3M™ Imperial™ Stikit™ Roll 745I
Packaging	6 rolls per case	6 rolls per case	6 rolls per case	6 rolls per case
Size	2-3/4 in x 20 yd	4-1/2 in x 20 yd	4-1/2 in x 20 yd	4-1/2 in x 20 yd
Color	Purple	Purple	Purple	Purple
Grade	36	60	40	36
	02258			
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.			
Part Number	02258			
UPC	0-00-51131-02258-4			
Product Name	3M™ Imperial™ Sheet			
Packaging	50 sheets per box 4 boxes per case			
Size	2-3/4 in x 17-1/2 in			
Color	Purple			
Grade	40			

Abrasives: High Performance

Fairing Board Sheets

Ceramic Abrasive Grain sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.






Product Name 3M™ Hookit™ Sheet
Packaging 10 sheets per sleeve 5 sleeves per case
Size 4-1/2 in x 30 in
Color Green

Part Number	Part Number	UPC	Grade
02637	02637	0-00-51131-02637-7	100
02638	02638	0-00-51131-02638-4	80
02639	02639	0-00-51131-02639-1	60
02641	02641	0-00-51131-02641-4	36



Abrasives: Performance

Hookit™ - Grinding

	00507	00508	00509
Description	 Cubitron™ Abrasive Grain open coat, non loading disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 80. Primary markets: metalworking, woodworking.	 Cubitron™ Abrasive Grain open coat, non loading disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking, woodworking.	 An aluminum oxide disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking, woodworking.
Part Number	00507	00508	00509
UPC	0-00-51131-00507-5	0-00-51131-00508-2	0-00-51131-00509-9
Product Name	3M™ Hookit™ Paper Disc 750U	3M™ Hookit™ Green Corps™ Paper Disc 750U	3M™ Hookit™ Paper Disc 751U
Packaging	25 discs per box 5 boxes per case	25 discs per box 5 boxes per case	25 discs per box 5 boxes per case
Size	5 in	5 in	5 in
Color	Green	Green	Green
Grade	80	60	40

Abrasives: Performance

Hookit™ - Grinding (continued)

	02640	03627
Description	 An aluminum oxide sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking, woodworking.	 Cubitron™ Abrasive Grain disc constructed on a paper backing. Resin bonded for heat resistance. Grade: 80. Primary markets: metalworking, woodworking.
Part Number	02640	03627
UPC	0-00-51131-02640-7	0-00-51135-03627-3
Product Name	3M™ Green Corps™ Hookit™ Sheet	3M™ Hookit™ Paper Dust Free Disc 750U
Packaging	10 sheets per sleeve 5 sleeves per case	500 per case
Size	4-1/2 in x 30 in	5 in
Color	Green	Green
Grade	40	80

Hookit™ - Sanding

Color Gold



Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Grade
00912	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00912	0-00-51131-00912-7	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P500
00913	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00913	0-00-51131-00913-4	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P400
00914	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00914	0-00-51131-00914-1	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P320
00915	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00915	0-00-51131-00915-8	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P240
00916	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00916	0-00-51131-00916-5	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P220
00917	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	00917	0-00-51131-00917-2	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P180
00918	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	00918	0-00-51131-00918-9	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P150
00919	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	00919	0-00-51131-00919-6	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P120
00920	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	00920	0-00-51131-00920-2	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P100

Abrasives: Performance

Hookit™ - Sanding (continued)

Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Grade
00921	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	00921	0-00-51131-00921-9	3M™ Hookit™ Gold Disc	50 discs per box 4 boxes per case	3 in	P80
00972	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad, 6 in (PN 05774).	00972	0-00-51131-00972-1	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P500
00973	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00973	0-00-51131-00973-8	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P400
00974	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	00974	0-00-51131-00974-5	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P360
00975	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776).	00975	0-00-51131-00975-2	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P320
00976	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad (PN 05774).	00976	0-00-51131-00976-9	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P280
00977	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad (PN 05274).	00977	0-00-51131-00977-6	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P240
00978	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad, 6 in (PN 05774).	00978	0-00-51131-00978-3	3M™ Hookit™ Gold Disc 216U	100 discs per box 4 boxes per case	6 in	P220
00979	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN 05756 or PN 05776.	00979	0-00-51131-00979-0	3M™ Hookit™ Gold Disc 236U	100 discs per box 4 boxes per case	6 in	P180
00980	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN 05756 or PN 05776.	00980	0-00-51131-00980-6	3M™ Hookit™ Gold Disc 236U	100 discs per box 4 boxes per case	6 in	P150
00981	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN 05756 or PN 05776.	00981	0-00-51131-00981-3	3M™ Hookit™ Gold Disc 236U	100 discs per box 4 boxes per case	6 in	P120
00982	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN 05756 or PN 05776.	00982	0-00-51131-00982-0	3M™ Hookit™ Gold Disc 236U	100 discs per box 4 boxes per case	6 in	P100
00983	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	00983	0-00-51131-00983-7	3M™ Hookit™ Gold Disc 236U	75 discs per box 4 boxes per case	6 in	P80
01072	7 holes for dust free sanding. Use for fine featheredging or last final sanding step before priming. Recommended disc pad PN 05865 with soft interface pad PN 05777.	01072	0-00-51131-01072-7	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P500

Abrasives: Performance

Hookit™ - Sanding (continued)

Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Grade
01073	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05856.	01073	0-00-51131-01073-4	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P400
01075	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05856.	01075	0-00-51131-01075-8	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P320
01076	7 holes for dust free sanding. Coarsest grade available for fine featheredging would require finer featheredging. Recommended disc pad PN 05865 with or without soft interface pad PN 05777.	01076	0-00-51131-01076-5	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P280
01077	7 holes for dust free sanding. Finest grade available for rough featheredging. Use with recommended disc pad PN 05865.	01077	0-00-51131-01077-2	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P240
01078	7 holes for dust free sanding. Use for rough featheredging. Could be used as final step on plastic filler and putty. Use with recommended disc pad PN 05865.	01078	0-00-51131-01078-9	3M™ Hookit™ Gold Disc D/F 216U	100 discs per box 4 boxes per case	6 in	P220
01079	7 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended back-up pad Part Number 05865.	01079	0-00-51131-01079-6	3M™ Hookit™ Gold Disc D/F 236U	100 discs per box 4 boxes per case	6 in	P180
01080	7 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended back-up pad Part Number 05865.	01080	0-00-51131-01080-2	3M™ Hookit™ Gold Disc D/F 236U	100 discs per box 4 boxes per case	6 in	P150
01081	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	01081	0-00-51131-01081-9	3M™ Hookit™ Gold Disc D/F 236U	100 discs per box 4 boxes per case	6 in	P120
01082	7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended back up pad Part Number 05865.	01082	0-00-51131-01082-6	3M™ Hookit™ Gold Disc D/F 236U	100 discs per box 4 boxes per case	6 in	P100
01083	7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended backup pad (part number 05865).	01083	0-00-51131-01083-3	3M™ Hookit™ Gold Disc D/F 236U	75 discs per box 4 boxes per case	6 in	P80
02469	Used for for featheredging. Could also be used for final sanding of plastic filler and putty. Recommended accessory 3M™ Hookit™ Hand File Board (PN 05744).	02469	0-00-51131-02469-4	3M™ Hookit™ Gold Sheet	50 sheets per box 5 boxes per case	2-3/4 in x 16 in	P220
02470	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	02470	0-00-51131-02470-0	3M™ Hookit™ Gold Sheet	50 sheets per box 5 boxes per case	2-3/4 in x 16 in	P180
02472	Used for for rough featheredging. Could also be used for final sanding of plastic filler and putty. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	02472	0-00-51131-02472-4	3M™ Hookit™ Gold Sheet	50 sheets per box 5 boxes per case	2-3/4 in x 16 in	P150
02473	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	02473	0-00-51131-02473-1	3M™ Hookit™ Gold Sheet	50 sheets per box 5 boxes per case	2-3/4 in x 16 in	P120

Abrasives: Performance

Hookit™ - Finishing



Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color	Grade
00907	Use to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad 05769 and Interface Pad 05771.	00907	0-00-51131-00907-3	3M™ Hookit™ Finishing Film Disc	50 discs per box 4 boxes per case	3 in	White	P1500
00908	Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05769 and Interface Pad 05771.	00908	0-00-51131-00908-0	3M™ Hookit™ Finishing Film Disc	50 discs per box 4 boxes per case	3 in	White	P1200
00909	Levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Suggested backup pad 05769 and Interface Pad 05771.	00909	0-00-51131-00909-7	3M™ Hookit™ Finishing Film Disc	50 discs per box 4 boxes per case	3 in	White	P1000
00910	Use for scuffing the blend area prior to painting. Suggested backup pad 05769 and Interface Pad 05771.	00910	0-00-51131-00910-3	3M™ Hookit™ Finishing Film Disc	50 discs per box 4 boxes per case	3 in	White	P800
00911	Use for scuffing the blend area prior to painting. Suggested backup pad 05769 and Interface Pad 05771.	00911	0-00-51131-00911-0	3M™ Hookit™ Finishing Film Disc	50 discs per box 4 boxes per case	3 in	White	P600
00950	Use to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad 05776 and Interface pad 05774.	00950	0-00-51131-00950-9	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	6 in	White	P1500
00951	Use to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad 05775 and Interface pad 05773.	00951	0-00-51131-00951-6	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	5 in	White	P1500
00952	Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05775 and Interface pad 05773.	00952	0-00-51131-00952-3	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	5 in	White	P1200
00953	Levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Suggested backup pad 05775 and Interface pad 05773.	00953	0-00-51131-00953-0	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	5 in	White	P1000
00954	Use for scuffing the blend area prior to painting. Suggested backup pad 05775 and Interface pad 05773.	00954	0-00-51131-00954-7	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	5 in	White	P800
00955	Use for scuffing the blend area prior to painting. Suggested backup pad 05775 and Interface pad 05773.	00955	0-00-51131-00955-4	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	5 in	White	P600
00968	Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05776 and Interface pad 05774.	00968	0-00-51131-00968-4	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	6 in	White	P1200
00969	Levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Suggested backup pad 05776 and Interface pad 05774.	00969	0-00-51131-00969-1	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	6 in	White	P1000









Abrasives: Performance

Hookit™ - Finishing (continued)

Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color	Grade
00970	Use for scuffing the blend area prior to painting. Suggested backup pad 05776 and Interface pad 05774.	00970	0-00-51131-00970-7	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	6 in	White	P800
00971	Use for scuffing the blend area prior to painting. Suggested backup pad 05776 and Interface pad 05774.	00971	0-00-51131-00971-4	3M™ Hookit™ Finishing Film Disc	100 discs per box 4 boxes per case	6 in	White	P600
01050	7 Holes for dust free sanding. Use to level minor dust nibs and light sanding of mismatched orange peel for all types of automotive paint. Recommended disc pad PN 05865 with soft interface pad PN 05777.	01050	0-00-51131-01050-5	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	6 in	White	P1500
01053	An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Grade: P1000. Primary markets: metalworking,woodworking.	01053	0-00-51131-01053-6	3M™ Hookit™ Film Dust Free Disc 260L	100 discs per box 4 boxes per case	5 in	White	P1000
01054	An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Grade: P800. Primary markets: metalworking,woodworking.	01054	0-00-51131-01054-3	3M™ Hookit™ Film Dust Free Disc 260L	100 discs per box 4 boxes per case	5 in	White	P800
01055	5 holes for dust-free sanding. Use for scuffing the blend area prior to painting. Suggested backup pad 05855 and 05773 interface pad.	01055	0-00-51131-01055-0	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	5 in	White	P600
01068	7 Holes for dust free sanding. Use to level orange peel, dust nibs, and paint runs in all types of automotive paints. Recommended disc pad PN 05865 with soft interface pad PN 05777.	01068	0-00-51131-01068-0	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	6 in	White	P1200
01069	7 Holes for dust free sanding. Levels orange peel, dust nibs, paint runs in refinish paint. Recommended disc pad PN 05865 with soft interface pad PN 05777.	01069	0-00-51131-01069-7	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	6 in	White	P1000
01070	7 Holes for dust free sanding. Use for scuffing the blend area prior to painting. Recommended disc pad PN 05865 with soft interface pad PN 05777.	01070	0-00-51131-01070-3	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	6 in	White	P800
01071	7 Holes for dust free sanding. Use for scuffing the blend area prior to painting. Recommended disc pad PN05865 with soft interface pad PN05777.	01071	0-00-51131-01071-0	3M™ Hookit™ Finishing Film Disc D/F	100 discs per box 4 boxes per case	6 in	White	P600









Abrasives: Performance

Stikit™ - Grinding

	01501	01506	01545	01546
Description	 Used for shaping plastic filler, removing paint around damaged areas and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05576.	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05555 or 05575.	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05555 or 05575.
Part Number	01501	01506	01545	01546
UPC	0-00-51144-01501-6	0-00-51144-01506-1	0-00-51131-01545-6	0-00-51131-01546-3
Product Name	3M™ Stikit™ Green Fre-Cut™ Disc Roll	3M™ Stikit™ Green Fre-Cut™ Disc Roll	3M™ Green Corps™ Stikit™ Production™ Disc	3M™ Green Corps™ Stikit™ Production™ Disc
Packaging	100 discs per roll 10 rolls per case	100 discs per roll 10 rolls per case	100 discs per box 5 boxes per case	100 discs per box 5 boxes per case
Size	5 in	6 in	5 in	5 in
Color	Green	Green	Green	Green
Grade	80	80	40	36
	01547	01548	01549	01550
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05556 or 05576.	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05556 or 05576.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05579.	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05579.
Part Number	01547	01548	01549	01550
UPC	0-00-51131-01547-0	0-00-51131-01548-7	0-00-51131-01549-4	0-00-51131-01550-0
Product Name	3M™ Green Corps™ Stikit™ Production™ Disc	3M™ Green Corps™ Stikit™ Production™ Disc	3M™ Green Corps™ Stikit™ Production™ Disc	3M™ Green Corps™ Stikit™ Production™ Disc
Packaging	100 discs per box 5 boxes per case	100 discs per box 5 boxes per case	50 discs per box 5 boxes per case	50 discs per box 5 boxes per case
Size	6 in	6 in	8 in	8 in
Color	Green	Green	Green	Green
Grade	40	36	80	40









Abrasives: Performance

Stikit™ - Grinding (continued)

	01551	01552	01556	01561
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05579.	 An aluminum oxide disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: 24. Primary markets: metalworking, woodworking.	 An aluminum oxide disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: 60. Primary markets: metalworking, woodworking.	 5 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05655.
Part Number	01551	01552	01556	01561
UPC	0-00-51131-01551-7	0-00-51131-01552-4	0-00-51131-01556-2	0-00-51131-01561-6
Product Name	3M™ Green Corps™ Stikit™ Production™ Disc	3M™ Green Corps™ Stikit™ Disc 255U	3M™ Green Corps™ Stikit™ Disc 255U	3M™ Stikit™ Green Disc Roll D/F
Packaging	50 discs per box 5 boxes per case	20 discs per box 5 boxes per case	50 discs per box 5 boxes per case	100 discs per roll 10 rolls per case
Size	8 in	8 in	8 in	5 in
Color	Green	Green	Green	Green
Grade	36	24	60	80
	01566	01569	01660	01661
Description	 6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	 8 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	 8 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler.	 8 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler.
Part Number	01566	01569	01660	01661
UPC	0-00-51131-01566-1	0-00-51131-01569-2	0-00-51131-01660-6	0-00-51131-01661-3
Product Name	3M™ Stikit™ Green Disc Roll D/F	3M™ Green Corps™ Stikit™ Production Disc D/F	3M™ Green Corps™ Stikit™ Production Disc D/F	3M™ Green Corps™ Stikit™ Production Disc D/F
Packaging	100 discs per roll 10 rolls per case	50 discs per box 5 boxes per case	50 discs per box 5 boxes per case	50 discs per box 5 boxes per case
Size	6 in	8 in	8 in	8 in
Color	Green	Green	Green	Green
Grade	80	80	40	36









Abrasives: Performance

Stikit™ - Grinding (continued)

	01665	01667	01668	02220
Description	 5 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05655.	 6 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05656.	 6 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05656.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.
Part Number	01665	01667	01668	02220
UPC	0-00-51131-01665-1	0-00-51131-01667-5	0-00-51131-01668-2	0-00-51131-02220-1
Product Name	3M™ Green Corps™ Stikit™ Production Disc D/F	3M™ Green Corps™ Stikit™ Production Disc D/F	3M™ Green Corps™ Stikit™ Production Disc D/F	3M™ Green Corps™ Production™ Resin Sheet
Packaging	100 discs per box 5 boxes per case	100 discs per box 5 boxes per case	100 discs per box 5 boxes per case	100 sheets per box 5 boxes per case
Size	5 in	6 in	6 in	2-3/4 in x 17-1/2 in
Color	Green	Green	Green	Green
Grade	40	40	36	80
	02222	02225	02230	02231
Description	 Use for stripping paint to Metal, shaping and sanding plastic filler	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested hand board 05444 or replacement air file shoe 05448.	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested hand board 05444 or replacement air file shoe 05448.
Part Number	02222	02225	02230	02231
UPC	0-00-51144-02222-9	0-00-51131-02225-6	0-00-51131-02230-0	0-00-51144-02231-1
Product Name	3M™ Green Corps™ Abrasive Sheet	3M™ Green Corps™ Production™ Resin Sheet	3M™ Green Corps™ Stikit™ Production™ Sheet	3M™ Green Corps™ Stikit™ Production™ Sheet
Packaging	100 sheets per box 5 boxes per case	100 sheets per box 10 boxes per case	100 sheets per box 5 boxes per case	100 sheets per box 5 boxes per case
Size	2-3/4 in x 17-1/2 in	3-2/3 in x 9 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in
Color	Green	Green	Green	Green
Grade	36	80	80	40



Abrasives: Performance

Stikit™ - Grinding (continued)





	02232	31506	31547	31548
Description	 Use for stripping paint to metal, shaping and sanding plastic filler. Suggested hand board 05444 or replacement air file shoe 05448.	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 35576.	 Grade 40E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually lined discs.	 Grade 36E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually lined discs.
Part Number	02232	31506	31547	31548
UPC	0-00-51144-02232-8	0-00-51131-31506-8	0-00-51131-31547-1	0-00-51131-31548-8
Product Name	3M™ Green Corps™ Stikit™ Production™ Sheet	3M™ Green Corps™ Sanding Disc	3M™ Green Corps™ Sanding Disc	3M™ Green Corps™ Sanding Disc
Packaging	100 sheets per box 5 boxes per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case
Size	2-3/4 in x 16-1/2 in	6 in	6 in	6 in
Color	Green	Green	Green	Green
Grade	36	80	40	36
	31549	31550	32220	32222
Description	 Grade 80D has individually lined discs and is used for removal of coarser grade scratches in body filler and scratch refinement of bare metal. Disc has dry lubricant coating to extend disc life by resisting loading.	 Grade 40E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually lined discs.	 Used for stripping paint to bare metal and shaping plastic filler.	 Used to finish sanding plastic filler.
Part Number	31549	31550	32220	32222
UPC	0-00-51131-31549-5	0-00-51131-31550-1	0-00-51131-32220-2	0-00-51131-32222-6
Product Name	3M™ Stikit™ Green Corps™ Disc	3M™ Green Corps™ Sanding Disc	3M™ Green Corps™ File Sheet	3M™ Green Corps™ File Sheet
Packaging	5 discs per pack 10 packs per case	5 discs per pack 10 packs per case	5 sheets per pack 10 packs per case	5 sheets per pack 10 packs per case
Size	8 in	8 in	2-3/4 in x 17-1/2 in	2-3/4 in x 17-1/2 in
Color	Green	Green	Green	Green
Grade	80	40	80	36

Abrasives: Performance

Stikit™ - Grinding (continued)









	32230	32231	32232
Description	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	 Used for stripping paint to metal, shaping and sanding plastic filler.	 Used for stripping paint to metal, shaping and sanding plastic filler.
Part Number	32230	32231	32232
UPC	0-00-51131-32230-1	0-00-51131-32231-8	0-00-51131-32232-5
Product Name	3M™ Green Corps™ File Sheet	3M™ Green Corps™ File Sheet	3M™ Green Corps™ File Sheet
Packaging	5 sheets per pack 10 packs per case	5 sheets per pack 10 packs per case	5 sheets per pack 10 packs per case
Size	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in	2-3/4 in x 16-1/2 in
Color	Green	Green	Green
Grade	80	40	36

Stikit™ Paper - Sanding

	01198	01202	01203	01205
Description	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad, 6 in (PN 05556) or 3M™ Stikit™ Disc Pad, 6 in (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05556 or 05576.	 Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05556 or 05576.
Part Number	01198	01202	01203	01205
UPC	0-00-51131-01198-4	0-00-51131-01202-8	0-00-51131-01203-5	0-00-51131-01205-9
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	75 discs per roll 12 rolls per case	75 discs per roll 6 rolls per case	75 discs per roll 6 rolls per case	75 discs per roll 12 rolls per case
Size	5 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P80	P500	P400	P320









Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	01206	01208	01209	01213
Description	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05556 or 05576.	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.
Part Number	01206	01208	01209	01213
UPC	0-00-51131-01206-6	0-00-51131-01208-0	0-00-51131-01209-7	0-00-51131-01213-4
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	75 discs per roll 6 rolls per case	75 discs per roll 12 rolls per case	75 discs per roll 12 rolls per case	75 discs per roll 12 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P280	P220	P180	P80
	01424	01425	01426	01427
Description	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575. There is an available hand pad 05585.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575. There is an available hand pad 05585.	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.
Part Number	01424	01425	01426	01427
UPC	0-00-51144-01424-8	0-00-51144-01425-5	0-00-51144-01426-2	0-00-51144-01427-9
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	125 discs per roll 10 rolls per case	125 discs per roll 10 rolls per case
Size	5 in	5 in	5 in	5 in
Color	Gold	Gold	Gold	Gold
Grade	P180	P150	P120	P100













Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	01428	01432	01434	01435
Description	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	 Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.
Part Number	01428	01432	01434	01435
UPC	0-00-51144-01428-6	0-00-51131-01432-9	0-00-51131-01434-3	0-00-51144-01435-4
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	125 discs per roll 10 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case
Size	5 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P80	P500	P400	P320
	01436	01437	01438	01439
Description	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05546, 05556 or 05576.
Part Number	01436	01437	01438	01439
UPC	0-00-51144-01436-1	0-00-51144-01437-8	0-00-51144-01438-5	0-00-51144-01439-2
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P280	P240	P220	P180









Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	01440	01441	01442	01443
Description	 Used for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05556 or 05576.	 Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.
Part Number	01440	01441	01442	01443
UPC	0-00-51144-01440-8	0-00-51144-01441-5	0-00-51144-01442-2	0-00-51144-01443-9
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	175 discs per roll 6 rolls per case	125 discs per roll 10 rolls per case	125 discs per roll 10 rolls per case	125 discs per roll 10 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P150	P120	P100	P80
	01485	01487	01488	01493
Description	 Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05568.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 05568.
Part Number	01485	01487	01488	01493
UPC	0-00-51131-01485-5	0-00-51131-01487-9	0-00-51131-01488-6	0-00-51131-01493-0
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll
Packaging	125 discs per roll 4 rolls per case	125 discs per roll 4 rolls per case	125 discs per roll 4 rolls per case	125 discs per roll 4 rolls per case
Size	8 in	8 in	8 in	8 in
Color	Gold	Gold	Gold	Gold
Grade	P320	P240	P220	P80
	01633	01634	01635	01636
Description	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	 6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).
Part Number	01633	01634	01635	01636
UPC	0-00-51131-01633-0	0-00-51131-01634-7	0-00-51131-01635-4	0-00-51131-01636-1
Product Name	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F
Packaging	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P500	P400	P320	P280









Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	01637	01638	01639	01640
Description	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad Part Number 05656.	 6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad Part Number 05656.
Part Number	01637	01638	01639	01640
UPC	0-00-51131-01637-8	0-00-51131-01638-5	0-00-51131-01639-2	0-00-51131-01640-8
Product Name	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F
Packaging	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case	175 discs per roll 6 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P240	P220	P180	P150
	01641	01642	01643	02589
Description	 6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad Part Number 05656.	 6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad Part Number 05656.	 6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad Part Number 05656.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).
Part Number	01641	01642	01643	02589
UPC	0-00-51131-01641-5	0-00-51131-01642-2	0-00-51131-01643-9	0-00-51131-02589-9
Product Name	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Disc Roll D/F	3M™ Stikit™ Gold Sheet Roll
Packaging	125 discs per roll 10 rolls per case	125 discs per roll 10 rolls per case	125 discs per roll 10 rolls per case	10 per case
Size	6 in	6 in	6 in	2-3/4 in x 45 yd
Color	Gold	Gold	Gold	Gold
Grade	P120	P100	P80	P500









Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	02590	02591	02593	02594
Description	 Use for fine featheredging or last final sanding step before priming. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for fine featheredging or last final sanding step before priming. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).
Part Number	02590	02591	02593	02594
UPC	0-00-51131-02590-5	0-00-51131-02591-2	0-00-51131-02593-6	0-00-51131-02594-3
Product Name	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll
Packaging	10 per case	10 per case	10 per case	10 per case
Size	2-3/4 in x 45 yd	2-3/4 in x 45 yd	2-3/4 in x 45 yd	2-3/4 in x 45 yd
Color	Gold	Gold	Gold	Gold
Grade	P400	P320	P240	P220
	02595	02596	02597	02599
Description	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.
Part Number	02595	02596	02597	02599
UPC	0-00-51131-02595-0	0-00-51131-02596-7	0-00-51131-02597-4	0-00-51131-02599-8
Product Name	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll
Packaging	10 per case	10 per case	10 per case	10 per case
Size	2-3/4 in x 45 yd	2-3/4 in x 45 yd	2-3/4 in x 30 yd	2-3/4 in x 25 yd
Color	Gold	Gold	Gold	Gold
Grade	P180	P150	P120	P80





Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	02689	02691	02693	02697
Description	 A pressure-sensitive adhesive backing for quick adhesion to and easy removal from 3M™ Stikit™ Finish Sander Conversion Pads (PN 00402).	 Use for fine featheredging or last final sanding step before priming. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	 Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	 An aluminum oxide sheet roll constructed on an A weight light paper backing. Grade: P100. Primary markets: metalworking, woodworking.
Part Number	02689	02691	02693	02697
UPC	0-00-51131-02689-6	0-00-51131-02691-9	0-00-51131-02693-3	0-00-51131-02697-1
Product Name	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Sheet Roll	3M™ Stikit™ Gold Paper Sheet Roll	3M™ Stikit™ Gold Paper Sheet Roll 216U
Packaging	6 per case	6 per case	6 rolls per case	6 rolls per case
Size	4-1/2 in x 25 yd	4-1/2 in x 25 yd	4-1/2 in x 25 yd	4-1/2 in x 20 yd
Color	Gold	Gold	Gold	Gold
Grade	P400	P320	P220	P100
	31434	31435	31438	31439
Description	 Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.	 Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.	 Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.
Part Number	31434	31435	31438	31439
UPC	0-00-51131-31434-4	0-00-51131-31435-1	0-00-51131-31438-2	0-00-51131-31439-9
Product Name	3M™ Sanding Disc	3M™ Sanding Disc	3M™ Sanding Disc	3M™ Sanding Disc
Packaging	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case
Size	6 in	6 in	6 in	6 in
Color		Gold	Gold	
Grade	400	320	220	180

Abrasives: Performance

Stikit™ Paper - Sanding (continued)

	31440	31441	31443	49918
Description	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	 Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	 An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P180. Primary markets: metalworking, woodworking.
Part Number	31440	31441	31443	49918
UPC	0-00-51131-31440-5	0-00-51131-31441-2	0-00-51131-31443-6	0-00-51111-49918-4
Product Name	3M™ Stikit™ Gold Disc	3M™ Sanding Disc	3M™ Sanding Discs	3M™ Stikit™ Gold Paper Disc Roll
Packaging	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	175 discs per roll 6 rolls per case
Size	6 in	6 in	6 in	6 in
Color	Gold	Gold	Gold	Gold
Grade	P150	P120	80	P180

Stikit™ Film - Sanding



Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color	Grade
01322	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	01322	0-00-51131-01322-3	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P500
01323	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	01323	0-00-51131-01323-0	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P400
01325	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	01325	0-00-51131-01325-4	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P320
01327	Finest grade available. Rough featheredging. Suggested backup pads PN05546, PN05556 or PN05576.	01327	0-00-51131-01327-8	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P240
01328	Finest grade available. Rough featheredging. Suggested backup pads PN05546, PN05556 or PN05576	01328	0-00-51131-01328-5	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P220
01329	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN05546, PN05556 or PN05576	01329	0-00-51131-01329-2	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P180
01330	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN05546, PN05556 or PN05576	01330	0-00-51131-01330-8	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P150

Abrasives: Performance

Stikit™ Film - Sanding (continued)









Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color	Grade
01331	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	01331	0-00-51131-01331-5	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P120
01332	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	01332	0-00-51131-01332-2	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P100
01333	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	01333	0-00-51131-01333-9	3M™ Stikit™ Gold Film Disc Roll	75 discs per roll 6 rolls per case	6 in	Gold	P80
01352	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	01352	0-00-51131-01352-0	3M™ Stikit™ Gold Film Disc Roll	125 discs per roll 4 rolls per case	6 in	Gold	P500
01362	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	01362	0-00-51131-01362-9	3M™ Stikit™ Gold Film Disc Roll	125 discs per roll 4 rolls per case	6 in	Gold	P100
01363	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	01363	0-00-51131-01363-6	3M™ Stikit™ Gold Film Disc Roll	100 discs per roll 4 rolls per case	6 in	Gold	P80
01372	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	01372	0-00-51131-01372-8	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P500
01373	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	01373	0-00-51131-01373-5	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P400
01375	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	01375	0-00-51131-01375-9	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P320
01377	6 holes for dust-free sanding. Finest grade available for rough featheredging. Suggested backup pad 05656.	01377	0-00-51131-01377-3	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P240
01378	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	01378	0-00-51131-01378-0	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P220
01379	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	01379	0-00-51131-01379-7	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P180
01380	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	01380	0-00-51131-01380-3	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P150

Abrasives: Performance

Stikit™ Film - Sanding (continued)

Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color	Grade
01381	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	01381	0-00-51131-01381-0	3M™ Stikit™ Gold Film Disc Roll D/F	125 discs per roll 4 rolls per case	6 in	Gold	P120
01383	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	01383	0-00-51131-01383-4	3M™ Stikit™ Gold Film Disc Roll D/F	100 discs per roll 4 rolls per case	6 in	Gold	P80

Stikit™ - Finishing

	01318	01319	01320	01321
Description	 Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pads 05546, 05556 or 05576.	 Levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Suggested backup pads 05546, 05556 or 05576.	 Use for scuffing the blend area prior to painting. Suggested backup pads 05546, 05556 or 05576.	 Use for scuffing the blend area prior to painting. Suggested backup pads 05546, 05556 or 05576.
Part Number	01318	01319	01320	01321
UPC	0-00-51131-01318-6	0-00-51131-01319-3	0-00-51131-01320-9	0-00-51131-01321-6
Product Name	3M™ Stikit™ Finishing Film Disc	3M™ Stikit™ Finishing Film Disc	3M™ Stikit™ Finishing Film Disc	3M™ Stikit™ Finishing Film Disc
Packaging	100 discs per box 4 boxes per case	100 discs per box 4 boxes per case	100 discs per box 4 boxes per case	100 discs per box 4 boxes per case
Size	6 in	6 in	6 in	6 in
Color	White	White	White	White
Grade	P1200	P1000	P800	P600
	83678	83679	83680	83681
Description	 An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: P600. Primary markets: metalworking, woodworking.	 An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: P800. Primary markets: metalworking, woodworking.	 An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: P1000. Primary markets: metalworking, woodworking.	 An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: P1200. Primary markets: metalworking, woodworking.
Part Number	83678	83679	83680	83681
UPC	0-00-51144-83678-9	0-00-51144-83679-6	0-00-51144-83680-2	0-00-51144-83681-9
Product Name	3M™ Stikit™ Finishing Film Disc	3M™ Stikit™ Film Disc 260L	3M™ Stikit™ Film Disc 260L	3M™ Stikit™ Film Disc 260L
Packaging	100 discs per box 4 boxes per case	400 per case	400 per case	400 per case
Size	5 in	5 in	5 in	5 in
Color	White	White	White	White
Grade	P600	P800	P1000	P1200

Abrasives: Fibre Discs

Imperial™ Fibre Disc

Improved construction allows for faster cutting of welds. When stripping paint, the improved construction resists loading while generating less heat. 3M's performance class abrasive.



Center Hole Diameter 7/8 Inch
 Color Purple
 Packaging 10 discs per bag 5 bags per box

Part Number	UPC	Product Name	Diameter	Grade
01943	0-00-51131-01943-0	3M™ Imperial™ Fibre Disc	5 Inch	50
01944	0-00-51131-01944-7	3M™ Imperial™ Fibre Disc	5 Inch	36
01945	0-00-51131-01945-4	3M™ Imperial™ Fibre Disc	5 Inch	24
01951	0-00-51131-01951-5	3M™ Imperial™ Fibre Disc	7 Inch	50
01952	0-00-51131-01952-2	3M™ Imperial™ Fibre Disc	7 Inch	36
01953	0-00-51131-01953-9	3M™ Imperial™ Fibre Disc	7 Inch	24

Imperial™ Roloc™ Disc

Offers a premium mineral for superior performance in metal grinding applications. Also features a one piece molded backing for increased durability and disc life.



Color Purple
 Diameter 3 Inch
 Packaging 15 discs per box 6 boxes per case

Part Number	UPC	Product Name	Grade
01343	0-00-51131-01343-8	3M™ Imperial™ Roloc™ Disc	24
01344	0-00-51131-01344-5	3M™ Imperial™ Roloc™ Disc	36
01345	0-00-51131-01345-2	3M™ Imperial™ Roloc™ Disc	50
01346	0-00-51131-01346-9	3M™ Imperial™ Roloc™ Disc	80

Abrasives: Fibre Discs: Green Corps™ Fibre Discs

5 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms highest performing fibre disc



Color	Green
Diameter	5 Inch
Center Hole Diameter	7/8 Inch
Packaging	20 discs per box 5 boxes per case

Part Number	UPC	Product Name	Grade
01913	0-00-51131-01913-3	3M™ Green Corps™ Fibre Disc	50
01914	0-00-51131-01914-0	3M™ Green Corps™ Fibre Disc	36
01915	0-00-51144-01915-1	3M™ Green Corps™ Fibre Disc	24

7 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms standard class abrasive.



Color	Green
Diameter	7 Inch
Center Hole Diameter	7/8 Inch
Packaging	20 discs per box 5 boxes per case

Part Number	UPC	Product Name	Grade
01921	0-00-51131-01921-8	3M™ Green Corps™ Fibre Disc	50
01922	0-00-51131-01922-5	3M™ Green Corps™ Fibre Disc	36
01923	0-00-51144-01923-6	3M™ Green Corps™ Fibre Disc	24

9-1/8 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms standard class abrasive.



Color	Green
Diameter	9.125 Inch
Center Hole Diameter	7/8 Inch
Packaging	20 discs per box 5 boxes per case

Part Number	UPC	Product Name	Grade
01927	0-00-51131-01927-0	3M™ Green Corps™ Fibre Disc	50
01928	0-00-51131-01928-7	3M™ Green Corps™ Fibre Disc	36
01929	0-00-51144-01929-8	3M™ Green Corps™ Fibre Disc	24

Abrasives: Fibre Discs: Green Corps™ Roloc™ Discs

2 Inch Discs

Generally used for hard to reach areas in paint, rust, and weld removal. Handy quick change tool for disc grinding which fits any standard 1/4 in drill or air tool.



Color Green
Diameter 2 Inch

Part Number	UPC	Product Name	Grade	Packaging
01391	0-00-51131-01391-9	3M™ Green Corps™ Roloc™ Disc	36	1000 discs per case
01396	0-00-51131-01396-4	3M™ Green Corps™ Roloc™ Disc	50	25 discs per box 10 boxes per case
01397	0-00-51131-01397-1	3M™ Green Corps™ Roloc™ Disc	36	25 discs per box 10 boxes per case
01398	0-00-51131-01398-8	3M™ Green Corps™ Roloc™ Disc	24	25 discs per box 10 boxes per case

3 Inch Discs

Generally used for hard to reach areas in paint, rust, and weld removal. Handy quick change tool for disc grinding which fits any standard 1/4 in drill or air tool.







Color Green
Diameter 3 Inch

Part Number	UPC	Product Name	Grade	Packaging
01406	0-00-51131-01406-0	3M™ Green Corps™ Roloc™ Disc	50	25 discs per box 10 boxes per case
01407	0-00-51131-01407-7	3M™ Green Corps™ Roloc™ Disc	36	25 discs per box 10 boxes per case
01408	0-00-51131-01408-4	3M™ Green Corps™ Roloc™ Disc	24	25 discs per box 10 boxes per case







Abrasives: Grinding

Grinding Accessories

	05674	05680	07494	09448
Description	 Use with 4 inch diameter hook and loop discs. Use on right angle grinders. Has 1/8 inch thick foam and T Hooks.	 Use with 5 inch diameter hook and loop discs. Use on right angle grinders. Has 1/8 inch thick foam and T Hooks.	 Use with 2 inch diameter hook and loop discs. Has 1/16 inch thick foam and 3M™ Dual-Lok™ Hooks. 1/4 inch shaft.	 Use with 5 inch diameter hook and loop discs. Use on Random Orbital Sanders with 5/16-24 internal thread. Has 1/4 inch thick foam and T Hooks.
Part Number	05674	05680	07494	09448
UPC	0-00-48011-05674-6	0-00-48011-05680-7	0-00-48011-07494-8	0-00-48011-09448-9
Product Name	3M™ Disc Pad Holder	3M™ Disc Pad Holder	3M™ Disc Pad Holder	3M™ Disc Pad Holder
Packaging	1 per case	1 per case	10 per case	1 per case
Size	4 in	5 in	2 in	5 in
Color	Black	Black	Black	White
Max RPM	13000	10000	23000	10000
Grade				

Abrasives: Grinding

Grinding Accessories (continued)

	09450	11824	13325	14111
Description	 Use with 7 inch diameter hook and loop discs. Use on right angle grinders and sanders such as the 3M™ Electric Variable Speed Polisher 28391. Has 5/16 inch thick foam and T Hooks.	 Hub is used with color-coded soft backup plates. Use with 3M™ Fibre Discs GL (formerly Grit-Lok™ attachment system). Versatile use with 4-1/2 inch to 7 inch face plates. Adapters available for M10-1.25, M10-1.50, 3/8-24 shafts.	 Plastic face plate with medium flexibility. Use with 4-1/2 inch x 7/8 inch center hole Fibre Discs for general purpose grinding applications. Use with 2-1/2 inch disc pad hub.	 Use with 4-1/2 inch diameter hook and loop discs. Use on right angle grinders and sanders such as the 3M™ Variable Speed Polisher 28391 or 3M™ Disc Sander 28408. Has 1/8 inch thick foam and T Hooks.
Part Number	09450	11824	13325	14111
UPC	0-00-48011-09450-2	0-00-51144-11824-3	0-00-51144-13325-3	0-00-48011-14111-4
Product Name	3M™ Disc Pad Holder	3M™ Disc Pad Hub	3M™ Disc Pad Face Plate	3M™ Disc Pad Holder
Packaging	1 per case	10 per case	10 per case	1 per case
Size	7 in	2-1/2 in	4-1/2 in	4-1/2 in
Color	White	Black	Gray	Black
Max RPM	6000		13300	13000
Grade				
	45190	45205	88743	92318
Description	 Disc pad hub has a 5/8-11 internal threaded metal insert and can be used on 7 in, 8 in and 9 in face plates.	 Disc pad hub has a 5/8-11 INT threaded metal insert and can be used on all face plates. Use with 4-1/2 inch and 9 inch face plates.	 Disc pad hub has a metal insert designed to fit right angle grinders with 5/8-11 external short shafts (3/8 inch -1/2 inch long) and can be used on most face plates. Use with 4-1/2 inch to 9 inch face plates.	 Bonded wheels contain proprietary 3M™ ceramic grain and produce very high cut rates on a wide variety of metals.
Part Number	45190	45205	88743	92318
UPC	0-00-51144-45190-6	0-00-51144-45205-7	0-00-51144-88743-9	0-00-51135-92318-4
Product Name	3M™ Disc Pad Hub	3M™ Disc Pad Hub	3M™ Disc Pad Hub	3M™ Green Corps™ Cutting/Grinding Wheel
Packaging	10 per case	10 per case	10 per case	40 per case
Size	4-1/2 in	2-1/2 in	2-1/2 in	4-1/2 in
Color	Black	Black	Black	Green
Max RPM				13300
Grade				36

Abrasives: Hard Goods & Accessories

Blocks






	03148	05207	05208	05209
Description	 Professional-quality tool. The block is made of pliable rubber for easy, fast sanding.	 Dust free block used for sanding applications.	 Dust free block used for sanding applications.	 Dust free block used for sanding applications.
Part Number	03148	05207	05208	05209
UPC	0-00-51144-03148-1	0-00-51131-05207-9	0-00-51131-05208-6	0-00-51131-05209-3
Product Name	3M™ Regular Ergonomic Sanding Block	3M™ Hookit™ Sanding Block D/F	3M™ Hookit™ Sanding Block D/F	3M™ Hookit™ Sanding Block D/F
Packaging	10 per case	5 per case	5 per case	1 per case
Size	2-3/4 in x 5 in	70 MM x 127 MM	70 MM x 198 MM	70 MM x 396 MM
Color	Black	Purple	Purple	Purple
	05440	05441	05442	05519
Description	 Made of a sturdy, durable, high strength material. These blocks have an embossed rubber face which allows good adhesion for Stikit™ Sheet-Rolls and Stikit™ sheets.	 Made of a sturdy, durable, high strength material. These blocks have an embossed rubber face which allows good adhesion for Stikit™ Sheet-Rolls and Stikit™ sheets.	 Soft molded foam block with easy release blue vinyl face. Use with Stikit™ Sheet Rolls 2-3/4 inch wide or abrasives sheets 2-3/4 inch x 5 inch for leveling of repair area or following contours.	 A pliable rubber block which holds sandpaper securely during wet or dry sanding operations. Uses a 2-3/4 inch x 9 inch sheet.
Part Number	05440	05441	05442	05519
UPC	0-00-51144-05440-4	0-00-51144-05441-1	0-00-51144-05442-8	0-00-51144-05519-7
Product Name	3M™ Stikit™ Hand Block	3M™ Stikit™ Hand Block	3M™ Stikit™ Soft Hand Block	3M™ Sanding Block, Rubber
Packaging	10 per case	10 per case	10 per case	10 per case
Size	2-3/4 in x 5 in	2-3/4 in x 7-3/4 in	2-3/4 in x 5 in	2-3/4 in x 5 in
Color	Yellow	Yellow	Yellow	Red
	05520	05740	05741	05742
Description	 A pliable rubber block which holds sandpaper securely during wet or dry sanding operations. Uses a 3 inch x 11 inch sheet.	 Firm plastic block with easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 5 inch for leveling of repair area. Produces true flat surface.	 Firm plastic block with easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 7 3/4 inch for leveling of repair area. Produces true flat surface.	 Soft molded foam block with easy release hook face. Use with Hookit™ abrasives sheets 2 3/4 inch x 5 inch for leveling of repair area or following contours.
Part Number	05520	05740	05741	05742
UPC	0-00-51131-05520-9	0-00-51131-05740-1	0-00-51131-05741-8	0-00-51131-05742-5
Product Name	3M™ Sanding Block, Rubber	3M™ Hookit™ Hand Block	3M™ Hookit™ Hand Block	3M™ Hookit™ Soft Hand Block
Packaging	10 per case	10 per case	10 per case	10 per case
Size	3 in x 8 in	2-3/4 in x 5 in	2-3/4 in x 7-3/4 in	2-3/4 in x 5 in
Color	Black	Yellow	Yellow	Yellow

Abrasives: Hard Goods & Accessories

Blocks (continued)



09292	
Description	3M™ Rubber Sanding Block is easy to hold and the heavy rubber allows for better sanding control. Use with regular sandpaper.
Part Number	09292
UPC	0-00-21200-09292-3
Product Name	3M™ Rubber Sanding Block
Packaging	10 per case
Size	2-3/4 in x 5 in
Color	Black

Boards







	05444	05744	09082
Description	 Sturdy design that provides a non-twisting, flat sanding surface. Can be used single or double handed. Has an blue vinyl face that allows good adhesion and release when used with Stikit™ sheets.	 Firm plastic hand file board with easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 16 inch for leveling of repair area. Has 3 handles. Provides true flat surface.	 A lightweight tool for fairing, shaping, sanding and finishing boat plugs and molds. It is rigid for flat surfaces such as freeboard and deck areas.
Part Number	05444	05744	09082
UPC	0-00-51144-05444-2	0-00-51131-05744-9	0-00-51131-09082-8
Product Name	3M™ Stikit™ Hand File Board	3M™ Hookit™ Hand File Board	3M™ Hookit™ Marine Rigid Fairing Board II
Packaging	1 per case	1 per case	1 per case
Size	2-3/4 in x 16 in	2-3/4 in x 16-1/2 in	
Color	Yellow	Yellow	
	83497	83978	
Description	 Designed for fairing, shaping, sanding and finishing boats, plugs and molds. Durable, lightweight construction that combines worker comfort and getting desired results quickly.	 Designed for fairing, shaping, sanding and finishing boats, plugs and molds. Durable, lightweight construction that combines worker comfort and getting desired results quickly.	
Part Number	83497	83978	
UPC	0-00-51144-83497-6	0-00-51144-83978-0	
Product Name	3M™ Hookit™ Marine Fairing Board	3M™ Hookit™ Marine Fairing Board Flexible	
Packaging	1 per case	1 per case	
Size	4-1/2 in x 30 in	4-1/2 in x 30 in	
Color	Yellow	Yellow	

Abrasives: Hard Goods & Accessories

Dry Guide Coat






	05860	05861
Description	 <p>A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents.</p>	 <p>A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents. Kit contains an applicator pad.</p>
Part Number	05860	05861
UPC	0-00-51131-05860-6	0-00-51131-05861-3
Product Name	3M™ Dry Guide Coat Cartridge	3M™ Dry Guide Coat
Packaging	10 per case	6 per case
Size	50 Gram	50 Gram
Color	Dark Gray	Dark Gray

File Shoes




	05448	05746	05748
Description	 <p>Air file shoe features a leading edge tuck-in clip for easy insertion and removal for quick application. Designed for use on all straight air files and for use with Stikit™ file sheets.</p>	 <p>An orbital file shoe to be used with Hookit™ abrasives for multiple sanding applications.</p>	 <p>A straight line file shoe to be used with Hookit™ abrasives for multiple sanding applications.</p>
Part Number	05448	05746	05748
UPC	0-00-51144-05448-0	0-00-51131-05746-3	0-00-51131-05748-7
Product Name	3M™ Stikit™ Air File Shoe	3M™ Hookit™ Orbital Air File Shoe	3M™ Hookit™ Straightline Air File Shoe
Packaging	5 per case	5 per case	5 per case
Size	2-3/4 in x 16 in	2-3/4 in x 16 in	2-3/4 in x 16 in
Color	Aluminum	Aluminum	Aluminum
	05750	05848	05898
Description	 <p>A straight line file shoe to be used with Hookit™ abrasives for multiple sanding applications.</p>	 <p>A straight line file shoe to be used with Hookit™ abrasives for multiple sanding applications.</p>	 <p>An base plate to be used for mounting orbital file shoes, used in multiple sanding applications. Fits Hutchins tool model 3800, 3804 and 4932.</p>
Part Number	05750	05848	05898
UPC	0-00-51131-05750-0	0-00-51131-05848-4	0-00-51131-05898-9
Product Name	3M™ Hookit™ Short Air File Shoe	3M™ Hookit™ Straightline File Shoe D/F	3M™ Orbital File Shoe Base Plate
Packaging	5 per case	5 per case	5 per case
Size	2-3/4 in x 11 in	2-3/4 in x 16 in	2-3/4 in x 10 in
Color	Aluminum	Aluminum	Aluminum

Abrasives: Hard Goods & Accessories

Hand Pad









	05530	05589	07413
Description	 For use with Stikit™ Sheet Rolls and Imperial color sanding paper sheets. This pad provides a soft controlled touch. Eliminates finger marks and edge cutting into primer and paint. Ideal for contour and light scuff sanding.	 Use with 6 inch diameter Stikit™ Discs. Made with soft density foam for conformability. Has 1 inch wide strap for holding the pad to the operator's hand. Neoprene rubber construction provides excellent conformability.	 3M™ Hand Sanding Pads will not rust, splinter or shred like steel wool. Select pad for paint or varnish removal, metal finishing, or wood finishing.
Part Number	05530	05589	07413
UPC	0-00-51144-05530-2	0-00-51131-05589-6	0-00-51144-07413-6
Product Name	3M™ Stikit™ Soft Hand Pad	3M™ Stikit™ Disc Hand Pad	3M™ Hand Sanding Stripping Pad
Packaging	5 pads per box 10 boxes per case	40 per case	10 per case
Size	2-3/4 in x 5-1/2 in	6 in	4-3/8 in x 11 in
Color	Black	Black	Green
	07414	07415	
Description	 3M™ Hand Sanding Pads will not rust, splinter or shred like steel wool. Select pad for paint or varnish removal, metal finishing, or wood finishing.	 3M™ Hand Sanding Pads will not rust, splinter or shred like steel wool. Select pad for paint or varnish removal, metal finishing, or wood finishing.	
Part Number	07414	07415	
UPC	0-00-51144-07414-3	0-00-51144-07415-0	
Product Name	3M™ Hand Sanding Metal Finishing Pad	3M™ Hand Sanding Wood Finishing Pad	
Packaging	10 per case	10 per case	
Size	4-3/8 in x 11 in	4-3/8 in x 11 in	
Color	Maroon	Gray	

Hook Savers

	20443	20444	20446
Description	 Protects the hooks on a new Hookit™ Disc Pad with an inexpensive attachment device to be consumed in the application in place of a more expensive disc pad. Use on PN20206 BUP.	 Protects the hooks on a new Hookit™ Disc Pad with an inexpensive attachment device to be consumed in the application in place of a more expensive disc pad. Use on PN20353 BUP.	 Protects the hooks on a new Hookit™ Disc Pad with an inexpensive attachment device to be consumed in the application in place of a more expensive disc pad. Use on PN20356 BUP.
Part Number	20443	20444	20446
UPC	0-00-51141-20443-7	0-00-51141-20444-4	0-00-51141-20446-8
Product Name	3M™ Clean Sanding Disc Pad Hook Saver	3M™ Clean Sanding Disc Pad Hook Saver	3M™ Clean Sanding Disc Pad Hook Saver
Packaging	20 per case	20 per case	20 per case
Size	5 in	5 in	6 in
Max RPM	12000	12000	12000









Abrasives: Hard Goods & Accessories

Hookit™ Disc Pad

	05551	05755	05756	05768
Description	 3M™ Hookit™ dust free soft painter's backup pad for primer, color and clear coat sanding applications.	 Specially designed for use with 5 inch Hookit™ discs. Low profile design provides better leveling and faster removal rates when flat sanding. Pad is made with a medium density foam and has a blunt edge for edge durability.	 Specially designed for use with 6 in. Hookit™ discs. Low profile design provides better leveling and faster removal rates when flat sanding. Pad is made with a medium density foam and has a blunt edge for edge durability. Has 5/16-24 EXT threads.	 Use with slow speed polisher/grinder. Ideal for use with fine grade abrasives for sanding primer on conformable surfaces. MOS: 3000 RPM.
Part Number	05551	05755	05756	05768
UPC	0-00-51131-05551-3	0-00-51131-05755-5	0-00-51131-05756-2	0-00-51131-05768-5
Product Name	3M™ Hookit™ Clean Sanding Painter's Backup Pad	3M™ Hookit™ Low Profile Disc Pad	3M™ Hookit™ Low Profile Disc Pad	3M™ Hookit™ Soft Disc Pad
Packaging	10 per case	10 per case	10 per case	1 per case
Size	6 in	5 in	6 in	8 in
Color	Yellow	Yellow	Yellow	Orange
Max RPM	12000	12000	12000	3000
	05771	05775	05776	05777
Description	 Used with standard Hookit™ Back-Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and non-dust free discs.	 For use with 5 inch diameter Hookit™ discs. Made with a resilient backing plate assembly and a medium density foam for durability. Fits random orbital sanders with 5/16-24 internal thread.	 Designed with a tough durable foam body for long pad life. Pad has tapered edge for ease of sanding on contoured surfaces. Max 12,000 RPM.	 Designed for 3M™ Hookit™ abrasives. Improves abrasive cut and finish. Reduces vibration on dual action random orbital sanders using 3M™ Hookit™ disc pads. For use with all 3M™ Hookit™ disc pads.
Part Number	05771	05775	05776	05777
UPC	0-00-51131-05771-5	0-00-51131-05775-3	0-00-51131-05776-0	0-00-51131-05777-7
Product Name	3M™ Hookit™ Soft Interface Pad	3M™ Hookit™ Disc Pad	3M™ Hookit™ Disc Pad	3M™ Hookit™ Soft Interface Pad
Packaging	10 per case	10 per case	10 per case	10 per case
Size	3 in	5 in	6 in	6 in
Color	Gray	Yellow	Yellow	Gray
Max RPM	15000	12000	12000	12000


Abrasives: Hard Goods & Accessories

Hookit™ Disc Pad (continued)

	05778	05779	05781	05783
Description	 Soft backup pad with Hookit attachment to be used primarily in the paint department.	 Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM.	 For use with 8 inch diameter Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.	 An 8 inch pad to be used with Hookit™ abrasives for multiple sanding applications.
Part Number	05778	05779	05781	05783
UPC	0-00-51131-05778-4	0-00-51131-05779-1	0-00-51131-05781-4	0-00-51131-05783-8
Product Name	3M™ Painter's Disc Pad with Hookit™	3M™ Hookit™ Disc Pad	3M™ Hookit™ Disc Pad Dust Free	3M™ Hookit™ Pad D/F
Packaging	10 per case	1 per case	1 per case	1 per case
Size	6 in	8 in	8 Inch	8 in
Color	Black	Yellow	Yellow	Yellow
Max RPM	12000	3000	1500	1500
	05791	05792	05855	05858
Description	 Use with 6 inch diameter Hookit™ discs. Made with soft foam for conformability and spreading out finger pressure. Has 1 inch wide strap for holding the pad to the operator's hand.	 Half round construction. Use with 6 inch diameter Hookit™ discs. With the disc wrapped around the pad the 1/4 inch radius edge allows for sanding in hard-to-reach areas. Made with medium density foam for conformability.	 Use with 5 inch diameter Hookit™ D/F discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread.	 Dust Free painter's backup pad with Hookit™ Attachment. 31 hole pad, to be used with 5 inch 3M™ Clean Sand abrasive or other 6 hole 5 inch dust free abrasive products.
Part Number	05791	05792	05855	05858
UPC	0-00-51131-05791-3	0-00-51131-05792-0	0-00-51131-05855-2	0-00-51131-05858-3
Product Name	3M™ Hookit™ Disc Hand Pad	3M™ Hookit™ Half Round Pad	3M™ Hookit™ D/F Low Profile Backup Pad	3M™ Clean Sand Painter's Pad with Hookit™
Packaging	20 per case	20 per case	10 per case	10 per case
Size	6 in	6 in	5 in	5 in
Color	Black	Black	Yellow	Purple
Max RPM			12000	12000


Abrasives: Hard Goods & Accessories

Hookit™ Disc Pad (continued)




	05865	05876	18444	20427
Description	 <p>Designed for 6 inch 3M™ Dust Free discs with Hook-it™. Designed for use with 6 hole, 7 hole, or other hole configuration dust free discs.</p>	 <p>For use with 6 inch diameter Hookit™ D/F discs (6 dust holes Die #600HZ). Has medium density foam and a 45 degree tapered edge for flexibility. Has radial vents.</p>	 <p>For use with 5 inch diameter Hookit™ Discs and 3M Coating Removal Discs. Made with a resilient backing plate assembly and a medium density foam for durability. Fits Makita GV5000 sander with M8 INT threads.</p>	 <p>Dust extraction Hookit™ back up pad (Clean Sanding) constructed on foam material. Includes 5 adaptors: 1/4-20 EXT X 5/16-24 EXT, 1/4-20 INT X 5/16-24 EXT, 1/4-28 EXT X 5/16-24 EXT, 5/16-24 EXT X 5/16-24 EXT, 5/16-24 EXT X 6mm-1.0 EXT</p>
Part Number	05865	05876	18444	20427
UPC	0-00-51131-05865-1	0-00-51131-05876-7	0-00-48011-18444-9	0-00-51141-20427-7
Product Name	3M™ Clean Sanding Dust Free Disc Pad with Hook-it™	3M™ Hookit™ Dust Free Disc Pad	3M™ Hookit™ Disc Pad Holder	3M™ Clean Sanding Disc Pad Kit
Packaging	10 per case	5 per case	5 per case	5 per case
Size	6 in	6 in	5 in	3 in
Color	Yellow	Yellow	Yellow	Yellow
Max RPM	12000	12000	10000	15000
	50197	56491	77751	77855
Description	 <p>Allows you to convert your self-made fairing boards to the 3M™ Hookit™ Attachment System. Use 3M™ General Trim Adhesive for bonding 3M™ Hookit™ Facing Material with Hookit™ High Performance Abrasive Sheets to wood surfaces.</p>	 <p>Constructed of a soft durable foam to be used with standard Hookit™ Back-Up Pad which increases conformability allowing the technician to get in closer to most edges.</p>	 <p>For use with 8 inch diameter Hookit™ discs. Made with a resilient hub and a medium density foam construction for durability. Used for sanding of metal, wood, paint, etc. Fits sanders with 5/8-11 external threaded shank.</p>	 <p>Designed with a soft density foam for better conformability allowing the disc to flex more aiding in longer abrasive life in loading applications. Use with 5 inch Hookit™ disc of grade 220 and finer.</p>
Part Number	50197	56491	77751	77855
UPC	0-00-51111-50197-9	0-00-51111-56491-2	0-00-51144-77751-8	0-00-51144-77855-3
Product Name	3M™ Hookit™ Facing Roll	3M™ Hookit™ Soft Interface Disc Pad	3M™ Hookit™ Disc Pad Firm	3M™ Hookit™ Low Profile Finishing Disc Pad
Packaging	1 per case	10 per case	1 per case	10 per case
Size	4-1/8 in x 12 ft	5 in	8 in	5 in
Color	Black	Black	White	Beige
Max RPM		12000	6000	12000

Abrasives: Hard Goods & Accessories

Hookit™ Disc Pad (continued)




85096	
Description	 <p>Specially designed for use with 5 inch diameter Hookit™ Discs. Made with a medium density foam and a long tapered edge which provides flexibility for easy feather edging of repaired area.</p>
Part Number	85096
UPC	0-00-51144-85096-9
Product Name	3M™ Hookit™ Disc Pad
Packaging	10 per case
Size	5 in
Color	Yellow
Max RPM	12000

Stikit™ Disc Pad





	05545	05546	05568
Description	 <p>Specially designed for use with 5 inch Stikit™ discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 External thread.</p>	 <p>Specially designed for use with 6 inch Stikit™ discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 external thread.</p>	 <p>Use with slow speed polisher/grinder. Ideal for use with fine grade abrasives for sanding primer on conformable surfaces. MOS: 3000 RPM.</p>
Part Number	05545	05546	05568
UPC	0-00-51131-05545-2	0-00-51131-05546-9	0-00-51131-05568-1
Product Name	3M™ Stikit™ Low Profile Finishing Disc Pad	3M™ Stikit™ Low Profile Finishing Disc Pad	3M™ Stikit™ Soft Disc Pad
Packaging	10 per case	10 per case	1 per case
Size	5 in	6 in	8 in
Color	Beige	Beige	Orange
Max RPM	12000	10000	3000

Abrasives: Hard Goods & Accessories

Stikit™ Disc Pad (continued)




	05645	05655	45218
Description	 Specially designed for use with 5 inch Stikit™ D/F discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 external thread.	 Use with 5 inch diameter Stikit™ D/F Discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread. Blue face.	 For use with 150 mm or 6 inch diameter Stikit™ D/F discs (6 dust holes Die #600HZ). Has medium density foam and a 45 degree tapered edge for flexibility. These lightweight, shock-resistant pads have a vinyl face (blue).
Part Number	05645	05655	45218
UPC	0-00-51131-05645-9	0-00-51131-05655-8	0-00-51144-45218-7
Product Name	3M™ Stikit™ D/F Low Profile Finishing Disc Pad	3M™ Stikit™ D/F Low Profile Disc Pad	3M™ Stikit™ D/F Disc Pad
Packaging	10 per case	10 per case	10 per case
Size	5 in	5 in	6 in
Color	Beige	Yellow	Yellow
Max RPM	12000	12000	10000

Miscellaneous Accessories



	03171	03172	03192	03778
Description	 Removes rust, scale and old paint from metal. Attaches easily to an electric drill. Made from tough, non-woven synthetic material. Flexible-- will not rust or splinter. M.O.S. 3,500 rpm.	 3M™ Heavy Duty Automotive Rust and Paint Stripper attaches easily to a standard electric drill. Double-thick Scotch-Brite™ web strips quicker, lasts longer and cuts faster than conventional sandpaper. Conforms to surface contours.	 Excellent for cleanup just before painting. Use to remove dirt, lint, dust and sanding particles from metal, plastic, fiberglass and wood. Use again and again. Stays soft. Non-toxic.	 Use for cleaning and de-scaling steel and concrete.
Part Number	03171	03172	03192	03778
UPC	0-00-51131-03171-5	0-00-51131-03172-2	0-00-51144-03192-4	0-00-48011-03778-3
Product Name	3M™ Paint and Rust Stripper	3M™ Large Area Paint and Rust Stripper	3M™ Tack Cloth	3M™ Heavy Duty Roto Peen Flap Assembly
Packaging	24 per case	12 per case	40 per case	10 per case
Size	4 in	4 in	17 in x 36 in	2 in x 2-1/8 in
Color	Black	Black	White	Goldenrod
Max RPM		3500		

Abrasives: Hard Goods & Accessories

Miscellaneous Accessories (continued)





	04020	05517	07498
Description	 <p>Use with 1 inch wide x 1-1/2 inch long sheets of Scotch-Brite™ material to fit into tight area.</p>	 <p>Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.</p>	 <p>Designed for high-speed removal of vinyl, decals, graphics and double sided molding striping and trim. Use on tools with 4,000 RPM. MOS: optimum speed is 2,000 RPM plus or minus 200. Includes a 3/8 in Mandrel.</p>
Part Number	04020	05517	07498
UPC	0-00-48011-04020-2	0-00-51144-05517-3	0-00-51131-07498-9
Product Name	3M™ Mini Mandrel	3M™ Wetordry™ Rubber Squeegee	3M™ Stripe Off Wheel
Packaging	5 per case	50 per case	5 per case
Size	1/4 in x 2-7/8 in	4-1/4 in x 2-3/4 in	5/8 in x 4 in
Color		Black	Beige
Max RPM	14000		4000

Organizers

	02500	02510
Description	 <p>Features 3 shelves with locking clasp for use with padlock. Has 2 hinged doors and is constructed of 24 gauge steel. Can be hung on a wall or placed on a shelf.</p>	 <p>Three-Shelf body shop cart has eighteen gauge sturdy metal construction, fourteen gauge uprights, three large storage areas and 5 in rubber caster wheels. Epoxy powder coated for lasting durability and has a cart capacity of 400 pounds.</p>
Part Number	02500	02510
UPC	0-00-51131-02500-4	0-00-51131-02510-3
Product Name	3M™ Abrasive Organizer	3M™ C.A.R.T.S.
Packaging	1 per case	1 per case
Size	31 in x 33 in	32 in x 33 in
Color	Red	Red









Abrasives: Hard Goods & Accessories

Roloc™ Disc Pad

	05539	05540	45090
Description			
	Backup pad designed to support 3M™ Roloc™ 2 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc™ shank and adaptor.	Backup pad designed to support 3M™ Roloc™ 3 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc™ shank and adaptor.	Backup pad designed to support 3M™ Roloc™ 3 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts or use with Roloc™ shank to fit collet chuck tools.
Part Number	05539	05540	45090
UPC	0-00-51144-05539-5	0-00-51144-05540-1	0-00-51144-45090-9
Product Name	3M™ Roloc™ Disc Pad Assembly	3M™ Roloc™ Disc Pad Assembly	3M™ Roloc™ Disc Pad
Packaging	10 per case	10 per case	5 per case
Size	2 in	3 in	3 in
Color	Black	Black	Black
Max RPM	25000	20000	15000
	56573	82567	
Description			
	The TN platform quickly allows the operators to change 3M products as needed without using any tools and retainer nuts. Use with TN discs.	Hook material attached to soft neoprene foam which provides a resilient base when using QRS Flexible Diamond discs. This 3 inch diameter disc pad allows for easy micron grade change. Pad must be used with proper Roloc™ disc pad hardware.	
Part Number	56573	82567	
UPC	0-00-51111-56573-5	0-00-51144-82567-7	
Product Name	3M™ TN Quick Change Fibre Disc Backup Pad	3M™ Hookit™ Roloc™ Disc Pad Type J	
Packaging	5 per case	1 per case	
Size	4-1/2 in	3 in	
Color	Black	Black	
Max RPM	13300	8000	








Abrasives: Scotch-Brite™

Pads

	04028	04029	04050	05509
Description	 Conformable web and finest silicon carbide hand pad available. Excellent for final finishing and light cleaning. May be used by hand, with a hand block, or on an in-line sander. Abrasive mineral: Ultra fine grade silicon carbide.	 Most universally used in a variety of applications. Excellent starting point to clean, finish, grain, denib and defuzz. May be used by hand, with a hand pad block, or on an in-line sander. Abrasive mineral: Very Fine grade aluminum oxide.	 Tight and dense, this pad is the most aggressive and durable web. Excellent for heavy cleaning, deburring, and finishing. May be used by hand, with a hand pad block or on an in-line sander. Abrasive mineral: Medium grade aluminum oxide.	 Open construction pad with tough fibers and abrasives make fast work of heavy duty cleaning jobs. Use in the kitchen to replace scrapers, steel wool and metal sponges. Typical applications include heavily baked-on food and food processing equipment.
Part Number	04028	04029	04050	05509
UPC	0-00-48011-04028-8	0-00-48011-04029-5	0-00-48011-04050-9	5-00-48011-05509-6
Product Name	Scotch-Brite™ Ultra Fine Hand Pad	Scotch-Brite™ General Purpose Hand Pad	Scotch-Brite™ Heavy Duty Hand Pad	Scotch-Brite™ Heavy Duty Scouring Pad 86
Packaging	20 pads per box 3 boxes per case	20 pads per box 3 boxes per case	10 pads per box 4 boxes per case	12 pads per box 3 boxes per case
Size	6 in x 9 in	6 in x 9 in	6 in x 9 in	6 in x 9 in
Color	Gray	Maroon	Tan	Green
Grade	ULF	VFN	MED	
	07445	07447	07448	16555
Description	 Pad has fine mineral for very light cleaning. Use with liquid detergents for wax mold deflashing, highlighting and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass.	 For scuffing before applying paint and primer-surfacer. Also used for used car reconditioning. cleaning upholstery, headlines & door pads, chrome & white wall tires. Rinses clean and does not rust. Can be used over and over again.	 Use ultra fine hand pad for light cleaning, finishing of metal, plastic, composite and wood surfaces. For final sanding of primer-surfacer. Rinses clean, will not rust and can be used over and over again.	 Durable web offers long life and conformability. Designed to clean, finish and buff. May be used by hand, with a hand pad block or on an in-line sander. Abrasive mineral: Ultra fine grade silicon carbide.
Part Number	07445	07447	07448	16555
UPC	0-00-51131-07445-3	0-00-51131-07447-7	0-00-51131-07448-4	0-00-48011-16555-4
Product Name	Scotch-Brite™ Light Cleansing Hand Pad	Scotch-Brite™ General Purpose Hand Pad	Scotch-Brite™ Ultra Fine Hand Pad	Scotch-Brite™ Light Duty Hand Pad
Packaging	20 pads per box 3 boxes per case	20 pads per box 3 boxes per case	3 boxes per case	20 pads per box 3 boxes per case
Size	6 in x 9 in	6 in x 9 in	6 in x 9 in	6 in x 9 in
Color	White	Maroon	Gray	Dark Gray
Grade	SFN	VFN	ULF	ULF



Abrasives: Scotch-Brite™

Wheels

	01675	03759	05132	13619
Description				
	Designed for deburring and finishing. Convolutely wound on a core. Hard and durable 8 density for aggressive edge deburring. Abrasive mineral: Fine grade silicon carbide.	Long lasting, aggressive wheel for tough blending and finishing applications. A layered, durable unitized wheel construction. Hard 7 density with low conformability. Abrasive mineral: Coarse grade aluminum oxide.	High performance and durability for deburring and finishing applications. Convolutely wound on a core. Hard, durable 9 density. Abrasive mineral: Fine grade silicon carbide.	High performance and durability for deburring and finishing applications. Convolutely wound on a core. Hard, long lasting 8 density. Abrasive mineral: Medium grade aluminum oxide.
Part Number	01675	03759	05132	13619
UPC	0-00-48011-01675-7	0-00-48011-03759-2	0-00-48011-05132-1	0-00-48011-13619-6
Product Name	Scotch-Brite™ Light Deburring Wheel	Scotch-Brite™ Cut and Polish Unitized Wheel	Scotch-Brite™ EXL Deburring Wheel	Scotch-Brite™ EXL Deburring Wheel
Packaging	3 per case	2 per case	3 per case	3 per case
Size	6 in	6 in	6 in	8 in
Color	Gray	Tan	Gray	Gray
Grade	FIN	CRS	FIN	MED
Max RPM	6000	7500	6000	4500
	17184	17191	80801	
Description				
	High performance and durability for deburring and finishing applications. A threaded attachment system secures the wheel to the holder. Soft, conformable, flexible 2 density. Abrasive mineral: Fine grade silicon carbide.	High performance and durability for deburring and finishing applications. A threaded attachment system secures the wheel to the holder. Hard, durable 6 density. Abrasive mineral: Medium grade aluminum oxide.	This unique, spindle-mounted wheel is a combination of grade 80 aluminum oxide coated abrasive and Scotch-Brite™ material. They are designed for a variety of surface finishing and blending operations on a large variety of workpieces.	
Part Number	17184	17191	80801	
UPC	0-00-48011-17184-5	0-00-48011-17191-3	0-00-51144-80801-4	
Product Name	Scotch-Brite™ Roloc™ EXL Unitized Wheel TR	Scotch-Brite™ Roloc™ EXL Unitized Wheel TR	Scotch-Brite™ Combi-S Wheel	
Packaging	40 per case	40 per case	10 per case	
Size	3 in	3 in	3 in	
Color	Gray	Tan	Maroon	
Grade	FIN	MED	80	
Max RPM	15100	15100	8000	

Abrasives: Scotch-Brite™

Miscellaneous Items

	05820	09413	33194
Description	 <p>A non-woven belt used for cleaning, finishing, blending and deburring applications. The reinforced backing offers good flexibility. Abrasive mineral: Coarse grade aluminum oxide.</p>	<p>Scotch-Brite™ Contour Surface Paint and Varnish Remover mounts directly to power drills by inserting the mandrel into a drill chuck. Use for removal of paint and varnish from contoured surfaces on wood, metal and plastic.</p>	 <p>Durable rigid and long lasting, this aggressive, open-web disc is ideal for cleaning welds, removing rust and paint. The TN quick-change system simplifies attachment to and removal from the tool.</p>
Part Number	05820	09413	33194
UPC	0-00-48011-05820-7	0-00-51144-09413-4	0-00-48011-33194-2
Product Name	Scotch-Brite™ Surface Conditioning Belt	Scotch-Brite™ Contour Surface Paint and Varnish Remover	Scotch-Brite™ Clean and Strip XT Disc TN Quick Change
Packaging	10 per case	10 per case	10 per case
Size	3 in x 10-11/16 in	3 in x 5 in	4-1/2 in
Color	Brown	Maroon	Purple
Grade	CRS		XCS
Max RPM			13300

Abrasives: Sheets & Sponges

Tri-M-ite™ 9 in x 11 in





Color Black
Width 9 Inch
Length 11 Inch

Part Number	Description	UPC	Product Name	Grade	Packaging
02000	Used in wet sanding, prepping and blending surrounding area.	0-00-51144-02000-3	3M™ Wetordry™ Tri-M-ite™ Sheet	600	50 sheets per sleeve 10 sleeves per case
02001	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02001-0	3M™ Wetordry™ Tri-M-ite™ Sheet	500	50 sheets per sleeve 5 sleeves per case
02002	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02002-7	3M™ Wetordry™ Tri-M-ite™ Sheet	400	50 sheets per sleeve 10 sleeves per case
02003	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02003-4	3M™ Wetordry™ Tri-M-ite™ Sheet	360	50 sheets per sleeve 5 sleeves per case
02004	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02004-1	3M™ Wetordry™ Sheet	320	50 sheets per sleeve 10 sleeves per case
02005	Used in wet sanding, coarsest grade available for fine featheredging. Would require finer featheredging.	0-00-51144-02005-8	3M™ Wetordry™ Tri-M-ite™ Sheet	280	50 sheets per sleeve 5 sleeves per case
02006	Used in wet sanding, finest grade available for rough featheredging.	0-00-51144-02006-5	3M™ Wetordry™ Tri-M-ite™ Sheet	240	50 sheets per sleeve 5 sleeves per case
02007	Used in wet sanding, rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51144-02007-2	3M™ Wetordry™ Tri-M-ite™ Sheet	220	50 sheets per sleeve 10 sleeves per case
02014	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 180. Primary markets: metalworking, wood-working.	0-00-51144-02014-0	3M™ Wetordry™ Paper Sheet 431Q	180	50 per inner 250 per case
02015	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 150. Primary markets: metalworking, wood-working.	0-00-51144-02015-7	3M™ Wetordry™ Paper Sheet 431Q	150	50 per inner 250 per case
02016	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 120. Primary markets: metalworking, wood-working.	0-00-51144-02016-4	3M™ Wetordry™ Paper Sheet 431Q	120	50 per inner 250 per case
02017	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 100. Primary markets: metalworking, wood-working.	0-00-51144-02017-1	3M™ Wetordry™ Paper Sheet 431Q	100	50 per inner 250 per case
02018	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 80. Primary markets: metalworking, wood-working.	0-00-51144-02018-8	3M™ Wetordry™ Paper Sheet 431Q	80	50 per inner 250 per case







Abrasives: Sheets & Sponges

Wetordry™ Fine Grits

	09084	09085	09086
Description	 <p>3M™ Wetordry™ allows you to sand between coats of varnish and paint or other finishes. Can be used with water to reduce clogging and extend abrasive life. Ideal for sanding metal for repainting or prior to primer coat.</p>	 <p>3M™ Wetordry™ allows you to sand between coats of varnish and paint or other finishes. Can be used with water to reduce clogging and extend abrasive life. Ideal for sanding metal for repainting or prior to primer coat.</p>	<p>3M™ Wetordry™ allows you to sand between coats of varnish and paint or other finishes. Can be used with water to reduce clogging and extend abrasive life. Ideal for sanding metal for repainting or prior to primer coat.</p>
Part Number	09084	09085	09086
UPC	0-00-51144-09084-6	0-00-51144-09085-3	0-00-51144-09086-0
Product Name	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper
Packaging	10 sheets per pack, 5 packs per case	10 sheets per pack, 5 packs per case	10 sheets per pack, 5 packs per case
Size	9 in x 11 in	9 in x 11 in	9 in x 11 in
Color	Gray	Gray	Gray
Grade	Ultra Fine	Super Fine	320
	09087	09088	
Description	 <p>3M™ Wetordry™ allows you to sand between coats of varnish and paint or other finishes. Can be used with water to reduce clogging and extend abrasive life. Ideal for sanding metal for repainting or prior to primer coat.</p>	<p>3M™ Wetordry™ allows you to sand between coats of varnish and paint or other finishes. Can be used with water to reduce clogging and extend abrasive life. Ideal for sanding metal for repainting or prior to primer coat.</p>	
Part Number	09087	09088	
UPC	0-00-51144-09087-7	0-00-51144-09088-4	
Product Name	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper	
Packaging	10 sheets per pack, 5 packs per case	10 sheets per pack, 5 packs per case	
Size	9 in x 11 in	9 in x 11 in	
Color	Gray	Gray	
Grade	Very Fine	Assorted	






Abrasives: Sheets & Sponges

Pro-Pak

	88600	88601	88620	88624
Description	 3M™ Pro-Pak™ Wetordry™ Sanding Sheets can be used with water to reduce clogging and extend abrasive life. Features silicon carbide, a sharp, synthetic material that cuts fast and smooth. Use to sand between coats of paint, varnish or other finish	3M™ Pro-Pak™ Sandpaper Sheets can be used with water to reduce clogging and extend abrasive life. Use to sand between coats of paint, varnish or other finishes. Ideal for sanding metal for repainting or prior to primer coat.	3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ non-loading, dry sanding sandpaper features silicon carbide, a sharp synthetic mineral that cuts fast and smooth. Use it to sand between coats of paint, varnish or other finishes.	 3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ non-loading, dry sanding sandpaper features silicon carbide, a sharp synthetic mineral that cuts fast and smooth. Use it to sand between coats of paint, varnish or other finishes.
Part Number	88600	88601	88620	88624
UPC	0-00-51144-88600-5	0-00-51144-88601-2	0-00-51144-88620-3	0-00-51144-88624-1
Product Name	3M™ Pro-Pak™ Wetordry™ Sanding Sheets	3M™ Pro-Pak™ Wetordry™ Sanding Sheets	3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ Sanding Sheets	3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ Sanding Sheets
Packaging	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case
Size	9 in x 11 in	9 in x 11 in	9 in x 11 in	9 in x 11 in
Color	Gray	Gray	Gray	Gray
Grade	180	150	320	180
	99420	99421	99422	99425
Description	 3M™ Pro-Pak™ Between Finish Coats (Wetordry™) can be used with water to reduce clogging and extend abrasive life. Use to sand between coats of varnish, paint or other finishes. Ideal for sanding metal for repainting or prior to primer coat.	 3M™ Pro-Pak™ Between Finish Coats (Wetordry™) can be used with water to reduce clogging and extend abrasive life. Use to sand between coats of varnish, paint or other finishes. Ideal for sanding metal for repainting or prior to primer coat.	 3M™ Pro-Pak™ Wetordry™ Sanding Sheets can be used with water to reduce clogging and extend abrasive life. Features silicon carbide, a sharp, synthetic material that cuts fast and smooth. Use to sand between coats of paint, varnish or other finish	 3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ non-loading, dry sanding sandpaper features silicon carbide, a sharp synthetic mineral that cuts fast and smooth. Use it to sand between coats of paint, varnish or other finishes.
Part Number	99420	99421	99422	99425
UPC	0-00-51144-99420-5	0-00-51144-99421-2	0-00-51144-99422-9	0-00-51144-99425-0
Product Name	3M™ Pro-Pak™ Wetordry™ Between Finish Coats Sanding Sheets	3M™ Pro-Pak™ Wetordry™ Between Finish Coats Sanding Sheets	3M™ Pro-Pak™ Wetordry™ Sanding Sheets	3M™ Pro-Pak™ Tri-M-ite™ Fre-Cut™ Sanding Sheets
Packaging	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case	25 sheets per pack, 10 packs per case
Size	9 in x 11 in	9 in x 11 in	9 in x 11 in	9 in x 11 in
Color	Gray	Gray	Gray	Gray
Grade	400	320	220	220

Abrasives: Sheets & Sponges

Softback Sanding Sponge

	02600	02601	02602
Description	 <p>Microfine ranges from grade 1200 to 1500. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.</p>	 <p>Ultrafine ranges from grade 800 to 1000. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.</p>	 <p>Superfine ranges from grade 500 to 600. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.</p>
Part Number	02600	02601	02602
UPC	0-00-51131-02600-1	0-00-51131-02601-8	0-00-51131-02602-5
Product Name	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge
Packaging	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case
Size	4-1/2 in x 5-1/2 in	4-1/2 in x 5-1/2 in	4-1/2 in x 5-1/2 in
Color	Gray	Gray	Gray
Grade	1200/1500	600/800	500/600
	02604	02606	
Description	 <p>Fine ranges from grade 320 to 400. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.</p>	 <p>Medium ranges from grade 120 to 180. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.</p>	
Part Number	02604	02606	
UPC	0-00-51131-02604-9	0-00-51131-02606-3	
Product Name	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge	
Packaging	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case	
Size	4-1/2 in x 5-1/2 in	4-1/2 in x 5-1/2 in	
Color	Gray	Gray	
Grade	320/400	120/180	

Abrasives: Sheets & Sponges: Imperial™ Wetordry™ Sheets

5-1/2 in x 9 in, A Weight



Color Black
Width 5-1/2 Inch
Length 9 Inch
Packaging 50 sheets per sleeve 5 sleeves per case

Part Number	Description	UPC	Product Name	Grade
02021	Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51144-02021-8	3M™ Imperial™ Wetordry™ Sheet	1000
02022	Levels orange peel, dust nibs or paint runs in all types of paints and is appropriate for light sanding on refinish lacquer. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51131-02022-1	3M™ Imperial™ Wetordry™ Sheet	1200
02023	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51131-02023-8	3M™ Imperial™ Wetordry™ Sheet	1500
02044	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02044-3	3M™ Imperial™ Wetordry™ Sheet	2000
02045	For very light sanding on all automotive paints on areas that require hand compounding and for sanding dark colored paints. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02045-0	3M™ Imperial™ Wetordry™ Sheet	2500

Abrasives: Sheets & Sponges: Imperial™ Wetordry™ Sheets

5-1/2 in x 9 in, C Weight

Color Black
Width 5-1/2 Inch
Length 9 Inch
Packaging 50 sheets per sleeve 5 sleeves per case



Part Number	Description	UPC	Product Name	Grade
02621	Heavier C weight backing means less curling more durable sheet. Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint. 3M's best wet sanding abrasive.	0-00-51131-02621-6	3M™ Imperial™ Wetordry™ Sheet	1000
02622	Heavier C weight backing means less curling more durable sheet. Levels orange peel, dust nibs or paint runs in all types of paints and is appropriate for light sanding on refinish lacquer. 3M's best wet sanding abrasive.	0-00-51131-02622-3	3M™ Imperial™ Wetordry™ Sheet	1200
02623	Heavier C weight backing means less curling more durable sheet. Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's best wet sanding abrasive.	0-00-51131-02623-0	3M™ Imperial™ Wetordry™ Sheet	1500
02624	Heavier C weight backing means less curling more durable sheet. Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's best wet sanding abrasive.	0-00-51131-02624-7	3M™ Imperial™ Wetordry™ Sheet	2000
02625	Heavier C weight backing. For very light sanding of automotive paints. Also, for fully cured hard-to-compound clear coat finishes, areas that require hand compounding and sanding of dark-colored paints. 3M's best wet sanding abrasive.	0-00-51131-02625-4	3M™ Imperial™ Wetordry™ Sheet	2500

Abrasives: Sheets & Sponges: Imperial™ Wetordry™ Sheets

9 in x 11 in



Color Black
Width 9 Inch
Length 11 Inch
Packaging 50 sheets per sleeve 5 sleeves per case

Part Number	Description	UPC	Product Name	Grade
02019	For very light sanding on all automotive paints on areas that require hand compounding and for sanding dark colored paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-02019-1	3M™ Imperial™ Wetordry™ Sheet	2500
02020	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-02020-7	3M™ Imperial™ Wetordry™ Sheet	2000
02032	Used in wet sanding, to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02032-0	3M™ Imperial™ Wetordry™ Sheet	1500
02033	Used in wet sanding, levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Flexible backing and consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02033-7	3M™ Imperial™ Wetordry™ Sheet	1200
02034	Used in wet sanding, levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02034-4	3M™ Imperial™ Wetordry™ Sheet	1000
02035	Used in wet sanding, use for scuffing the blend area prior to painting. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02035-1	3M™ Imperial™ Wetordry™ Sheet	P800
02036	Used in wet sanding, use for scuffing the blend area prior to painting. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02036-8	3M™ Imperial™ Wetordry™ Sheet	P600
02037	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02037-5	3M™ Imperial™ Wetordry™ Sheet	P500
02038	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02038-2	3M™ Imperial™ Wetordry™ Sheet	P400
02039	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	0-00-51131-02039-9	3M™ Imperial™ Wetordry™ Sheet	P360
02040	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistent scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02040-5	3M™ Imperial™ Wetordry™ Sheet	P320
02041	Used in wet sanding, coarsest grade available for fine featheredging. Would require finer featheredging. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	0-00-51131-02041-2	3M™ Imperial™ Wetordry™ Sheet	P280




Abrasives: Sheets & Sponges: Imperial™ Wetordry™ Sheets

9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Grade
02042	Used in wet sanding, finest grade available for rough featheredging. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	0-00-51131-02042-9	3M™ Imperial™ Wetordry™ Sheet	P240
02043	Used in wet sanding, rough featheredging. Could be used for final sanding of plastic filler and putty. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	0-00-51131-02043-6	3M™ Imperial™ Wetordry™ Sheet	P220




Abrasives: Tools

3M™ Buffer & Accessories





	28391	28333	05710
Description	 <p>Electric variable speed polisher designed to compound/buff/polish various substrates including but not limited to automotive paint, marine finishes, fiberglass gel coat, acrylics, etc. Electric module provides full power/maintains speed, even under load.</p>	 <p>This powerful .26 HP motor tool is designed for use in AOEM paint shop applications for buffing or polishing on the clearcoat. Includes a 3M™ Hookit Disc Pad</p>	 <p>Adaptor for the 3M™ Buffing Pads (PNs 05703, 05704, and 05705). Works with 3M™ Perfect-It™ Backup Pad (PN 05718).</p>
Part Number	28391	28333	05710
UPC	0-00-51141-28391-3	0-00-51141-28333-3	0-00-51144-05710-8
Product Name	3M™ Electric Variable Speed Polisher	3M™ Buffer	3M™ Superbuff™ Adaptor
Packaging	1 per case	1 per case	10 per box
Size	7 in	3 in	
Max RPM	3000	11000	3000
Power Type	Electric	Pneumatic	
Color			Metallic

Abrasives: Tools

3M™ Buffer & Accessories (continued)





	05717	05718	05752
Description	 Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads.	 Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishes pads. Enables users to attach pads without having to remove the 3M™ Adaptor, 05710.	 Polisher adaptor used to quickly connect and disconnect double sided buffing pads. Use with 3M™ Perfect-It™ brand compounding and polishing pads. Centers pads for more effective use. Makes it easy to change between compound and polishing pads. 5/8 inch threads.
Part Number	05717	05718	05752
UPC	0-00-51131-05717-3	0-00-51131-05718-0	0-00-51131-05752-4
Product Name	3M™ Hookit™ Backup Pad	3M™ Perfect-It™ Back-Up Pad	3M™ Quick Release Adaptor
Packaging	1 per case	1 per case	10 per case
Size	7 in	7 in	
Max RPM	3000	3000	3000
Power Type			
Color	Yellow	Yellow	Metallic

3M™ Electric Random Orbital Sanders - Central Vacuum





	28432	28433	28521	28522
Description	 Features a whisper quiet 30 volt brushless DC motor with three speed options, an alloy steel variable speed curved throttle lever, 3M gripping material molded into the interchangeable comfort grip, built-in wrist support, and conveniently located speed controls,	 Features a whisper quiet 30 volt brushless DC motor with three speed options, an alloy steel variable speed curved throttle lever, 3M gripping material molded into the interchangeable comfort grip, built-in wrist support, and conveniently located speed controls,	 3M™ Electric Random Orbital Sander Kit 28521 contains 3 items: a 6 in. Central Vacuum, 3/32 in. Orbit sander 28432, a 3M™ 12 foot Power Cord 28434, a 3M™ Power Supply with a 3M™ AC Power Cord 28436 (30 volt DC output to 100 - 240 AC input).	 3M™ Electric Random Orbital Sander Kit 28522 contains 3 items: a 6 in. Central Vacuum, 3/16 in. Orbit sander 28433, a 3M™ 12 foot Power Cord 28434, a 3M™ Power Supply with a 3M™ AC Power Cord 28436 (30 volt DC output to 100 - 240 AC input).
Part Number	28432	28433	28521	28522
UPC	0-00-51141-28432-3	0-00-51141-28433-0	0-00-51141-28521-4	0-00-51141-28522-1
Product Name	3M™ Electric Random Orbital Sander	3M™ Electric Random Orbital Sander	3M™ Electric Random Orbital Sander Kit	3M™ Electric Random Orbital Sander Kit
Packaging	1 per case	1 per case	1 kit per case	1 kit per case
Size	6 in	6 in	6 in	6 in
Orbit Diameter Inch (mm)	3/32" (2.5)	3/16" (5)	3/32" (2.5)	3/16" (5)
Power Type	Electric	Electric	Electric	Electric

Abrasives: Tools

3M™ Electric Random Orbital Sanders - Non Vacuum





	28428	28429	28525	28526
Description	 Features a whisper quiet 30 volt brushless DC motor with three speed options, an alloy steel variable speed curved throttle lever, 3M gripping material molded into the interchangeable comfort grip, built-in wrist support, and conveniently located speed controls.	 Features a whisper quiet 30 volt brushless DC motor with three speed options, an alloy steel variable speed curved throttle lever, 3M gripping material molded into the interchangeable comfort grip, built-in wrist support, and conveniently located speed controls.	 3M™ Electric Random Orbital Sander Kit 28525 contains 3 items: a 6 in. Non-Vacuum, 3/32 in. Orbit Sander 28428, a 3M™ 12 foot Power Cord 28434, a 3M™ Power Supply with a 3M™ AC Power Cord 28436 (30 volt DC output to 100 - 240 AC input).	 3M™ Electric Random Orbital Sander Kit 28526 contains 3 items: a 6 in. Non-Vacuum, 3/16 in. Orbit sander 28429, a 3M™ 12 foot Power Cord 28434, a 3M™ Power Supply with a 3M™ AC Power Cord 28436 (30 volt DC output to 100 - 240 AC input).
Part Number	28428	28429	28525	28526
UPC	0-00-51141-28428-6	0-00-51141-28429-3	0-00-51141-28525-2	0-00-51141-28526-9
Product Name	3M™ Electric Random Orbital Sander	3M™ Electric Random Orbital Sander	3M™ Electric Random Orbital Sander Kit	3M™ Electric Random Orbital Sander Kit
Packaging	1 per case	1 per case	1 kit per case	1 kit per case
Size	6 in	6 in	6 in	6 in
Orbit Diameter Inch (mm)	3/32" (2.5)	3/16" (5)	3/32" (2.5)	3/16" (5)
Power Type	Electric	Electric	Electric	Electric

3M™ Random Orbital Sanders (Central Vacuum)





	20213	20329	28502	28503
Description	 Clean Sanding Hookit™ Disc Pad included.	 Clean Sanding Hookit™ Pad included.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.
Part Number	20213	20329	28502	28503
UPC	0-00-51141-20213-6	0-00-51141-20329-4	0-00-51141-28502-3	0-00-51141-28503-0
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case	1 per case	1 per case
Size	6 in	6 in	6 in	3 in
Max RPM	12000	12000		12000
Orbit Diameter Inch (mm)	5/16" (8)	3/32" (2.5)	5/16" (8)	3/16" (5)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic

Abrasives: Tools

3M™ Random Orbital Sanders (Central Vacuum) (continued)







	28505	28508	28509	28560
Description	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.
Part Number	28505	28508	28509	28560
UPC	0-00-51141-28505-4	0-00-51141-28508-5	0-00-51141-28509-2	0-00-51141-28560-3
Product Name	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case	1 per case	1 per case
Size	3 in	6 in	6 in	6 in
Max RPM	12000	12000	12000	
Orbit Diameter Inch (mm)	3/32" (2.5)	3/16" (5)	3/32" (2.5)	3/8" (10)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic

3M™ Random Orbital Sanders (Non Vacuum)

	20314	20324	20325	28336
Description	 Stikit™ Pad included.	 Stikit™ Pad included.	 Stikit™ Pad included.	 This dual purpose tool is designed to be used as a non-vacuum, or a central vacuum tool. Features a powerful .45 HP motor with 3/16 in orbit, built-in muffler, and rear exhaust.
Part Number	20314	20324	20325	28336
UPC	0-00-51141-20314-0	0-00-51141-20324-9	0-00-51141-20325-6	0-00-51141-28336-4
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander - Two-Hand
Packaging	1 per case	1 per case	1 per case	1 per case
Size	3 in	6 in	6 in	6 in
Max RPM	12000	12000	12000	12000
Orbit Diameter Inch (mm)	3/32" (2.5)	5/16" (8)	3/16" (5)	3/16" (5)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic









Abrasives: Tools

3M™ Random Orbital Sanders (Non Vacuum) (continued)

	28337	28494	28496	28499
Description	 <p>This dual purpose tool is designed to be used as a non-vacuum, or a central vacuum tool. Features a powerful .45 HP motor with 3/8 in orbit, built-in muffler, and rear exhaust.</p>	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>
Part Number	28337	28494	28496	28499
UPC	0-00-51141-28337-1	0-00-51141-28494-1	0-00-51141-28496-5	0-00-51141-28499-6
Product Name	3M™ Random Orbital Sander - Two-Hand	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case	1 per case	1 per case
Size	6 in	3 in	3 in	6 in
Max RPM	12000	12000	12000	12000
Orbit Diameter Inch (mm)	3/8" (9.5)	3/16" (5)	3/32" (2.5)	5/16" (8)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
	28500	28501		
Description	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>		
Part Number	28500	28501		
UPC	0-00-51141-28500-9	0-00-51141-28501-6		
Product Name	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series		
Packaging	1 per case	1 per case		
Size	6 in	6 in		
Max RPM	12000	12000		
Orbit Diameter Inch (mm)	3/16" (5)	3/32" (2.5)		
Power Type	Pneumatic	Pneumatic		


Abrasives: Tools

3M™ Random Orbital Sanders (Self Generating Vacuum)

	20208	20327	28334	28335
Description	 Clean Sanding Hookit™ Pad. Filter Bag Adapter and Clean Sanding Filter Bag not included.	 Clean Sanding Hookit™ Pad. Filter Bag Adapter and Clean Sanding Filter Bag not included.	 3M™ Two-Hand Random Orbital Sander features a powerful .45 HP motor, 3/16 inch orbit, Comfort Grip handle, two hand functionality with or without removable side handle, built-in muffler, and rear exhaust.	 3M™ Two-Hand Random Orbital Sander features a powerful .45 HP motor, 3/8 inch orbit, Comfort Grip handle, two hand functionality with or without removable side handle, built-in muffler, and rear exhaust.
Part Number	20208	20327	28334	28335
UPC	0-00-51141-20208-2	0-00-51141-20327-0	0-00-51141-28334-0	0-00-51141-28335-7
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander - Two-Hand	3M™ Random Orbital Sander - Two-Hand
Packaging	1 per case	1 per case	1 per case	1 per case
Size	6 in	6 in	6 in	6 in
Max RPM	12000	12000	12000	12000
Orbit Diameter Inch (mm)	5/16" (8)	3/16" (5)	3/16" (5)	3/8" (9.5)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
	28510	28511	28513	28516
Description	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	 Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.
Part Number	28510	28511	28513	28516
UPC	0-00-51141-28510-8	0-00-51141-28511-5	0-00-51141-28513-9	0-00-51141-28516-0
Product Name	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case	1 per case	1 per case
Size	6 in	3 in	3 in	6 in
Max RPM	12000	12000	12000	12000
Orbit Diameter Inch (mm)	5/16" (8)	3/16" (5)	3/32" (2.5)	3/16" (5)
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic





Abrasives: Tools

3M™ Random Orbital Sanders (Self Generating Vacuum) (continued)

	28517	28562
Description	 <p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>	<p>Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.</p>
Part Number	28517	28562
UPC	0-00-51141-28517-7	0-00-51141-28562-7
Product Name	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case
Size	6 in	6 in
Max RPM	12000	10000
Orbit Diameter Inch (mm)	3/32" (2.5)	3/8" (10)
Power Type	Pneumatic	Pneumatic




Abrasives: Tools: Tool Accessories

3M™ Filter Bag & Vacuum Bag Insert



	20338	20452	20453	28303
Description	 <p>Paper vacuum bag used to collect sanding dust when using a SGV Orbital or ROS. Connects to 1 in vacuum hose (PN28301) with Adapter (PN28302). Fits inside cloth bag cover (PNA1434).</p>	 <p>Used on Random Orbital Sanders with Self-Generated Vacuum to collect sanding dust. Eliminates the need for vacuum hose which improves operator ease of use. Use with 3M™ Filter Bag Adapter to attach bag to sander. HEPA rated.</p>	 <p>Used to attach 3M™ Clean Sanding Filter Bag to Self Generating Vacuum Orbital and Random Orbital Sanders. Has a 1 in external hose thread which attaches to 3M™ Sander and 1 in ID tubing with attaches to 3M™ Clean Sanding Filter Bag.</p>	 <p>Holds and protects paper Vacuum Bag Insert (PN20338).</p>
Part Number	20338	20452	20453	28303
UPC	0-00-51141-20338-6	0-00-51141-20452-9	0-00-51141-20453-6	0-00-51141-28303-6
Product Name	3M™ Vacuum Bag Inserts	3M™ Clean Sanding Filter Bag	3M™ Filter Bag Adapter	3M™ Vacuum Bag Cover
Packaging	10 per bag 5 bags per case	50 per case	10 per case	1 per case
Color	Black			Black
Size		Large		9 in x 20 in

Abrasives: Tools: Tool Accessories

3M™ Filter Bag & Vacuum Bag Insert (continued)




	28364	28365	28383
Description	 HEPA Rated when used with 3M™ Random Orbital Sanders with Self-Generated Vacuum to collect sanding dust. Use with 3M™ Clean Sanding Filter Bag Backpack/Hip Pack Assembly which holds and protects the Filter Bag.	 Pack assembly that can be used as a backpack or a hip pack. The pack holds our 3M™ Extra Large Clean Sanding Filter Bag along with the other components used to connect the 3M™ Self-Generated Vacuum Random Orbital Sander to the Filter Bag.	 This End Cap is pressed onto the nozzle of the Filter Bag (PN20452 or PN28364) after the filter bag is full to keep dust from escaping. The order quantity of End Caps will be packaged in a poly bag and shipped in a best fit box.
Part Number	28364	28365	28383
UPC	0-00-51141-28364-7	0-00-51141-28365-4	0-00-51141-28383-8
Product Name	3M™ Clean Sanding Filter Bag	3M™ Clean Sanding Filter Bag Backpack Assembly	3M™ Clean Sanding Filter Bag End Cap
Packaging	20 per case	1 per case	1 per case
Color			
Size	Extra Large		

3M™ Air Line Extension





	20209	25119
Description	 Moves connection away from the exhaust tube and its 4 foot long extension safely keeps the couplings from hitting the work piece. The 1/4 in NPT fitting attaches directly to the Random Orbital Sander with Self-Generating or Central Vacuum.	 Five inch long air line moves the coupling connection away from the exhaust tube. The 1/4 in NPT fitting attaches directly to the Random Orbital Sander with Self-Generating or Central Vacuum.
Part Number	20209	25119
UPC	0-00-51141-20209-9	0-00-51141-25119-6
Product Name	3M™ Random Orbital Sander Air Line Extension	3M™ Random Orbital Sander Mini Air Line Extension
Packaging	1 per case	10 per case
Size	3/8 in x 4 Foot	3/8 in x 5 in

Abrasives: Tools: Tool Accessories

3M™ Air Tool & Compressor Lubricant







	20451	20466	20467
Description	 A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Use 2-3 drops per day or as needed to maintain tool performance.	 A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Use 2-3 drops per day or as needed to maintain tool performance.	 A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Larger size for compressors.
Part Number	20451	20466	20467
UPC	0-00-51141-20451-2	0-00-51141-20466-6	0-00-51141-20467-3
Product Name	3M™ Air Tool Lubricant	3M™ Air Tool and Compressor Lubricant	3M™ Air Tool and Compressor Lubricant
Packaging	12 per case	12 per case	4 per case
Size	4 Fluid Ounce (US)	1 Quart (US)	1 Gallon (US)

3M™ Hose & Hose Adaptor




	20341	28301	28302	28304
Description	 1 in internal hose thread x 1-1/2 in OD Hose Adapter.	 Red vacuum hose used to properly connect 3M™ Random Orbital and Orbital Sanders to a vacuum system for superb performance. .	 Vacuum Hose Adapter used to connect 1 in External Hose Thread vacuum hose to paper vacuum bag and cloth cover bag.	 Used to attach a 1 in ID vacuum hose to the 3M™ Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose.
Part Number	20341	28301	28302	28304
UPC	0-00-51141-20341-6	0-00-51141-28301-2	0-00-51141-28302-9	0-00-51141-28304-3
Product Name	3M™ Vacuum Hose Fitting Adapter	3M™ Vacuum Hose	3M™ Vacuum Hose Adapter	3M™ Vacuum Hose Fitting Adapter
Packaging	10 per case	1 per case	1 per case	1 per case
Color	Black	Red	Black	Black
Size		1 in ID x 6 Foot		1 in

Abrasives: Tools: Tool Accessories

3M™ Hose & Hose Adaptor (continued)







	28393	30324	30439	30440
Description	 Red vacuum hose used to properly connect 3M™ Random Orbital and Orbital Sanders to a vacuum system for superb performance.	 Used to attach a 1 in ID vacuum hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter.	 Used to attach a 1 in ID vacuum hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose.	 Used to attach a 1 in ID vacuum hose to a 1-1/2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 1-1/2 in friction fit barb that pushes into the ID of the 1-1/2 in vacuum hose.
Part Number	28393	30324	30439	30440
UPC	0-00-51141-28393-7	0-00-51141-30324-6	0-00-51141-30439-7	0-00-51141-30440-3
Product Name	3M™ Vacuum Hose	3M™ Vacuum Hose End Adapter	3M™ Vacuum Hose Adapter	3M™ Vacuum Hose Adapter
Packaging	1 per case	1 per case	1 per case	1 per case
Color	Red	Black	Black	Black
Size	1 in ID x 60 Foot	3/4 in x 1 in Hose Thread	1 in ID - 2 in ID	1 in ID - 1-1/2 in ID
	30441	30442		
Description	 Used to attach a 1 in ID vacuum hose to a 1-1/4 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 1-1/4 in. friction fit barb that pushes into the ID of the 1-1/4 in. vacuum hose.	 Used to attach a 1 in ID vacuum hose to another 1 in ID vacuum hose. Has a 1 in internal hose thread in both ends of the adapter. Allows the customer to connect 2 lengths of 1 in vacuum hoses to create a longer vacuum hose.		
Part Number	30441	30442		
UPC	0-00-51141-30441-0	0-00-51141-30442-7		
Product Name	3M™ Vacuum Hose Adapter	3M™ Vacuum Hose Swivel Adapter		
Packaging	1 per case	1 per case		
Color	Black	Red		
Size	1 in ID - 1-1/4 in ID	1 in ID - 1 in ID		

3M™ Orbital/Random Orbital Sander Grip

	20342	20343	20344
Description	 Replaceable grip for small sized hands.	 Replaceable grip for medium sized hands. This size grip is the standard size that comes on the tool.	 Replaceable grip for large sized hands.
Part Number	20342	20343	20344
UPC	0-00-51141-20342-3	0-00-51141-20343-0	0-00-51141-20344-7
Product Name	3M™ Random Orbital Sander Grip	3M™ Random Orbital Sander Grip	3M™ Random Orbital Sander Grip
Packaging	1 per case	1 per case	1 per case
Size	2-1/2 in	2-3/4 in	3 in




Abrasives: Tools: Tool Accessories

3M™ Random Orbital Sander Drop In Motor




	01812	20216	20217
Description	 Allows for a very fast and easy way to repair the 3M™ Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.	 Allows for a very fast and easy way to repair the 3M™ Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.	 Allows for a very fast and easy way to repair the 3M™ Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.
Part Number	01812	20216	20217
UPC	0-00-51122-01812-1	0-00-51141-20216-7	0-00-51141-20217-4
Product Name	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor
Packaging	1 per case	1 per case	1 per case
Size	6 in	3 in	3 in
Orbit Diameter Inch (mm)	3/32" (2.5)	3/32" (2.5)	3/16" (5)
	20221	20222	30445
Description	 Allows for a very fast and easy way to repair the 3M™ Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.	 Allows for a very fast and easy way to repair the 3M™ Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.	 Allows for a very fast and easy way to repair the 3M™ 3 in Random Orbital Buffer PN28333. The complete motor is replaced instead of rebuilding the motor with individual parts. Has 3/36 in. orbit.
Part Number	20221	20222	30445
UPC	0-00-51141-20221-1	0-00-51141-20222-8	0-00-51141-30445-8
Product Name	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Buffer Drop In Motor
Packaging	1 per case	1 per case	1 per case
Size	6 in	6 in	3 in
Orbit Diameter Inch (mm)	3/16" (5)	5/16" (8)	1/2" (12)

Compounds, Polishes & Buff Pads

Gelcoat Finishing Compounds



	06044	06045	06046
Description	 <p>This liquid compound and finishing material is designed to remove a P600 or P800 dual action sand scratch from gelcoat, with a wool pad. Designed to be used with an air or electric buffer (1500-2500 rpm) equipped with a 3M™ Compounding Buff Pads.</p>	 <p>This liquid compound and finishing material is designed to remove a P600 or P800 dual action sand scratch from gelcoat, with a wool pad. Designed to be used with an air or electric buffer (1500-2500 rpm) equipped with a 3M™ Compounding Buff Pads.</p>	 <p>This liquid compound and finishing material is designed to remove a P600 or P800 dual action sand scratch from gelcoat, with a wool pad. Designed to be used with an air or electric buffer (1500-2500 rpm) equipped with a 3M™ Compounding Buff Pads.</p>
Part Number	06044	06045	06046
UPC	00051131060449	00051131060456	00051131060463
Product Name	3M™ Imperial™ Compound and Finishing Material	3M™ Imperial™ Compound and Finishing Material	3M™ Imperial™ Compound and Finishing Material
Packaging	12 per case	4 per case	1 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	5 Gallon (US)
Rate of Cut	Aggressive Cut	Aggressive Cut	Aggressive Cut

Paint Finishing Compounds




	05974	06060	06061
Description	 <p>Medium cutting liquid compound. Removes 1200 and finer sand scratches in automotive paint surfaces. A mid-tier compound that can also remove minor imperfections in painted surfaces. Proven performer.</p>	 <p>Provides a fast cut while leaving a fine swirl mark finish on all modern paint systems! Removes P1200 and finer sand scratches while providing excellent handling characteristics with easy clean up.</p>	 <p>Provides a fast cut while leaving a fine swirl mark finish on all modern paint systems! Removes P1200 and finer sand scratches while providing excellent handling characteristics with easy clean up.</p>
Part Number	05974	06060	06061
UPC	00051131059740	00051131060609	00051131060616
Product Name	3M™ Rubbing Compound	3M™ Perfect-It™ 3000 Extra Cut Rubbing Compound	3M™ Perfect-It™ Extra Cut Rubbing Compound
Packaging	4 per case	6 per case	4 per case
Size	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Rate of Cut	Aggressive Cut		Heavy Cut

Compounds, Polishes & Buff Pads

Paint Finishing Compounds (continued)










	06085	06086
Description	 <p>High Performance Fast Cutting Rubbing Compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a minimum of swirl marks. The Perfect-It brand means this is 3M's highest performing rubbing compound.</p>	 <p>High Performance Fast Cutting Rubbing Compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a minimum of swirl marks. The Perfect-It brand means this is 3M's highest performing rubbing compound.</p>
Part Number	06085	06086
UPC	00051131060852	00051131060869
Product Name	3M™ Perfect-It™ Rubbing Compound	3M™ Perfect-It™ Rubbing Compound
Packaging	6 per case	4 per case
Size	1 Liquid Quart(US)	1 Gallon (US)
Rate of Cut		Aggressive Cut

Finesse-it™ Compounds

	06039	35929	77340
Description	 <p>Well suited for boat reconditioning of heavily oxidized surfaces/finishes and removing P800 sand scratches on production gelcoat and grade 1000 or 1200 sand scratches on tooling gelcoat.</p>	 <p>Designed to remove minor scratches and light oxidation while producing a high-gloss wet look finish on fiberglass and painted boats. Product contains no wax or silicone.</p>	 <p>Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.</p>
Part Number	06039	35929	77340
UPC	00051131060395	00051131359291	00051144773404
Product Name	3M™ Finesse-it™ Marine Paste Compound	3M™ Marine Finesse-it™ II Finishing Material	3M™ Finesse-it™ Compounding Material
Packaging	4 per case	4 per case	4 per case
Size	1 Gallon (US)	1 Gallon (US)	1 Gallon (US)
Rate of Cut	Aggressive Cut		






Compounds, Polishes & Buff Pads

Other Compounds

	05954	05955	05973
Description	 Entry Level Rubbing Compound. Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces.	 Entry Level Rubbing Compound. Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces.	 Medium cutting liquid compound. Removes 1200 and finer sand scratches in automotive paint surfaces. A mid-tier compound that can also remove minor imperfections in painted surfaces. Proven performer.
Part Number	05954	05955	05973
UPC	00051131059542	00051131059559	00051131059733
Product Name	3M™ Super Duty Rubbing Compound	3M™ Super Duty Rubbing Compound	3M™ Rubbing Compound
Packaging	6 per case	4 per case	6 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Quart(US)
Rate of Cut	Aggressive Cut	Aggressive Cut	Medium Cut
	06025	06026	06027
Description	 It has a unique formulation which reduces slinging while buffing.	 It has a unique formulation which reduces slinging while buffing.	 Unique formulation aggressively removes sanding scratches in tooling gelcoat (P600 or finer discs with soft interface, 1000 or finer 3M™ Wetordry™ sheets), reducing sanding and compounding time while saving time.
Part Number	06025	06026	06027
UPC	00051131060258	00051131060265	00051131060272
Product Name	3M™ Marine High Gloss Gelcoat Compound	3M™ Marine High Gloss Gelcoat Compound	3M™ Premium Mold and Tooling Compound
Packaging	4 per case	1 per case	4 per case
Size	1 Gallon (US)	5 Gallon (US)	
Rate of Cut	Aggressive Cut	Aggressive Cut	
	09004	39002	39004
Description	 Suggested for heavy, aggressive compounding of oxidized gelcoat and marine paint. Clings to paint and gelcoated surfaces - remains wet on the job with little or no mess. Buffs to high gloss with minimum of swirl marks. Can be used by hand or machine.	 Excellent for hand compounding applications. It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.	 Entry Level Rubbing Compound. Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces.
Part Number	09004	39002	39004
UPC	00051131090040	00051131390027	00051131390041
Product Name	3M™ Marine Rubbing Compound	3M™ Rubbing Compound	3M™ Super Duty Rubbing Compound
Packaging	6 per case	4 per case	6 per case
Size	2 Liquid Pint(US)	16 Ounce	1 Liquid Pint(US)
Rate of Cut	Heavy Cut		Aggressive Cut





Compounds, Polishes & Buff Pads

High Performance - Compounding Pads




	05706	05719	05737
Description	 <p>High Performance Double Sided Foam Compounding Pad. Refines P1200 or finer sand scratches. Unique quick connect design. For use with 3M™ Compounds and 3M™ Quick Release Adaptor (PN 05752). The Perfect-It brand means this is 3M's highest performing double sided foam compounding pad.</p>	 <p>High Performance Single Sided 100% Wool Compounding Pad. Refines P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. The Perfect-It brand means this is 3M's highest performing single sided wool compounding pad.</p>	 <p>High Performance Single Sided Foam Compounding Pad. Refines P1200 or finer sand scratches. Unique inset design. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718.</p>
Part Number	05706	05719	05737
UPC	00051131057067	00051131057197	00051131057371
Product Name	3M™ Perfect-It™ Foam Compound Pad	3M™ Perfect-It™ Wool Compound Pad	3M™ Perfect-It™ Foam Compound Pad
Packaging	6 per case	6 per case	6 per case
Size	9 Inch	9 Inch	8 Inch
Max RPM		2000	
Pad Material		Wool	
Rate of Cut		Heavy Cut	
Pad Type		Single Sided	
	05753	33279	
Description	 <p>High Performance Double Sided 100% Wool Compounding Pad. Refines P1200 and finer sand scratches and other paint surface defects. Unique quick connect design. For use with 3M™ Compounds and 3M™ Quick Release Adaptor, PN 05752. The Perfect-It brand means this is 3M's highest performing double sided wool compounding pad.</p>	 <p>High Performance Double Sided 100% Wool Compounding pad. Refines P1200 and finer sand scratches and other paint surface defects. Unique low lint construction with quick connect design. For use with 3M™ Compounds and 3M™ Quick Release Adaptor (PN 05752). The Perfect-It brand means this is 3M's highest performing double sided low linting wool compounding pad.</p>	
Part Number	05753	33279	
UPC	00051131057531	00051131332799	
Product Name	3M™ Perfect-It™ Wool Compound Pad	3M™ Perfect-It™ Low Linting Wool Pad	
Packaging	6 per case	6 per case	
Size	9 Inch	9 Inch	
Max RPM	2000	2000	
Pad Material	Wool	Wool	
Rate of Cut	Heavy Cut	Heavy Cut	
Pad Type	Double Sided	Double Sided	

Compounds, Polishes & Buff Pads

Performance - Compounding Pads




	05703	05704	05711	05723
Description	 Double Sided 100% Wool Compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Adaptor, PN 05710. Proven performer.	 Double Sided Blended Wool Compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Adaptor, PN 05710. Proven performer.	 Single Sided Blended wool compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Proven performer.	 Single Sided Foam Compounding Pad used to refine P1200 or finer sand scratches. Flat back design. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718.
Part Number	05703	05704	05711	05723
UPC	00051131057036	00051131057043	00051131057111	00051131057234
Product Name	3M™ Superbuff™ Buffing Pad	3M™ Superbuff™ Buffing Pad	3M™ Compounding Pad	3M™ Foam Compounding Pad
Packaging	6 per case	6 per case	6 per case	12 per case
Size	9 Inch	9 Inch	9 Inch	8 Inch
Max RPM	2000	2000		2000
Pad Material	Wool, Untwisted Yarn	Wool, Untwisted Yarn		Convuluted Foam
Rate of Cut	Heavy Cut	Heavy Cut		Medium Cut
Pad Type	Double Sided	Double Sided		Single Sided

Specialty Pads - Compounding







	09038	14736	51151
Description	 Allows the do-it-yourselfer to recondition and maintain their boat, using their drill to obtain a high gloss finish like the professional who uses high-speed tools. A 6 in. diameter buffing pad with a 1 in. wool pile on both sides of the pad.	 Pad is made with soft foam, Roloc™ button, and mushroom headed hooks. Use with 3 inch soft Roloc™ Disc Pad. Holds the Finesse-it™ Buffing Pad (red and white) firmly in place. Soft foam provides good conformability.	 This orange foam buffing pad has a waffle face which provides efficient finishing action. Designed to be used in the Finesse-it™ Trizact™ Paint Repair System for AOEM clear coats. Has Hookit™ attachment system (white loop). 3-1/4 in dia.
Part Number	09038	14736	51151
UPC	00051131090385	00051144147366	0005111511510
Product Name	3M™ Marine Superbuff™ Pad	3M™ Finesse-it™ Roloc™ Finishing Disc Pad	3M™ Finesse-it™ Buffing Pad
Packaging	12 per case	120 per case	50 per case
Size	6 Inch	3 Inch	3-1/4 Inch
Max RPM		6000	12000

Compounds, Polishes & Buff Pads

Specialty Pads - Compounding (continued)

	81470	81471	85078
Description	 <p>Made with hand selected lamb's wool hide of natural color and trimmed to 20mm in length. Designed with a Hookit™ attachment system and 3 inch diameter buffing pad for use with Finesse-it™ Polishes.</p>	 <p>Made with hand selected lamb's wool hide of natural color and trimmed to 20mm in length. Designed with a Hookit™ attachment system for use with Finesse-it™ Polishes.</p>	 <p>Finesse-it™ buffing pad made from wool fibers for applying the Finesse-it™ Finishing Material or Finesse-it™ Final Finish. Has a Hookit™ attachment system. 3 inch diameter x 15/16 trim length.</p>
Part Number	81470	81471	85078
UPC	00051144814701	00051144814718	00051144850785
Product Name	3M™ Finesse-it™ Natural Buffing Pad	3M™ Finesse-it™ Natural Buffing Pad	3M™ Finesse-it™ Knit Buffing Pad
Packaging	50 per case	50 per case	50 per case
Size	3 Inch	5-1/4 Inch	3 Inch
Max RPM			

Polishes





	05928	05929	05996
Description	 <p>Entry Level Machine Polish. Designed for use on OEM and fully cured automotive paints. Removes microfne sractches and swirl marks while leaving a high gloss finish.</p>	 <p>Entry Level Machine Polish. Designed for use on OEM and fully cured automotive paints. Removes microfne sractches and swirl marks while leaving a high gloss finish.</p>	 <p>Machine polish designed to remove compound swirl marks and other minor surface defects. Proven performer.</p>
Part Number	05928	05929	05996
UPC	00051131059283	00051131059290	00051131059962
Product Name	3M™ Finesse-It™ II Glaze	3M™ Finesse-It™ II Glaze	3M™ Machine Polish
Packaging	6 per case	4 per case	6 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Quart(US)
	06064	06065	06068
Description	 <p>High Performance Machine Polish. Quickly and effectively removes compound swirl marks and produces an outstanding finish. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.</p>	 <p>High Performance Machine Polish. Quickly and effectively removes compound swirl marks and produces an outstanding finish. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.</p>	 <p>High Performance Ultrafine Machine Polish. Unique formula eliminates swirl marks and produces a high gloss finish, even on the most difficult dark colored vehicles. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.</p>
Part Number	06064	06065	06068
UPC	00051131060647	00051131060654	00051131060685
Product Name	3M™ Perfect-It™ Machine Polish	3M™ Perfect-It™ Machine Polish	3M™ Perfect-It™ Ultrafine Machine Polish
Packaging	6 per case	4 per case	6 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Quart(US)

Compounds, Polishes & Buff Pads

Polishes (continued)







	09048	35928	39009
Description	 Designed to remove minor scratches and light oxidation while producing a high-gloss wet look finish on fiberglass and painted boats. Product contains no wax or silicone.	 Designed to remove minor scratches and light oxidation while producing a high-gloss wet look finish on fiberglass and painted boats. Product contains no wax or silicone.	 Machine polish designed to remove compound swirl marks and other minor surface defects. Proven performer.
Part Number	09048	35928	39009
UPC	00051131090484	00051131359284	00051131390096
Product Name	3M™ Marine Finesse-It™ II Glaze	3M™ Marine Finesse-it™ II Glaze	3M™ Perfect-It™ Foam Polishing Pad Glaze-Dark
Packaging	6 per case	6 per case	6 per case
Size	1 Liquid Pint(US)	1 Liquid Quart(US)	1 Liquid Pint(US)

High Performance - Polishing Pads

	05707	05708	05726	05760
Description	 High Performance Black Foam Polishing Pad. Removes compound swirl marks and fine paint surface defects. Unique quick connect design. For use with 3M machine polishes and 3M™ Quick Connect Adaptor PN 05752. The Perfect-It brand means this is 3M's highest performing double sided foam polishing pad.	 High Performance Double Sided Blue Foam Polishing Pad. Eliminates swirl marks on painted surfaces; even on difficult dark colored cars. Unique quick connect design. Use with Perfect-It™ Ultrafine Machine Polish and 3M™ Quick Connect Adaptor PN 05752. The Perfect-It brand means this is 3M's highest performing double sided ultrafine foam polishing pad.	 3 inch single sided foam polishing pad designed to be used with 3M™ Perfect-It™ Machine Polish, PN39061 to remove fine swirls left from compounding headlight lenses. Use with Hookit™ 3 inch pad, PN20427.	 High Performance 3 inch single sided ultrafine foam polishing pad designed to be used with 3M™ Ultrafine Machine Polish. Use with Hookit™ 3 inch pad, PN20427. The Perfect-It brand means this is 3M's highest performing single sided 3 inch foam polishing pad.
Part Number	05707	05708	05726	05760
UPC	00051131057074	00051131057081	00051131057265	00051131057609
Product Name	3M™ Perfect-It™ Foam Polishing Pad	3M™ Perfect-It™ Ultrafine Foam Polishing Pad	3M™ Perfect-It™ Foam Polishing Pad	3M™ Perfect-It™ Ultrafine Foam Polishing Pad
Packaging	6 per case	6 per case	2 pads per bag, 6 bags per case	2 pads per bag, 6 bags per case
Size	8 Inch	8 Inch	3 Inch	3 Inch
Max RPM	2000	2000	2000	11000
Pad Material	Convuluted Foam	Convuluted Foam	Convuluted Foam	Convuluted Foam
Rate of Cut	Fine Cut	Ultrafine Cut	Light Cut	Heavy Cut
Pad Type	Double Sided	Double Sided	Single Sided	Single Sided



Compounds, Polishes & Buff Pads

Performance - Polishing Pads




	05705	05713	05725
Description	 Double Sided Yellow Blended Wool Polishing Pad; removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Proven performer.	 Single Sided Yellow Blended Wool Polishing Pad; removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Proven performer.	 Single Sided Black Foam Polishing Pad used to remove compound swirl marks and fine paint surface defects. Flat back design. For use with 3M™ machine polishes and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Proven performer.
Part Number	05705	05713	05725
UPC	00051131057050	00051131057135	00051131057258
Product Name	3M™ Superbuff™ Polishing Pad	3M™ Polishing Pad	3M™ Foam Polishing Pad
Packaging	6 per case	6 per case	2 pads per bag, 12 bags per case
Size	9 Inch	9 Inch	8 Inch
Max RPM	2000		2000
Pad Material	Wool		Convuluted Foam
Rate of Cut	Medium Cut		Fine Cut
Pad Type	Double Sided		Single Sided
	05733	05738	05751
Description	 High Performance Single Sided Blue Foam Polishing Pad. Eliminates swirl marks on painted surfaces; even on difficult dark colored cars. Unique inset design. Use with Perfect-It™ Ultrafine Machine Polish and 3M™ Hookit™ back up pads, PNs 05717 or 05718.	 High Performance Single Sided Black Foam Polishing Pad. Removes compound swirl marks and fine paint surface defects. Unique inset design. For use with 3M™ machine polishes and 3M™ Hookit™ back up pads, PN 05717 or 05718.	 Foam pad helps eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Use this foam pad with Ultrafina™ SE (PNs 06068 or 06069) as a paint finishing step after swirl mark remover. Wipe haze with Detail Cloth.
Part Number	05733	05738	05751
UPC	00051131057333	00051131057388	00051131057517
Product Name	3M™ Perfect-It™ Ultrafine Foam Polishing Pad	3M™ Perfect-It™ Foam Polishing Pad	3M™ Ultrafine Foam Polishing Pad
Packaging	6 per case	6 per case	12 per case
Size	8 Inch	8 Inch	8 Inch
Max RPM	2000	2500	2000
Pad Material	Convuluted Foam	Convuluted Foam	Foam
Rate of Cut	Ultrafine Cut	Fine Cut	Ultrafine Cut
Pad Type	Single Sided	Single Sided	Single Sided

Compounds, Polishes & Buff Pads

Specialty Pads - Polishing



	05727	05729	76848
Description	 <p>Soft foam polishing pads 5-1/4 inch diameter are used to apply polishes and glazes to remove haze and swirls. Features a face design which holds polishes better, i.e., reduces slinging of polish.</p>	 <p>Convoluted foam faced polishing pad designed for the 6 inch dual action sander. Attaches to the 3M™ Hookit™ Disc Pad 05776. Enables faster glaze application.</p>	<p>Soft foam polishing pad used to apply polishes and glazes to remove haze and swirls. Has Hookit™ attachment system. Use with 5 inch diameter Hookit™ Discs Pads.</p>
Part Number	05727	05729	76848
UPC	00051131057272	00051131057296	00051144768486
Product Name	3M™ Perfect-it™ Hookit™ Foam Polishing Pad	3M™ Perfect-It™ DA Glazing Pad	3M™ Finesse-it™ Hookit™ Type L Polishing Pad
Packaging	48 per case	12 per case	100 per case
Size	5-1/4 Inch	6-3/4 Inch	5 Inch
Max RPM		2000	12000
Pad Material		Convoluted Foam	
Rate of Cut		Ultrafine Cut	
Pad Type		Single Sided	

Compound/Polish Accessories

	05710	05717	05718
Description	 <p>Adaptor for the 3M™ Buffing Pads (PNs 05703, 05704, and 05705). Works with 3M™ Perfect-It™ Backup Pad (PN 05718).</p>	 <p>Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads.</p>	 <p>Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads. Enables double sided wool compound pad users to use single sided foam polishing pads without having to remove the 3M™ 05710 adaptor.</p>
Part Number	05710	05717	05718
UPC	00051144057108	00051131057173	00051131057180
Product Name	3M™ Superbuff™ Adaptor	3M™ Hookit™ Backup Pad	3M™ Perfect-It™ Back Up Pad, 05718
Packaging	10 per box	1 per case	1 per case
Max RPM	3000	3000	3000
Size		7 Inch	7 Inch








Compounds, Polishes & Buff Pads

Compound/Polish Accessories (continued)




	05752	05761
Description	 <p>Polisher adaptor used to quickly connect and disconnect double sided buffing pads. Use with 3M™ Perfect-It™ brand compounding and polishing pads. Centers pads for more effective use. Makes it easy to change between compound and polishing pads. 5/8 inch threads.</p>	 <p>Designed to remove residue from foam and wool buffing pads.</p>
Part Number	05752	05761
UPC	00051131057524	00051131057616
Product Name	3M™ Quick Release Adaptor	3M™ Conditioning Brush
Packaging	10 per case	10 per case
Max RPM	3000	
Size		

Fillers & Coatings





Premium Body Fillers

	01131	46004	46005	46006
Description	 3M™ Platinum™ Plus Premium Body Filler is a super creamy formula that achieves extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	 A unique and easy to sand formula designed with 3M™ Scotchlite™ Glass Bubbles. Designed for marine filling and fairing applications above and below the waterline.	 A unique and easy to sand formula designed with 3M™ Scotchlite™ Glass Bubbles. Designed for marine filling and fairing applications above and below the waterline.	 A unique and easy to sand formula designed with 3M™ Scotchlite™ Glass Bubbles. Designed for marine filling and fairing applications above and below the waterline.
Part Number	01131	46004	46005	46006
UPC	0-00-51593-01131-7	0-00-51131-46004-1	0-00-51131-46005-8	0-00-51131-46006-5
Product Name	3M™ Platinum™ Plus Filler	3M™ Marine Premium Filler	3M™ Marine Premium Filler	3M™ Marine Premium Filler
Packaging	4 per case	6 per case	6 per case	4 per case
Size	1 Gallon (US)	1 Pint (US)	1 Liquid Quart(US)	1 Gallon (US)
Color	Blue/Gold		Light Beige/Blue	Light Beige/Blue
	46012	46013	46014	
Description	 This high performance reinforced filler is designed to repair areas of fiberglass hulls, decks, and other parts.	 This high performance reinforced filler is designed to repair areas of fiberglass hulls, decks, and other parts.	 This high performance reinforced filler is designed to repair areas of fiberglass hulls, decks and other parts.	
Part Number	46012	46013	46014	
UPC	0-00-51131-46012-6	0-00-51131-46013-3	0-00-51131-46014-0	
Product Name	3M™ Marine High Strength Repair Filler	3M™ Marine High Strength Repair Filler	3M™ Marine High Strength Repair Filler	
Packaging	6 per case	6 per case	4 per case	
Size	1 Liquid Pint(US)	1 Liquid Quart(US)	1 Gallon (US)	
Color				




Standard Body Fillers

	05800	05801	05805
Description	 Lightweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.	 Lightweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.	 Use with 3Ms mechanical dispenser. Lightweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.
Part Number	05800	05801	05805
UPC	0-00-51131-05800-2	0-00-51131-05801-9	0-00-51131-05805-7
Product Name	3M™ Lightweight Body Filler	3M™ Lightweight Body Filler	3M™ Lightweight Body Filler
Packaging	6 per case	4 per case	1 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	5 Gallon (US)
Color	Gray/Red	Gray/Red	Gray/Red

Putty



	05095	05887	08117	08193
Description	 <p>Recommended for filling pinholes, scratches and other surface defects on a variety of automotive and marine surfaces. Its white color minimizes the possibility of color showing through the final coat as can happen when using colored putties beneath white paint. Other advantages include easy sanding, slow drying, spreads easily, and has low shrinkage.</p>	 <p>Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent feather-edge.</p>	 <p>Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.</p>	 <p>3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.</p>
Part Number	05095	05887	08117	08193
UPC	0-00-51131-05095-2	0-00-51131-05887-3	0-00-51135-08117-4	0-00-51131-08193-2
Product Name	3M™ Acryl-White Putty	3M™ EZ Sand Flexible Parts Repair	3M™ Performance Manual Applicator	3M™ Mixing Nozzle
Packaging	12 per case	6 per case	1 per case	36 per case
Size	14.5 Fluid Ounce (US)	200 Millilitre	200 Millilitre	
Color	White	White/Gray	Metallic/Black	Opaque/Gold

Hardener




	308	411	609
Description	 <p>White Cream Hardener for use with any Dynatron™ lightweight body fillers. Provides a more neutral colored finish.</p>	 <p>Use Dynatron™ Liquid Hardener as a catalyst for any Dynatron™ polyester fiberglass resin products.</p>	 <p>Liquid Hardener for Fiberglass and Polyester Resin.</p>
Part Number	308	411	609
UPC	0-00-76308-00308-1	0-00-76308-00411-8	0-00-76308-00609-9
Product Name	Dynatron™ White Cream Hardener	Dynatron™ Liquid Hardener	Dynatron™ Liquid Hardener
Packaging	12 per case	5 per case	12 per case
Size	2.75 Fluid Ounce (US)	44 Millilitre	0.74 Fluid Ounce (US)
Color	White	Clear	Red

Fillers & Coatings



Hardener (continued)

	05766	05830
Description	 Creme hardening agent designed to be used with 3M™ Zebra Fillers, part number 05868, 05870 and 05871 and 3M™ Piranna Putty 05821.	 Red creme hardening agent designed to be used with all 3M™ Body Repair Fillers, Fiberglass Reinforced Fillers, and Finishing Putties. Creamy consistency mixes easily and quickly.
Part Number	05766	05830
UPC	0-00-51131-05766-1	0-00-51131-05830-9
Product Name	3M™ Creme Hardener	3M™ Creme Hardener
Packaging	12 per case	12 per case
Size	2.75 Fluid Ounce (US)	2.75 Fluid Ounce (US)
Color	Blue	Red





Bondo® Marine Products™

	3101	3108	3109
Description	 Repairs and plugs small leaks, cracks and holes. Cures to a white color.	 Bondo® Marine Fiberglass Roller is specially designed for laying up fiberglass. Eliminates air entrapment and ensures even laminating. This is the same fiberglass roller used by professionals.	 Bondo® Marine Fiberglass Roller is specially designed for laying up fiberglass. Eliminates air entrapment and ensures even laminating. This is the same fiberglass roller used by professionals.
Part Number	3101	3108	3109
UPC	0-00-76308-03101-5	0-00-76308-03108-4	0-00-76308-03109-1
Product Name	Bondo® Marine Epoxy Stick	Bondo® Marine Products™ Marine Fiberglass Roller	Bondo® Marine Products™ Marine Fiberglass Roller
Packaging	6 per case	6 per case	6 per case
Size	2 Ounce	3 Inch	6 Inch

Fillers & Coatings Accessories




	359	368
Description	 Bondo® Mixing Board is a reusable board for conveniently mixing body fillers.	 Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.
Part Number	359	368
UPC	0-00-76308-00359-3	0-00-76308-00368-5
Product Name	Bondo® Mixing Board	Bondo® Filler Scoop
Packaging	12 per case	6 per case
Size	6 in x 8 in	
Color	White	Yellow

Dynamic Mixing System Products

	02575	02576	05846	05847
Description	 Rack for storing 3M™ Dynamic Mixing Pneumatic Applicator, PN05846.	 Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	 Professional pneumatic (air-operated) applicator for cartridge-based Body Repair Materials needing dynamic mixing.	 This nozzle's active mixing action completely blends materials, and its short length guarantees low waste.
Part Number	02575	02576	05846	05847
UPC	0-00-51131-02575-2	0-00-51131-02576-9	0-00-51131-05846-0	0-00-51131-05847-7
Product Name	3M™ Dynamic Mixing Gun Shop Rack	3M™ Bulk Nozzle Rack	3M™ Dynamic Mixing Gun - Pneumatic	3M™ Dynamic Mixing Nozzle
Packaging	1 per case	1 per case	1 per case	6 per case

Fiberglass Repair

Fiberglass Resins

	05833	05834	05836
Description	 Designed to be used with 3M™ Fiberglass Cloth (PN 05838) and/or 3M™ Fiberglass Mat (PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.	 3M™ Fiberglass Resin is designed to be used with 3M™ Fiberglass Cloth (PN 05838) and/or 3M™ Fiberglass Mat (PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.	 Fast acting liquid hardening agent designed to be used with 3M™ Fiberglass Resin (PNs 05833 and 05834).
Part Number	05833	05834	05836
UPC	0-00-51131-05833-0	0-00-51131-05834-7	0-00-51131-05836-1
Product Name	3M™ Fiberglass Resin	3M™ Fiberglass Resin	3M™ Liquid Hardener
Packaging	12 per case	4 per case	12 per case
Size	1 Liquid Quart(US)	1 Gallon (US)	22 Cubic Centimetre
Color	Clear	Clear	Clear





Fiberglass Repair

Glass Bubbles

Part Number	Description	Part Number	UPC	Product Name	Packaging	Size
67432	3M™ Glass Bubbles K1 have a density of 0.125 g/cc and an isostatic crush strength of 250 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	67432	0-00-21200-67432-7	3M™ Glass Bubbles K1	1 per case	40 Pounds (US)
67424	3M™ Glass Bubbles K1 have a density of 0.125 g/cc and an isostatic crush strength of 250 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	67424	0-00-21200-67424-2	3M™ Glass Bubbles K1	1 per case	5 Pounds (US)
83949	3M™ Glass Bubbles K25 have a density of 0.25 g/cc and an isostatic crush strength of 750 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	83949	0-00-21200-83949-8	3M™ Glass Bubbles K25	1 per case	10 Pounds (US)
83950	3M™ Glass Bubbles K25 have a density of 0.25 g/cc and an isostatic crush strength of 750 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	83950	0-00-21200-83950-4	3M™ Glass Bubbles K25	1 per case	80 Pounds (US)
86416	3M™ Glass Bubbles K15 have a density of 0.15 g/cc and an isostatic crush strength of 300 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	86416	0-00-21200-86416-2	3M™ Glass Bubbles K15	1 per case	10 Pounds (US)
86417	3M™ Glass Bubbles K15 have a density of 0.15 g/cc and an isostatic crush strength of 300 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	86417	0-00-21200-86417-9	3M™ Glass Bubbles K15	1 per case	50 Pounds (US)
86422	3M™ Glass Bubbles K20 have a density of 0.2 g/cc and an isostatic crush strength of 500 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	86422	0-00-21200-86422-3	3M™ Glass Bubbles K20	1 per case	10 Pounds (US)
86423	3M™ Glass Bubbles K20 have a density of 0.2 g/cc and an isostatic crush strength of 500 psi. The general purpose K Series glass bubbles are the most economical 3M glass bubbles.	86423	0-00-21200-86423-0	3M™ Glass Bubbles K20	1 per case	60 Pounds (US)
86435	3M™ Glass Bubbles S38 have a density of 0.38 g/cc and an isostatic crush strength of 4000 psi. The S Series glass bubbles have smaller particle sizes than the K Series.	86435	0-00-21200-86435-3	3M™ Glass Bubbles S38	1 per case	100 Pounds (US)







Fiberglass Repair

Fiberglass Filler Accessories





	05842	05844	20128	20129
Description	 <p>Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.</p>	 <p>Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.</p>	 <p>3M™ Fiberglass Cloth is used with BHS All-Purpose Fiberglass Resin to aid in repairs and add extra strength. Fiberglass cloth is the right product to use when making cosmetic repairs. The thin fiberglass cloth material is easier to work with and easier to hide when finishing.</p>	 <p>3M™ Fiberglass Mat is used with BHS All-Purpose Fiberglass Resin to aid in repairs and add extra strength. BHS Fiberglass mat is the right product to use when added structural strength is most important. The slightly thicker, interlocking fibers give any repair incredible strength and durability.</p>
Part Number	05842	05844	20128	20129
UPC	0-00-51131-05842-2	0-00-51131-05844-6	0-00-76308-20128-9	0-00-76308-20129-6
Product Name	3M™ Spreaders	3M™ Spreader Assortment	3M™ Fiberglass Cloth	3M™ Fiberglass Mat
Packaging	50 per case	24 per case	6 per case	6 per case
Size	4 Inch	1 of each 4 in, 5 in & 6 in	8 Sq Ft	8 Sq Ft
Color	Yellow	Yellow		

Coatings Applications Products

Accuspray™ System









	16570	16571	16572
Description	 Provides the equivalent of a brand new primer spray gun for a fraction of the cost. Kit contains 1 spray gun, 3 atomizing heads and 1 air flow control valve.	 Replaceable fluid needle for 3M™ Accuspray™ Spray Gun Model HG09.	 Provides the ability to test the 3M™ Accuspray™ Spray Gun Model HG09, part number 16570, for HVLV compliance.
Part Number	16570	16571	16572
UPC	0-00-51131-16570-0	0-00-51131-16571-7	0-00-51131-16572-4
Product Name	3M™ Accuspray™ Spray Gun Model HG09	3M™ Accuspray™ Fluid Needle	3M™ Accuspray™ HG09 HVLV Test Air Cap
Packaging	1 per case	1 per box	1 per case
	16573	16611	16613
Description	 Air flow control valve for use with the 3M™ Accuspray™ Spray Gun Model HG09, part number 16570. Gauge face is color-coded to indicate appropriate air pressure settings.	 Replaceable atomizing heads for use with the 3M™ Accuspray™ Spray Gun Model HG09. Refill kit contains 4 atomizing heads.	 Dispenser to store replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun
Part Number	16573	16611	16613
UPC	0-00-51131-16573-1	0-00-51131-16611-0	0-00-51131-16613-4
Product Name	3M™ Accuspray™ Air Flow Control Valve	3M™ Accuspray™ Atomizing Head	3M™ Accuspray™ Atomizing Head Dispenser
Packaging	1 per case	24 per case	1 per case

Turbine Spray Guns & Turbine Unit

	10-Pro4	10-Pro5	10-Pro6	240C-Pro1
Description	 Used with a portable turbine system or a compressed air source (with a 36-00 regulator) to spray industrial, architectural, automotive and wood coatings, adhesives, tanning solution, etc.	 Used with a portable turbine system or a compressed air source (with a 36-00 regulator) to spray industrial, architectural, automotive and wood coatings, adhesives, tanning solution, etc.	 Used with a portable turbine system or a compressed air source (with a 36-00 regulator) to spray industrial, architectural, automotive and wood coatings, adhesives, tanning solution, etc.	 Provides higher speed and enables the user to spray higher viscosity coatings. Allows for use of a remote 2 quart pot so the user can spray at any angle and into tighter places. Popular in the wood finishing, marine, aerospace and contractor markets.
Part Number	10-Pro4	10-Pro5	10-Pro6	240C-Pro1
UPC	0-00-51115-91413-3	0-00-51115-91414-0	0-00-51115-91415-7	0-00-51115-91472-0
Product Name	3M™ 10 Spray Gun	3M™ 10 Spray Gun	3M™ 10 Spray Gun	3M™ 240C Turb/Comp Pkg
Packaging	1 per case	1 per case	1 per case	1 per case
Size	Lrg H/O PPS, Reg, 1.1, #7, 1.5, #9	1 Quart Cup, Reg, 1.1 #7, 1.5, #9	No Cup, No Reg, 1.1, #7, 1.5, #9	2 qt, 0.9, #6, 1.1, #9, 1.5





PPS™ Paint Preparation System Products

Dispensers, Cups and Collars & Accessories





	16001	16010	16019	16023
Description	 Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	 Six-pack Paint Preparation System cup holder with wall attachment hardware. This carrier will hold both the 650 mL and 850 mL cups.	 Wall mountable dispenser designed to hold both 650 mL and 850 mL PPS liners. Holds at least 50 of either size. Easy access for top loading and dispenses one liner at a time. Keeps liners clean, neat, organized and free from contamination.	 Large hard cup that supports and holds the PPS flexible liner, part number 16024, 16324 and 16325.
Part Number	16001	16010	16019	16023
UPC	0-00-51131-16001-9	0-00-51131-16010-1	0-00-51131-16019-4	0-00-51131-16023-1
Product Name	3M™ PPS™ Standard Cup & Collar	3M™ PPS™ Carrier	3M™ PPS™ Liner Dispenser	3M™ PPS™ Large Cup & Collar
Packaging	8 per case	1 per case	1 per case	4 per case
Size	Standard		Large	Large
	16098	16099	16115	16117
Description	 Wall mountable dispenser which is designed to hold at least 50 3M™ PPS™ Mini lids and liners. Easy loading from top with easy access to a new lid and liner. Keeps lids and liners clean, organized and safe from outside contamination.	 Wall mountable dispenser designed to hold at least 50 PPS lids with strainers. Easy loading from the top and easy access to obtain a new lid. Keeps lids clean, organized and safe from contamination.	 Hard cup that supports and holds the PPS mini flexible liner, part number 16114. If filled to the top, this cup will hold 6 fl oz.	 Used to transport multiple Mini-Cups needed to complete a spot repair start to finish.
Part Number	16098	16099	16115	16117
UPC	0-00-51131-16098-9	0-00-51131-16099-6	0-00-51131-16115-3	0-00-51131-16117-7
Product Name	3M™ PPS™ Mini Lid and Liner Dispenser	3M™ PPS™ Lid Dispenser	3M™ PPS™ Mini Cup & Collar	3M™ PPS™ Mini Cup Carrier
Packaging	1 per case	1 per case	8 per case	1 per case
Size	Mini		Mini	Mini

PPS™ Paint Preparation System Products









Dispensers, Cups and Collars & Accessories (continued)

	16121	16123	16124	37720
Description	 This product is intended for use in place of metal cups on most pressure cup guns. Setting up the pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	 This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	 This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	 Ketchup style squeeze bottle. Includes spout top. Use for dispensing compounds, glazes, polishes and liquid wax. Can also be used to dispense solvents to clean spray gun in 3M™ Paint Preparation System.
Part Number	16121	16123	16124	37720
UPC	0-00-51131-16121-4	0-00-51131-16123-8	0-00-51131-16124-5	0-00-51131-37720-2
Product Name	3M™ PPS™ Type H/O Mini Pressure Cup	3M™ PPS™ Type H/O Pressure Hose	3M™ PPS™ Type H/O Pressure Cup	3M™ Detailing Squeeze Bottle
Packaging	4 per case	24 per case	2 per case	24 per case
Size	Mini (6 Ounce)		Large (850 Millilitre)	12 Fluid Ounce (US)

Lids & Liners









	16000	16024	16113	16114
Description	 Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	 Kit contains 25 lids with 200 micron filters, 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). Maximum capacity of 32 oz/950 mL when filled to within 1/8 inch of rim. For use with part number 16023 or 16124 (H/O pressure cup).	 Introductory kit contains 2 each PPS Mini Cups and Collars, 50 PPS Mini Lids and Liners, 20 PPS Plugs, 2 PPS Film Inserts and 1 dispenser.	 Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 5 1/2 oz (with generic mix ratio film insert). Max. capacity of 6 fl oz. For use with part number 16115. Note: mix ratio film inserts are sold separately.
Part Number	16000	16024	16113	16114
UPC	0-00-51131-16000-2	0-00-51131-16024-8	0-00-51131-16113-9	0-00-51131-16114-6
Product Name	3M™ PPS™ Kit 200u filters	3M™ PPS™ Kit 200u filters	3M™ PPS™ Mini-Cup Intro Kit	3M™ PPS™ Kit 200u filters
Packaging	1 per case	1 per case	1 per case	1 per case
Size	Standard (600 Millilitre)	Large (840 Millilitre)	Mini	Mini (5-1/2 Fluid Ounce (US))

Marine Cleaners




	09023	09029	09034	09047
Description	 <p>Unique gel formula provides durable protection in exterior, as well as interior applications. Gel formula gives you better application control than liquids. A little bit goes a long way.</p>	 <p>Cleans, shines, conditions and protects vinyl, rubber and plastic surfaces. Deep cleans dirt and grime, enhances appearance. Restores natural sheen, protects surfaces. Fresh lemon scent.</p>	 <p>Concentrated formula designed to clean anything from dirty decks to soiled fabrics to degreasing engines. Mix concentrate with water for desired cleaning strength.</p>	 <p>Designed to remove black streaks. Safe for use on fiberglass, metal and painted surfaces.</p>
Part Number	09023	09029	09034	09047
UPC	0-00-51131-09023-1	0-00-51131-16904-3	0-00-51131-09034-7	0-00-51131-09047-7
Product Name	3M™ Marine Vinyl Cleaner, Conditioner, Protector	3M™ Marine Vinyl Cleaner and Restorer	3M™ Marine Boat Soap	3M™ Marine Black Streak Remover
Packaging	6 per case	6 per case	6 per case	6 per case
Color	White		Clear	
Size	8 Fluid Ounce (US)	15 Fluid Ounce (US)	16 Fluid Ounce (US)	1 Liquid Pint (US)
	09063	09065	09067	09089
Description	 <p>3M patented formula that deep cleans ground-in dirt and stains on non-skid areas. Ideal for fiberglass, gelcoat, metal, and painted surfaces.</p>	 <p>Offers a unique solution in preventing unsightly mildew growth. Safe to use on most marine surfaces and materials above the waterline, and can be used both indoors and outdoors. Non-toxic formula helps keep surfaces looking newer and cleaner longer.</p>	 <p>Quickly removes mildew stains on vinyl, covers, cushions and other marine surfaces. Follow-up with 3M™ Marine Mildew Block for long-lasting protection and to help keep surfaces looking cleaner and newer longer.</p>	 <p>Resurrect the gloss in your boat's gelcoat with this compound / polish that combines an exceptionally fast cutting compound with a finishing material in one. It removes light to heavy oxidation, scratches, stains, blemishes, and fine swirl marks that compounding normally leaves behind on fiberglass gelcoat.</p>
Part Number	09063	09065	09067	09089
UPC	0-00-51131-09063-7	0-00-51131-09065-1	0-00-51131-09067-5	0-00-51131-09089-7
Product Name	3M™ Marine Non-Skid Cleaner	3M™ Marine Mildew Block	3M™ Marine Mildew Stain Remover	3M™ Marine Color/Gloss Restorer
Packaging	6 per case	6 per case	6 per case	6 per case
Color	Yellow/Brown	White	Colorless	White
Size	33.8 Fluid Ounce (US)	16.9 Fluid Ounce (US)	16.9 Fluid Ounce (US)	1 Liquid Pint(US)

Wax & Maintenance




Marine Boat Waxes

	09005	09006	09007	09009
Description	 Designed to remove HEAVY oxidation, chalking, fading, minor scratches, rust and exhaust stains; plus provide protection on fiberglass/gelcoat.	 Designed to remove HEAVY oxidation, chalking, fading, minor scratches, rust and exhaust stains; plus provide protection on fiberglass/gelcoat.	 Designed to remove HEAVY oxidation, chalking, fading, minor scratches, rust and exhaust stains; plus provide protection on fiberglass/gelcoat.	 Designed to remove LIGHT to MEDIUM oxidation, clean polish and protect fiberglass/gelcoat. Unique liquid formulation combines a compound with a special blend of waxes which restore shine and protect in one application.
Part Number	09005	09006	09007	09009
UPC	0-00-51131-09005-7	0-00-51131-09006-4	0-00-51131-09007-1	0-00-51131-09009-5
Product Name	3M™ Marine Restorer and Wax	3M™ Marine Restorer and Wax	3M™ Marine Restorer and Wax	3M™ Marine Cleaner and Wax
Packaging	6 per case	6 per case	2 per case	6 per case
Color	Tan	Tan	Tan	Beige
Size	16 Fluid Ounce (US)	32 Fluid Ounce (US)	1 Gallon (US)	16 Fluid Ounce (US)
	09010	09011	09012	09030
Description	 Designed to remove LIGHT to MEDIUM oxidation, clean, polish and protect fiberglass/gelcoat. Unique liquid formulation combines a compound with a special blend of waxes which restore shine and protect in one application.	 Designed to remove LIGHT to MEDIUM oxidation, clean, polish and protect fiberglass/gelcoat. Unique liquid formulation combines a compound with a special blend of waxes which restore shine and protect in one application.	 Designed to remove HEAVY oxidation, chalking, fading, minor scratches, rust and exhaust stains; plus provide protection on fiberglass/gelcoat.	 This innovative product will leave a protective high gloss finish on marine fiberglass gelcoat, marine topside paints, painted aluminum and metal parts.
Part Number	09010	09011	09012	09030
UPC	0-00-51131-09010-1	0-00-51131-09011-8	0-00-51131-16896-1	0-00-51131-09030-9
Product Name	3M™ Marine Cleaner and Wax	3M™ Marine Cleaner and Wax	3M™ Marine Restorer and Wax	3M™ Marine Ultra Performance Paste Wax
Packaging	6 per case	2 per case	6 per case	6 per case
Color	Beige	Beige	Beige	Light Yellow
Size	32 Fluid Ounce (US)	1 Gallon (US)	18 Ounce (US)	9.5 Fluid Ounce (US)









Marine Boat Waxes (continued)

	09033	09061	09062
Description	 <p>Quick and easy, spray on/wipe off product that recaptures that just waxed look and feel. Excellent for use on wet or dry surfaces; no water needed! Enhances the shine of your boat's fiberglass gelcoat, marine topside paint & painted aluminum.</p>	 <p>Designed for the harsh marine environment and provides protection from the sun's damaging ultra-violet rays. Safe for use on fiberglass, gelcoat, marine topside paints, and marine metals.</p>	 <p>Designed for the harsh marine environment and provides protection from the sun's damaging ultra-violet rays. Safe for use on fiberglass, gelcoat, marine topside paints, and marine metals.</p>
Part Number	09033	09061	09062
UPC	0-00-51131-09033-0	0-00-51131-09061-3	0-00-51131-09062-0
Product Name	3M™ Marine Clean & Shine Wax	Scotchgard™ Marine Liquid Wax	Scotchgard™ Marine Liquid Wax
Packaging	6 per case	6 per case	6 per case
Color	Off White	White	White
Size	16.9 Fluid Ounce (US)	1 Liquid Pint(US)	1 Litre (US)









Plastic and Metal Polishes

	09019	09020	39017
Description	 <p>Restores and polishes stainless steel, brass, bronze, copper, chrome, aluminum and other marine metals by removing surface rust, oxidation, corrosion and tarnish.</p>	 <p>Removes oxidation growth and stains and restores a lustrous appearance to bare aluminum. Use sparingly, a little bit goes a long way. We recommend testing on small inconspicuous painted areas to determine suitability.</p>	 <p>Safely removes fine scratches, stains, or haziness from automotive plastics.</p>
Part Number	09019	09020	39017
UPC	0-00-51131-09019-4	0-00-51131-09020-0	0-00-51131-39017-1
Product Name	3M™ Marine Metal Restorer and Polish	3M™ Marine Aluminum Restorer and Polish	3M™ Lens & Hard Plastic Cleaner
Packaging	6 per case	6 per case	4 per case
Color	Pink	Pink	Brown
Size	18 Ounce (US)	18 Fluid Ounce (US)	8 Fluid Ounce (US)



Cleaners & Accessories

	07910	08796	08888	08984
Description	 <p>Surface preparation for spraying primers, base coat or clear coat paints is a smooth transition as dust is drawn into the tack pad leaving a drag-free surface. Hands are less sticky due to the reduction of adhesive transfer.</p>	 <p>Powerful cleaner removes varnish, gums and resins from carburetors and chokes.</p>	 <p>An aerosol cleaner for all glass surfaces including windows, windshields, mirrors, and side glass. May also be used to clean automotive vinyl, interior plastic and clear plastic. 3M™ Glass Cleaner is non-flammable, and will not affect painted surfaces.</p>	 <p>Specially blended solvent for removal of specialty adhesives.</p>
Part Number	07910	08796	08888	08984
UPC	0-00-51131-07910-6	0-00-51135-08796-1	0-00-51135-08888-3	0-00-51135-08984-2
Product Name	3M™ Tack Pad	3M™ Carburetor Cleaner	3M™ Glass Cleaner	3M™ General Purpose Adhesive Cleaner
Packaging	60 per case	12 per case	12 per case	6 per case
Color	White	Clear	White	Clear
Size	175 MM x 235 MM	16 Fluid Ounce (US)	19 Fluid Ounce (US)	1 Liquid Quart(US)
	08987	13702	16861	19344
Description	 <p>Specially blended solvent for removal of light paint overspray, adhesive residue, wax, grease, tree sap, dirt, road tar, oil and bugs in aerosol form. Will not harm most thoroughly cured automotive paint, vinyls, or fabrics when properly used.</p>	 <p>No-rinse formula cleaner for quick, easy removal of soil and grease. This powerful cleaner penetrates and loosens buildup quickly. Convenient and effective.</p>	 <p>No-rinse formula cleaner for quick, easy removal of soil and grease. This powerful cleaner penetrates and loosens buildup quickly. Convenient and effective.</p>	 <p>No-rinse formula cleaner for quick, easy removal of soil and grease. This powerful cleaner penetrates and loosens buildup quickly. Convenient and effective.</p>
Part Number	08987	13702	16861	19344
UPC	0-00-51135-08987-3	5-00-48011-13702-0	5-00-48011-16861-1	5-00-48011-19344-6
Product Name	3M™ General Purpose Adhesive Cleaner	3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover	3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover	3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover, With Trigger Sprayers
Packaging	12 per case	1 per case	12 per case	12 per case
Color	Clear			
Size	15 Fluid Ounce (US)	5 Gallon (US)	1 Liquid Quart(US)	1 Quart (US)




Cleaners & Accessories (continued)

	37716	37717	38984	38987
Description	 32 fluid ounce flourinated bottle used to dispense 3M™ Body Shop Clean-Up™ Products. Use with 3M™ Spray Trigger Head 37717.	 Use with waterbased 3M™ Detailing products. Long lasting, high output, adjustable, general purpose spray trigger nozzle head used with the 3M™ Detailing Spray Bottle 37716. Red and white in color.	 A VOC compliant (70%) solvent-based specialty adhesive remover.	 A aerosol VOC compliant (70%) solvent-based specialty adhesive remover.
Part Number	37716	37717	38984	38987
UPC	0-00-51131-37716-5	0-00-51131-37717-2	0-00-51131-38984-7	0-00-51131-38987-8
Product Name	3M™ Detailing Spray Bottle	3M™ Spray Trigger Nozzle Head	3M™ Specialty Adhesive Remover	3M™ Specialty Adhesive Remover
Packaging	24 per case	24 per case	6 per case	6 per case
Color	Clear	Red/White	Clear	Clear
Size	32 Fluid Ounce (US)		1 Liquid Quart(US)	15 Fluid Ounce (US)
	39296	49048	49142	76394
Description	 A citrus scented adhesive remover in the form of an aerosol spray. Not for sale or use in CA or OTC states. Consult local air quality rules.	 A convenient easy-to-use aerosol adhesive remover utilizing a fast acting citrus formulation. Not for sale or use in CA or OTC states. Consult local air quality rules.	 A gallon container of citrus-based adhesive remover.	 3M™ Citrus Base Cleaner Transparent, 24 oz, 12 per case, Not for sale or use in California. Consult local air quality rules before use.
Part Number	39296	49048	49142	76394
UPC	0-00-21200-39296-2	0-00-21200-49048-4	0-00-21200-49142-9	0-00-21200-76394-6
Product Name	3M™ Adhesive Remover 6040	3M™ Adhesive Remover	3M™ Adhesive Remover	3M™ Citrus Base Cleaner Transparent
Packaging	6 per case	6 per case	4 per case	12 per case
Color	Pale Yellow	Pale Yellow	Pale Yellow	Pale Yellow
Size	6.25 Fluid Ounce (US)	24 Fluid Ounce (US)	1 Gallon (US)	24 Fluid Ounce (US)








3M™ Marine Adhesive/Sealant Fast Cure 4000 UV

	05280	06580
Description	 3M™ Hybrid Adhesive Sealant Fast Cure 4000 UV is a one-part sealant that cures to form a firm, rubbery, waterproof seal.	 3M™ Hybrid Adhesive Sealant Fast Cure 4000 UV is a one-part sealant that cures to form a firm, rubbery, waterproof seal.
Part Number	05280	06580
UPC	0-00-51135-05280-8	0-00-51135-06580-8
Product Name	3M™ Marine Adhesive Sealant Fast Cure 4000 UV	3M™ Marine Adhesive Sealant Fast Cure 4000 UV
Packaging	6 per case	12 per case
Size	3 Ounce (US)	1/10 Gallon (US)
Color	White	White




3M™ Marine Adhesive/Sealant Fast Cure 4200

	05260	06560	06564
Description	 3M™ Marine Adhesive Sealant Fast Cure 4200 White bonds and seals fiberglass, gelcoat and wood. Ideal for rub-rails, stern-joints, deck and through-hull fittings, and access plates. Medium strength allows for disassembly.	 3M™ Marine Adhesive Sealant Fast Cure 4200 White bonds and seals fiberglass, gelcoat and wood. Ideal for rub-rails, stern-joints, deck and through-hull fittings, and access plates. Medium strength allows for disassembly.	 3M™ Marine Adhesive Sealant Fast Cure 4200 Black bonds and seals fiberglass, gelcoat and wood. Ideal for rub-rails, stern-joints, deck and through-hull fittings, and access plates. Medium strength allows for disassembly.
Part Number	05260	06560	06564
UPC	0-00-51135-05260-0	0-00-51135-06560-0	0-00-51135-06564-8
Product Name	3M™ Marine Adhesive/Sealant Fast Cure 4200	3M™ Marine Adhesive/Sealant Fast Cure 4200	3M™ Marine Adhesive/Sealant Fast Cure 4200
Packaging	6 per case	12 per case	12 per case
Size	3 Fluid Ounce (US)	1/10 Gallon (US)	1/10 Gallon (US)
Color	White	White	Black




3M™ Marine/Sealant 5200

	05203	05205	05206	06500
Description	 3M™ Marine Adhesive Sealant 5200 White. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 Black. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 White. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 White. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.
Part Number	05203	05205	05206	06500
UPC	0-00-51135-05203-7	0-00-51135-05205-1	0-00-51135-05206-8	0-00-51135-06500-6
Product Name	3M™ Marine Adhesive/Sealant 5200	3M™ Marine Adhesive/Sealant 5200	3M™ Marine Adhesive/Sealant 5200	3M™ Marine Adhesive/Sealant 5200
Packaging	6 per case	6 per case	12 per case	12 per case
Size	3 Fluid Ounce (US)	3 Fluid Ounce (US)	1 Fluid Ounce (US)	1/10 Gallon (US)
Color	White	Black	White	White
	06501	06502	06504	
Description	 3M™ Marine Adhesive Sealant 5200 Tan. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 Mahogany- The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 Black. The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	
Part Number	06501	06502	06504	
UPC	0-00-51135-06501-3	0-00-51135-06502-0	0-00-51135-06504-4	
Product Name	3M™ Marine Adhesive/Sealant 5200	3M™ Marine Adhesive/Sealant 5200	3M™ Marine Adhesive/Sealant 5200	
Packaging	12 per case	12 per case	12 per case	
Size	1/10 Gallon (US)	1/10 Gallon (US)	1/10 Gallon (US)	
Color	Tan	Mahogany	Black	



3M™ Marine Adhesive/Sealant Fast Cure 5200

	05220	06520	06535
Description	 3M™ Marine Adhesive Sealant 5200 Fast Cure White- The seal is extremely strong, retains its strength above or below the water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 Fast Cure White. The seal is extremely strong, retains its strength above or below the water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.	 3M™ Marine Adhesive Sealant 5200 Fast Cure White- The seal is extremely strong, retains its strength above or below water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water.
Part Number	05220	06520	06535
UPC	0-00-51135-05220-4	0-00-51135-06520-4	0-00-51135-06535-8
Product Name	3M™ Marine Adhesive/Sealant 5200 Fast Cure	3M™ Marine Adhesive/Sealant 5200 Fast Cure	3M™ Marine Adhesive/Sealant 5200 Fast Cure
Packaging	6 per case	12 per case	12 per case
Size	3 Fluid Ounce (US)	1/10 Gallon (US)	1 Fluid Ounce (US)
Color	White	White	White

3M™ Aerosol Adhesives

	08984	08987	08088
Description	 Specially blended solvent for removal of specialty adhesives.	 Specially blended solvent for removal of light paint overspray, adhesive residue, wax, grease, tree sap, dirt, road tar, oil and bugs in aerosol form. Will not harm most thoroughly cured automotive paint, vinyls, or fabrics when properly used.	 Low VOC, clear, high strength adhesive for bonding automotive materials such as carpeting, jute pads, fabrics and plastics to metal and other surfaces. Has good heat and water resistance.
Part Number	08984	08987	08088
UPC	0-00-51135-08984-2	0-00-51135-08987-3	0-00-51135-08088-7
Product Name	3M™ General Purpose Adhesive Cleaner	3M™ General Purpose Adhesive Cleaner	3M™ General Trim Adhesive
Packaging	6 per case	12 per case	4 per case
Size	1 Liquid Quart(US)	15 Fluid Ounce (US)	18.1 Fluid Ounce (US)
Color	Clear	Clear	Clear

3M™ Aerosol Adhesives (continued)

	08090	21210	76394
Description	 <p>Aerosol contact adhesive designed for bonding vinyl tops, heavyweight liners and hood silencer pads where high strength and heat resistance are needed.</p>	<p>Bonds quickly in 15 minutes. Versatile. Securely bonds many lightweight materials. Low soak-in for long lasting bond. Long bonding range. For permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and, cloth to painted or unpainted metals, wood and hard-board. High tack, high coverage and fast drying adhesive.</p>	 <p>3M™ Citrus Base Cleaner Transparent, 24 oz, 12 per case, Not for sale or use in California. Consult local air quality rules before use.</p>
Part Number	08090	21210	76394
UPC	0-00-51131-08090-4	0-00-21200-21210-9	0-00-21200-76394-6
Product Name	3M™ Super Trim Adhesive	3M™ Super 77™ Multipurpose Spray Adhesive	3M™ Citrus Base Cleaner Transparent
Packaging	6 per case	12 per case	12 per case
Size	19 Fluid Ounce (US)	16.75 Fluid Ounce	24 Fluid Ounce (US)
Color	Yellow	Clear	Pale Yellow

3M™ Scotch-Weld™ Polyurethane Reactive Adhesive TS230





3M™ Scotch-Weld™ Polyurethane Reactive Adhesive TS230 is a one-component, 100% solids, moisture curing, structural adhesive for bonding wood and select plastics.



3M ID 62387052384
Part Number 25165
UPC 0-00-51115-25165-8
Packaging 5 per case
Size 1/10 Gallon (US)
Color Off-White

Bonding & Sealing

3M™ Marine Sealant Silicone

	08017	08019	08027	08029
Description	 3M™ Marine Grade Silicone Sealant is a high quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.	 Color - Clear. High quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.	 3M™ Marine Grade Silicone Sealant is a high quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.	 3M™ Marine Grade Silicone Sealant is a high quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.
Part Number	08017	08019	08027	08029
UPC	0-00-51135-08017-7	0-00-51135-08019-1	0-00-51135-08027-6	0-00-51135-08029-0
Product Name	3M™ Marine Grade Silicone Sealant	3M™ Marine Grade Silicone Sealant	3M™ Marine Grade Silicone Sealant	3M™ Marine Grade Silicone Sealant
Packaging	6 per case	6 per case	12 per case	12 per case
Size	3 Fluid Ounce (US)	3 Fluid Ounce (US)	1/10 Gallon (US)	1/10 Gallon (US)
Color	White	Clear	White	Clear

3M™ Hi-Strength 90 Spray Adhesive

3M™ Hi-Strength 90 spray adhesive is an industrial high strength aerosol spray adhesive, fast contact-type adhesive.



3M ID 62494249501
Part Number 30023
UPC 0-00-21200-30023-3
Packaging 12 per case
Size 17.6 Fluid Ounce (US)
Color Clear



3M™ Fasteners

Size 1 Inch x 5 Yard







Part Number	Description	UPC	Product Name	Packaging	Color
06463	A clear acrylic adhesive on the back of a clear polypropylene reclosable fastener. 250 stems per square inch. 0.23 inch engaged thickness. Closure life 1,000.	0-00-51131-06463-8	3M™ Dual Lock™ Reclosable Fastener MP3560 250	2 per pack, 5 packs per case	Clear
06484	A general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 400/170 stems per square inch. 0.23 inch engaged thickness. Closure life 1,000.	0-00-51131-06484-3	3M™ Dual Lock™ Reclosable Fastener MP3551/MP3552 400/170	5 per case	Black

Bonding & Sealing Accessories

	08992	08993
		
Description	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the professional. Used for dispensing material from an 1/10 Gallon cartridge.
Part Number	08992	08993
UPC	0-00-51135-08992-7	0-00-51135-08993-4
Product Name	3M™ Cartridge Applicator Gun	3M™ Professional Caulking Gun
Packaging	12 per case	1 per case
Size	1/10 Gallon (US)	1/10 Gallon (US)
Color	Blue	Orange/Black

Masking Products

Masking Films

	06696	06725	06727	06728
Description	 <p>Scotch-Blue™ Pre-taped film combines the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces with the added protection of film drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 24 inches.</p>	 <p>A premium high density plastic sheeting that resists moisture imprinting or ghosting on painted vehicle surfaces; .65 mil. thickness allows for ease of handling and increases cling to vehicle; treated to resist primer, base and clear coat flaking.</p>	 <p>High-density, tear-resistant, clear durable film that is treated for excellent paint overspray adhesion. Twelve foot film accommodates smaller cars. Use with Masker PN 06780.</p>	 <p>High-density, tear-resistant, clear durable film that is treated for excellent paint overspray adhesion. Sixteen foot accommodates larger sedans, mini- vans, small pick up trucks, and SUVs. Use with Masker PN 06780.</p>
Part Number	06696	06725	06727	06728
UPC	0-00-51131-06696-0	0-00-51131-06725-7	0-00-51131-06727-1	0-00-51131-06728-8
Product Name	ScotchBlue™ Pre-taped Film, PT2090-24SB	3M™ Moisture Resistant Protective Sheeting	3M™ Overspray Protective Sheeting	3M™ Overspray Protective Sheeting
Packaging	6 per case	1 per case	1 per case	1 per case
Size	24 in x 30 yd	16 ft x 250 ft	12 ft x 400 ft	16 ft x 350 ft
Color	Blue	Purple	Clear	Clear

Masking Papers






Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color
06506	A strong, flexible, and pliable masking paper used for paint masking applications.	06506	0-00-21200-06506-4	Scotch® Steel Gray Masking Paper	6 per case	6 in x 1000 ft	Steel Gray
06512	A strong, flexible, and pliable masking paper used for paint masking applications.	06512	0-00-21200-06512-5	Scotch® Steel Gray Masking Paper	3 per case	12 in x 1000 ft	Steel Gray
06518	A strong, flexible, and pliable masking paper used for paint masking applications.	06518	0-00-21200-06518-7	Scotch® Steel Gray Masking Paper	2 per case	18 in x 1000 ft	Steel Gray
06524	A strong, flexible, and pliable masking paper used for paint masking applications.	06524	0-00-21200-06524-8	Scotch® Steel Gray Masking Paper	1 per case	24 in x 1000 ft	Steel Gray
06536	A strong, flexible, and pliable masking paper used for paint masking applications.	06536	0-00-21200-06536-1	Scotch® Steel Gray Masking Paper	1 per case	36 in x 1000 ft	Steel Gray
06706	Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06706	0-00-51131-06706-6	3M™ Scotchblok™ Masking Paper	6 per case	6 in x 750 ft	Gold

Masking Products

Masking Papers (continued)



Part Number	Description	Part Number	UPC	Product Name	Packaging	Size	Color
06712	Masking paper with excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06712	0-00-51131-06712-7	3M™ Scotchblok™ Masking Paper	3 per case	12 in x 750 ft	Gold
06718	Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06718	0-00-51131-06718-9	3M™ Scotchblok™ Masking Paper	2 per case	18 in x 750 ft	Gold
06732	Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06732	0-00-51131-06732-5	3M™ Scotchblok™ Masking Paper	12 per case	12 in x 180 ft	Gold
06736	Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06736	0-00-51131-06736-3	3M™ Scotchblok™ Masking Paper	1 per case	36 in x 750 ft	Gold
06738	Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	06738	0-00-51131-06738-7	3M™ Scotchblok™ Masking Paper	12 per case	18 in x 180 ft	Gold
55490	Masking paper with excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.	55490	0-00-21200-55490-2	3M™ Scotchblok™ Masking Paper	1 per case	60 in x 120 yd	Steel Gray
55491	Scotch® Steel Gray Masking Paper, 48 in x 1000 ft, 1 per caseA strong, flexible, and pliable masking paper used for paint masking applications. Formulated to resist sealer, solvents, paints, and clear coat systems in most automotive, marine, RV, and truck painting applications.	55491	0-00-21200-55491-9	Scotch® Steel Gray Masking Paper	1 per case	48 in x 1000 ft	Steel Gray

Masks, Dispensers & Accessories

	06781	06780	06864
Description	 Dispenses masking paper up to 18 inches wide on each of two levels. Has large, deep storage trays on the top and bottom.	 Portable masker designed to dispense 3M™ Overspray Protective Sheeting, part numbers 06727, 06728 and 06742. Can be used horizontally, vertically, or wall mounted.	 Dispenses three widths of masking paper up to 18 inches wide. Side hooks hold different tape widths for special needs. Can be moved from job to job with one hand mobility. Maintains proper paper and tape alignment. Doesn't require adjusting.
Part Number	06781	06780	06864
UPC	0-00-51131-06781-3	0-00-51131-06780-6	0-00-21200-06864-5
Product Name	Scotch® Cart Masker	3M™ Overspray Protective Sheeting Masker	Scotch® Slimline Apron Taper
Packaging	1 per case	1 per case	1 per case
Size	20-1/2 in x 41-1/2 x 44-1/4 in	16 in x 41 in x 16-1/2 in (1 Roll up to 16 Feet)	16-3/4 in x 32 in x 44 in





Masking Products

Masks, Dispensers & Accessories (continued)

	06865	06866
Description	 Dispenses masking paper up to 18 inches. NOTE: PAPER IS NOT INCLUDED WITH MASKER.	 Dispenses masking paper up to 36 inches wide. NOTE: PAPER IS NOT INCLUDED WITH MASKER
Part Number	06865	06866
UPC	0-00-21200-06865-2	0-00-21200-06866-9
Product Name	Scotch® Apron Taper	Scotch® Apron Taper
Packaging	1 per case	1 per case
Size	21 in x 22-3/4 in x 7 in (1 Roll up to 18 Inch)	42 in x 22-3/4 in x 7 in (1 Roll up to 36 Inch)




Masking Products: Hand-Masker™ Products

Films





	06697	06802	06845	06848
Description	 3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090-35 This is a pre-folded high density plastic drop cloth pre-taped with Scotch® 2090 Long-Mask™ tape. Plastic folds out to 35 in.	 3M™ Hand-Masker™ Film Blades are made from durable stainless steel with a protective plastic blade guard. Also available in 6 inch width.	 3M™ Hand-Masker Masking Film Plus (24 in x 180 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 6 in product folds out to 24 in.	 3M™ Hand-Masker Masking Film Plus (48 in x 180 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 12 in product folds out to 48 in.
Part Number	06697	06802	06845	06848
UPC	0-00-51131-06697-7	0-00-51131-06802-5	0-00-51131-06845-2	0-00-51131-06848-3
Product Name	3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090-35	3M™ Hand Masker™ Film Blade FB12	3M™ Hand Masker™ Pre-Folded Masking Film MF24	3M™ Hand-Masker™ Masking Film Plus MF48
Packaging	12 per case	6 per case	12 per case	12 per case
Size	35 Inch	12 Inch	24 in x 180 ft	48 in x 180 ft

Masking Products: Hand-Masker™ Products

Films (continued)




	06861	77406	77407
Description	 3M™ Hand-Masker Masking Film Plus (144 in x 60 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 12 in product folds out to 144 in.	 3M™ Hand-Masker Masking Film Plus (72 in x 90 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 9 in product folds out to 72 in.	 3M™ Hand-Masker Masking Film Plus (99 in x 90 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 12 in product folds out to 99 in.
Part Number	06861	77406	77407
UPC	0-00-51131-06861-2	0-00-51131-77406-3	0-00-51131-77407-0
Product Name	3M™ Hand-Masker™ Masking Film Plus MF144	3M™ Hand-Masker™ Masking Film Plus MF72	3M™ Hand-Masker™ Masking Film Plus MF99
Packaging	12 per case	12 per case	12 per case
Size	144 in x 60 ft	72 in x 90 ft	99 in x 90 ft

Papers





	04140	06904	77399	77400
Description	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.
Part Number	04140	06904	77399	77400
UPC	0-00-51115-04140-2	0-00-51115-06904-8	0-00-51131-77399-8	0-00-51131-77400-1
Product Name	3M™ Hand Masker™ General Purpose Masking Paper MPG12	3M™ Hand Masker™ Premium Quality Masking Paper MP18	3M™ Hand Masker™ Premium Quality Masking Paper MP12	3M™ Hand Masker™ Premium Quality Masking Paper MP15
Packaging	12 per case	12 per case	12 per case	12 per case
Size	12 in x 60 yd	18 in x 60 yd	12 in x 60 yd	15 in x 60 yd

Masking Products: Hand-Masker™ Products

Papers (continued)




	77401	77402	77403
Description	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.	 3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.
Part Number	77401	77402	77403
UPC	0-00-51131-77401-8	0-00-51131-77402-5	0-00-51131-77403-2
Product Name	3M™ Hand Masker™ Premium Quality Masking Paper MP3	3M™ Hand Masker™ Premium Quality Masking Paper MP6	3M™ Hand Masker™ Premium Quality Masking Paper MP9
Packaging	12 per case	12 per case	12 per case
Size	3 in x 60 yd	6 in x 60 yd	9 in x 60 yd

Dispensers & Accessories

	06788	06795	06796	06804
Description	 The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film up to 144 inch or paper up to 18 inch in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.	 3M™ Hand-Masker™ Paper Blade is a durable stainless steel blade. Available in 6, 9, and 12 inch lengths.	 3M™ Hand-Masker™ Paper Blades are durable stainless steel. Available in 6, 9, and 12 inch lengths.	 3M™ Hand-Masker™ Film Blades are made from durable stainless steel with a protective plastic blade guard. Also available in 12 inch width.
Part Number	06788	06795	06796	06804
UPC	0-00-51131-06788-2	0-00-51131-06795-0	0-00-51131-06796-7	0-00-51131-06804-9
Product Name	3M™ Hand Masker™ Kit M3000KML	3M™ Hand Masker™ Paper Blade PB9	3M™ Hand-Masker Paper Blade PB12	3M™ Hand Masker™ Film Blade FB6
Packaging	4 per case	6 per case	6 per case	6 per case
Size		9 Inch	12 Inch	6 Inch

Masking Products: Hand-Masker™ Products

Dispensers & Accessories (continued)

	77384	77385	79457
Description	 <p>3M™ Hand-Masker™ M2000 Dispenser is the choice for the light-duty contractor, maintenance worker, handyman and do-it-yourselfer. It applies pre-folded masking film up to 72-inch or paper up to 12-inch with masking tape in one easy step.</p>	 <p>The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film up to 144 in or paper up to 18 in in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.</p>	 <p>The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film up to 144 in or paper up to 18 in in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.</p>
Part Number	77384	77385	79457
UPC	0-00-51131-77384-4	0-00-51131-77385-1	0-00-51131-79457-3
Product Name	3M™ Hand Masker™ M2000 Dispenser	3M™ Hand Masker™ M3000 Dispenser	3M™ Hand Masker™ Kit M3000K
Packaging	4 per case	4 per case	4 per case
Size			

Tapes: Masking Tapes

Scotch® Performance Masking Tape 233+

Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results.



Color Green

Part Number	UPC	Packaging	Size
26332	0-00-51131-26332-1	48 per case	12 mm x 55 m
26334	0-00-51131-26334-5	48 per case	18 mm x 55 m
26336	0-00-51131-26336-9	24 per case	24 mm x 55 m
26338	0-00-51131-26338-3	16 per case	36 mm x 55 m
26340	0-00-51131-26340-6	12 per case	48 mm x 55 m
26341	0-00-51131-26341-3	8 per case	72 mm x 55 m
26343	0-00-51131-26343-7	12 per case	3 m x 55 m
26344	0-00-51131-26344-4	96 per case	6 mm x 55 m
44608	0-00-21200-44608-5	8 per case	96 mm x 55 m
46334	0-00-51131-46334-9	48 per case	18 mm x 55 m
46338	0-00-51131-46338-7	24 per case	36 mm x 55 m

Tapes: Masking Tapes

Scotch® Painter's Masking Tapes

This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.



Color Blue

Part Number	UPC	Product Name	Packaging	Size
03680	0-00-51115-03680-4	ScotchBlue™ Painters Tape for Multi-Surfaces 2090-.75A	48 per case	3/4 in x 60 yd
03681	0-00-51115-03681-1	ScotchBlue™ Painter's Tape Original Multi-Surface 2090-1A	36 per case	1 in x 60 yd
03682	0-00-51115-03682-8	ScotchBlue™ Painter's Tape Original Multi-Surface 2090-1.5A	24 per case	1-1/2 in x 60 yd
03683	0-00-51115-03683-5	ScotchBlue™ Painter's Tape Original Multi-Surface 2090-2A	24 per case	2 in x 60 yd
06817	0-00-51115-06817-1	ScotchBlue™ Painters Masking Tape for Multi-Surfaces 2090-.75A-BK	48 per case	3/4 in x 60 yd
06818	0-00-51115-06818-8	ScotchBlue™ Painters Tape for Multi-Surfaces 2090	36 per case	1 in x 60 yd
06819	0-00-51115-06819-5	ScotchBlue™ Painters Tape for Multi-Surfaces 2090	24 per case	1-1/2 in x 60 yd
06820	0-00-51115-06820-1	ScotchBlue™ Painters Tape for Multi-Surfaces 2090	24 per case	2 in x 60 yd

3M™ Automotive Refinish Masking Tapes

3M™ Automotive Refinish Masking Tape is designed to meet today's paint technicians requirements for masking before painting; no adhesive transfer; no edge lifting; waterborne paint system compatible.



Color Yellow

Part Number	UPC	Packaging	Size
06652	0-00-51131-06652-6	48 per case	18 mm x 55 m
06653	0-00-51131-06653-3	36 per case	24 mm x 55 m
06654	0-00-51131-06654-0	24 per case	36 mm x 55 m
06656	0-00-51131-06656-4	24 per case	48 mm x 55 m
06657	0-00-51131-06657-1	12 per case	72 mm x 55 m

3M™ Automotive Masking Tapes

Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed.



Color Tan

Part Number	UPC	Packaging	Size
06545	0-00-51131-06545-1	48 per case	18 mm x 55 m
06547	0-00-51131-06547-5	24 per case	36 mm x 55 m
06548	0-00-51131-06548-2	24 per case	48 mm x 55 m

Tapes: Masking Tapes

Highland™ Masking Tape 2727

An automotive refinish masking tape designed with balanced construction for consistent unwind, conformability and easy tear.




Color Tan

Part Number	UPC	Packaging	Size
06541	0-00-51131-06541-3	48 per case	18 mm x 55 m
06542	0-00-51131-06542-0	24 per case	36 mm x 55 m
06543	0-00-51131-06543-7	24 per case	48 mm x 55 m

Scotch-Blue™ Painters Tape and Film








Scotch-Blue™ Painters Tape and Film (PTD2090-24SB) combine the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces (2090) and the security of extra drip protection with an unfoldable film (unfolds to 24 inches).



3M ID 70071417029
 Part Number 12071
 UPC 0-00-51115-12071-8
 Packaging 6 per case
 Size 24 in x 30 yd
 Color Translucent Blue

Tapes: Miscellaneous Tapes

Duct Tapes

	06975	24883	24885	53851
Description	 <p>3M™ Duct Tape 3939 is composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications.</p>	 <p>3M™ Utility Duct Tape 2929 is a utility grade, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive.</p>	 <p>3M™ Utility Duct Tape 2929 is a utility grade, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive.</p>	 <p>3M™ Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.</p>
Part Number	06975	24883	24885	53851
UPC	0-00-51131-06975-6	0-00-51115-24883-2	0-00-51115-24885-6	0-00-48011-53851-8
Product Name	3M™ Duct Tape 3939 Silver	3M™ Utility Duct Tape 2929	3M™ Utility Duct Tape 2929	3M™ Performance Plus Duct Tape 8979
Packaging	24 per case	24 per case	12 per case	12 per case
Size	48 mm x 55 m	48 mm x 45.7 m	72 mm x 45.7 m	48 mm x 55 m
Color	Silver	Silver	Silver	Blue
	56468	56470	98011	
Description	 <p>3M™ Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.</p>	 <p>3M™ Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.</p>	 <p>Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.</p>	
Part Number	56468	56470	98011	
UPC	0-00-21200-56468-0	0-00-21200-56470-3	0-00-51131-98011-2	
Product Name	3M™ Performance Plus Duct Tape 8979	3M™ Performance Plus Duct Tape 8979	Scotch® Tough Transparent Duct Tape 2120-A	
Packaging	24 per case	12 per case	12 per case	
Size	48 mm x 55 m	96 mm x 55 m	48 mm x 18.2 m	
Color	Blue	Blue	Clear	

Tapes: Miscellaneous Tapes





Electrical Tape

3M™ Professional Quality Electrical Tape insulates and protects against abrasion, weather, water, solvent splashes and chemicals. Stretchy, conformable vinyl plastic. Applications include home, marine, auto, trailers and tools.

3M ID	70070842466
Part Number	59073
UPC	0-00-51131-59073-1
Product Name	Scotch® 35 Colored Vinyl Electrical Tape
Packaging	12 per case
Size	1/2 in x 240 in
Color	Blue, Green, Red, Yellow, White





Preservation Tape

	03175	04319	62334	62335
Description	 3M™ Preservation Sealing Tape 481 is a black, polyethylene backing with a unique rubber adhesive.	 3M™ Preservation Sealing Tape 481 is a black, polyethylene backing with a unique rubber adhesive.	 3M™ Preservation Sealing Tape 4811 is a white polyethylene backing with a unique rubber adhesive.	 3M™ Preservation Sealing Tape 4811 is a white polyethylene backing with a unique rubber adhesive.
Part Number	03175	04319	62334	62335
UPC	0-00-21200-03175-5	0-00-21200-04319-2	0-00-21200-62334-9	0-00-21200-62335-6
Product Name	3M™ Preservation Sealing Tape 481	3M™ Preservation Sealing Tape 481	3M™ Preservation Sealing Tape 4811	3M™ Preservation Sealing Tape 4811
Packaging	12 per case	24 per case	24 per case	12 per case
Size	3 in x 36 yd	2 in x 36 yd	2 in x 36 yd	3 in x 36 yd
Color	Black	Black	White	White


Tapes: Miscellaneous Tapes

Retail Packaged Tape Products

	80055	80058	55512
Description	 Scotch-Blue™ Painter's Tape and Film combines the versatility of Scotch-Blue™ Painter's Tape for Multi-Surfaces with the added protection of a drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 48 inches.	 Scotch-Blue™ Painters Tape and Film combines the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces with the added protection of a drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 48 inches.	3M™ Marine Rigging Tape protects sails, lines and sheets from chafe damage. This stretchy self-bonding silicone tape resists weather and water yet holds tight without sticky residues. Use it to protect against chafing from shackles, turnbuckles, lifeline fittings, spreader ends and more. A blue center line on this white tape helps you quickly apply it to optimal thickness.
Part Number	80055	80058	55512
UPC	0-00-51131-80055-7	0-00-51131-80058-8	0-00-51128-55512-5
Product Name	ScotchBlue™ Painter's Tape and Film PT2090-48SB	ScotchBlue™ Painter's Tape and Film PTD2090-48SB	3M™ Marine Rigging Tape
Packaging	6 per case	6 per case	32 per case
Size	48 in x 90 ft	48 in x 90 ft	

3M™ Polyethylene Tape 483


3M™ Polyethylene Tape 483 White, 5.3 mil (0.13 mm) polyethylene backing with rubber adhesive, low sulfur and halogen content, conformable, good solvent resistant properties, remains flexible to -20 degrees



3M ID	70006033966
Part Number	05166
UPC	0-00-21200-05166-1
Packaging	12 per case
Size	3 in x 36 yd
Color	White

Scotch® Printable Flatback Paper Tape 256

Scotch® Printable Flatback Paper Tape 256 can be used for masking, bundling, holding and splicing operations needing colors for identification.




Color Light Green

Part Number	UPC	Packaging	Size
04968	0-00-21200-04968-2	36 per case	1 in x 60 yd
05423	0-00-21200-05423-5	48 per case	3/4 in x 60 yd

Tapes: Paint Striping Tapes

3M™ Vinyl Tape 471 Blue



Part Number	Description	Part Number	UPC	Product Name	Packaging	Size
03119	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	03119	0-00-21200-03119-9	3M™ Vinyl Tape 471	72 per case	1/2 in x 36 yd
03120	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	03120	0-00-21200-03120-5	3M™ Vinyl Tape 471	48 per case	3/4 in x 36 yd
03121	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	03121	0-00-21200-03121-2	3M™ Vinyl Tape 471	36 per case	1 in x 36 yd
04308	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	04308	0-00-21200-04308-6	3M™ Vinyl Tape 471	24 per case	2 in x 36 yd
06404	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	06404	0-00-51131-06404-1	3M™ Vinyl Tape 471+	144 per case	1/8 in x 36 yd
06405	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	06405	0-00-21200-06405-0	3M™ Vinyl Tape 471+	144 per case	1/4 in x 36 yd
06408	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	06408	0-00-51131-06408-9	3M™ Vinyl Tape 471+	72 per case	1/2 in x 36 yd
06409	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	06409	0-00-51131-06409-6	3M™ Vinyl Tape 471+	48 per case	3/4 in x 36 yd
61192	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	61192	0-00-21200-61192-6	3M™ Vinyl Tape 471	144 per case	1/4 in x 36 yd

Tapes: Paint Striping Tapes

Scotch® Fine Line Tape 218

Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.



Part Number	UPC	Packaging	Size
04698	0-00-21200-04698-8	72 per case	1/2 in x 60 yd
04699	0-00-21200-04699-5	48 per case	3/4 in x 60 yd
04700	0-00-21200-04700-8	36 per case	1 in x 60 yd
06300	0-00-21200-06300-8	144 per case	1/8 in x 60 yd
06301	0-00-21200-06301-5	144 per case	1/4 in x 60 yd
06302	0-00-21200-06302-2	96 per case	3/8 in x 60 yd
06303	0-00-21200-06303-9	72 per case	1/2 in x 60 yd
06305	0-00-21200-06305-3	48 per case	3/4 in x 60 yd
06307	0-00-21200-06307-7	144 per case	3/16 in x 60 yd
06308	0-00-21200-06308-4	12 per case	3/32 x 60 yd
16028	0-00-21200-16028-8	144 per case	1/4 in x 60 yd
18368	0-00-21200-18368-3	96 per case	3/8 in x 60 yd
94710	0-00-51138-94710-1	24 per case	2 in x 60 yd

Tapes: Surface Protection Tapes

3M™ Heavy Duty Protective Tape 346






3M™ Heavy Duty Protective Tape 346 is a tan, 16.7 mil (0.42 mm) flat stock paper tape with rubber adhesive. Heavy duty protective tape.





Color Tan

Part Number	UPC	Packaging	Size
05414	0-00-21200-05414-3	12 per case	3 in x 60 yd
05418	0-00-21200-05418-1	1 per case	12 in x 60 yd
05419	0-00-21200-05419-8	1 per case	18 in x 60 yd
05420	0-00-21200-05420-4	1 per case	24 in x 60 yd
05421	0-00-21200-05421-1	1 per case	36 in x 60 yd
17205	0-00-51115-17205-2	2 per case	6 in x 60 yd

Water Filtration

	11530	11532	11533	11535
Description	<p><i>Graphic not Found</i></p> <p>Replacement cartridge: Use on US-A1 or US-B1. Reduces chlorine taste/odor, sediment and includes a bacteria inhibitor. 2 GPM; 2,000 gallon capacity.</p>	<p><i>Graphic not Found</i></p> <p>Replacement cartridge: Use on USF-A or USF-C. Reduces chlorine taste/odor, sediment, lead, mercury, parasitic protozoa cysts and VOCs with bacteria inhibitor. 0.5 GPM; 500 gallon capacity.</p>	 <p>Reduces chlorine taste/odor, sediment with bacteria inhibitor. Fittings included to install onto water supply. Built-in by-pass valve for line sanitizing and winterizing. Chrome faucet included. Use on all Classes of RV's. 0.5 GPM; 500 gallon capacity.</p>	 <p>Reduces chlorine taste/odor, lead, mercury, parasitic protozoa cysts, VOCs, sediment with bacteria inhibitor. Fittings included to install onto water lines. Built-in by-pass valve for line sanitization and winterizing. Faucet included. Use on all classes of RV's. 0.5 GPM; 500 gallon capacity.</p>
Part Number	11530	11532	11533	11535
UPC	0-00-16145-11530-1	0-00-16145-11532-5	0-00-16145-11533-2	0-00-16145-11535-6
Product Name	3M™ Replacement Cartridge Model A1	3M™ Replacement Cartridge Model C	3M™ Under Sink Dedicated Faucet Water Filter System Model USF-A	3M™ Under Sink Dedicated Faucet Water Filter System Model USF-C
Packaging	4 per case	6 per case	6 per case	6 per case
	11536	11538	11588	11590
Description	<p><i>Graphic not Found</i></p> <p>Replacement cartridge: Use on US-A1 or US-B1. Reduces chlorine taste/odor, sediment and includes a patented membrane that reduces bacteria by up to 99.99%. 2 GPM; 2,000 gallon capacity.</p>	 <p>Reduces chlorine taste/odor, sediment, patented membrane reduces bacteria by up to 99.99%. Includes fittings to install onto 1/2" water supply lines. By-pass plug included for line sanitization and winterizing. Use on all Classes of RV's. 2 GPM; 2,000 gallon capacity.</p>	 <p>Replacement cartridge: Reduces chlorine taste/odor, sediment and includes a patented membrane that reduces bacteria by up to 99.99%. 2.5 GPM; 7,500 gallon capacity.</p>	 <p>Replacement cartridge: Use on WV-B3 or WV-A3. Reduces chlorine taste/odor, sediment and includes a patented membrane that reduces bacteria by up to 99.99%. 3.5 GPM; 15,000 gallon capacity.</p>
Part Number	11536	11538	11588	11590
UPC	0-00-16145-11536-3	0-00-16145-11538-7	0-00-16145-11588-2	0-00-16145-11590-5
Product Name	3M™ Replacement Cartridge Model B1	3M™ Under Sink Full Flow Model US-B1, for use with existing faucet	3M™ Replacement Cartridge Model B2, for use with WV-B2	3M™ Replacement Cartridge Model B3
Packaging	4 per case	4 per case	2 per case	1 per case

Water Filtration (continued)

	11592	11596	14111	15493
Description	 <p>Reduces chlorine taste/odor, sediment and patented membrane reduces bacteria by up to 99.99%. Fittings included for 1/2" water lines. By-pass plug included for line sanitization and winterizing. Use on Classes A, C or 5th wheel RV's. 2.5 GPM; 7,500 gallon capacity.</p>	<p><i>Graphic not Found</i></p> <p>Reduces chlorine taste/odor, sediment and patented membrane that reduces bacteria by up to 99.99%. Fittings included to install on 1/2" water supply line. By-pass plug included. Use on Classes A, C or 5th wheel RV's. 3.5 GPM; 15,000 gallon capacity.</p>	 <p>NEP Non-Valved High Flow Head (NH3) with flat head. Head/bracket assembly for the WV-B2 and WV-B3 systems. Bypass plugs should be purchased in order to avoid water on the floor.</p>	<p><i>Graphic not Found</i></p> <p>Bypass Plug that fits the US-A1 and US-A2 systems.</p>
Part Number	11592	11596	14111	15493
UPC	0-00-16145-11592-9	0-00-16145-11596-7	0-00-16145-14111-9	0-00-16145-15493-5
Product Name	3M™ Whole Vehicle Water Filter System Model WV-B2	3M™ Whole Vehicle Water Filter System Model WV-B3	3M™ Water Filtration Products, NEP Non-Valved High Flow Head (NH3) with flat head	3M™ Water Filtration Products, Bypass Plug
Packaging	2 per case	1 per case	12 per case	6 per case

Energy and Sound Management Products

Packaging 1 per case



Part Number	Description	UPC	Product Name	Size
76633	The MA 6710 series is nearly 2 inches thick (44 mm) and available with a black colored cover for hiding dirt or where esthetics require a darker appearance and is available in rolls to meet your needs.	0-00-51138-76633-7	Thinsulate™ Acoustic Insulation MA 6710-60-225	60 in x 225 ft
76769	The MA 4710 series is one inch thick (25 mm) and available with a black colored cover for hiding dirt or where esthetics require a darker appearance.	0-00-51138-76769-3	Thinsulate™ Acoustic Insulation MA 4710-60-1	60 in x 90 ft
76774	The MA 6710 series is nearly 2 inches thick (44 mm) and available with a black colored cover for hiding dirt or where esthetics require a darker appearance and is available in rolls to meet your needs.	0-00-51138-76774-7	Thinsulate™ Acoustic Insulation MA 6710-30	30 in x 225 ft
76775	The MA 6710 series is nearly 2 inches thick (44 mm) and available with a black colored cover for hiding dirt or where esthetics require a darker appearance and is available in rolls to meet your needs.	0-00-51138-76775-4	Thinsulate™ Acoustic Insulation MA 6710-60-1	60 in x 90 ft
91971	It is specifically designed for many marine applications. It is compressible, lightweight, conformable, and can easily be die-cut, heat sealed and thermally or sonically bonded to other substrates.	0-00-51131-91971-6	Thinsulate™ Acoustic Insulation MA 6720M-60-1	60 in x 90 ft





Fasteners

Packaging 2 per case
 Size 1 in x 50 yd
 Color Black



Part Number	Description	UPC	Product Name
86278	A general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 400 stems per square inch. 0.23 inch engaged thickness. Closure life 1,000.	0-00-21200-86278-6	3M™ Dual Lock™ Reclosable Fastener SJ3551 400
86279	A general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 170 stems per square inch. 0.23 inch engaged thickness. Closure life 1,000.	0-00-21200-86279-3	3M™ Dual Lock™ Reclosable Fastener SJ3552 170

Reflective Products

	03455	03458C	88619	88624
Description	 3M™ Scotchlite™ Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.	 3M™ Scotchlite™ Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.	 SOLAS (Safety of Life at Sea) is intended to reflectorize life support equipment such as rafts. Adheres via pressure-sensitive adhesive, has ship wheel logo.	 SOLAS (Safety of Life at Sea) is intended to reflectorize life support equipment such as rafts. Adheres via pressure-sensitive adhesive, has ship wheel logo.
Part Number	03455	03458C	88619	88624
UPC	0-00-51131-03455-6	0-00-51131-03458-7	0-00-51131-88619-3	0-00-51131-88624-7
Product Name	3M™ Scotchlite™ Reflective Tape	3M™ Scotchlite™ Reflective Tape	3M™ Scotchlite™ Reflective Material - SOLAS 3150-A	3M™ Scotchlite™ Reflective Material - SOLAS 3150-A
Packaging	24 per case	24 per case	1 per case	3 per case
Size	2 in x 36 in	1 in x 36 in	50.8 mm x 50 m	101.6 mm x 50 m
Color	Red/Silver	Red	Silver	Silver

Cable Types for Terminating



Tape Shielded Cable



Wire Shielded Cable




UniShield® Cable



Wire Over Tape Shielded Cable



LC Shielded Cable



Concentric Neutral (CN) Cable



Jacketed Concentric Neutral (JCN) Cable



Paper Insulated Lead Covered (PILC) Cable




Non-Shielded (Dry) Cable



Non-Shielded (Wet or Dry) Cable

Termination Type Selection Guide for 3M Three Conductor Cable 7600 Series


Kit Series	Insulator Configuration	Installation Environment	Orientation	For Cable Type(s) (With or Without Ground Wires)
7600-S-3G	Skirted	Outdoor	Normal	With ground wires
7600-T-3G	Tubular	Indoor	Normal	With ground wires
7690-S-INV-3G	Skirted	Outdoor	Inverted	With ground wires
7600-S-3-RJS	Skirted	Indoor-Cabinet Mount (No Breakout Boot)	Normal	With or without ground wires
7600-T-3-RJS	Tubular	Indoor-Cabinet Mount (No Breakout Boot)	Normal	With or without ground wires
7690-S-INV-3-RJS	Skirted	Indoor-Cabinet Mount (No Breakout Boot)	Inverted	With or without ground wires
7600-S-3W	Skirted	Outdoor	Normal	Without ground wires
7600-T-3W	Tubular	Indoor	Normal	Without ground wires
7690-S-INV-3W	Skirted	Outdoor	Inverted	Without ground wires




7600-S-3G




7600-T-3G




7690-S-INV-3G




7600-S-3-RJS




7600-T-3-RJS




7690-S-INV-3-RJS



7600-S-3W



7600-T-3W



7690-S-INV-3W

placeholder

Part Number	Price
abc	\$1.00

Product Number	Page	Product Number	Page	Product Number	Page
00367	19	00969	26	01320	41
00368	19	00970	27	01321	41
00371	19	00971	27	01322	39
00372	19	00972	24	01323	39
00373	20	00973	24	01325	39
00374	20	00974	24	01327	39
00377	20	00975	24	01328	39
00379	20	00976	24	01329	39
00380	20	00977	24	01330	39
00391	20	00978	24	01331	40
00392	20	00979	24	01332	40
00393	20	00980	24	01333	40
00394	21	00981	24	01343	42
00434	21	00982	24	01344	42
00435	21	00983	24	01345	42
00436	21	01050	27	01346	42
00437	21	01053	27	01352	40
00499	21	01054	27	01362	40
00500	21	01055	27	01363	40
00501	21	01068	27	01372	40
00507	22	01069	27	01373	40
00508	22	01070	27	01375	40
00509	22	01071	27	01377	40
00907	16, 26	01072	24	01378	40
00908	16, 26	01073	25	01379	40
00909	16, 26	01075	25	01380	40
00910	16, 26	01076	25	01381	41
00911	17, 26	01077	25	01383	41
00912	23	01078	25	01391	44
00913	23	01079	25	01396	44
00914	23	01080	25	01397	44
00915	23	01081	25	01398	44
00916	23	01082	25	01406	44
00917	23	01083	25	01407	44
00918	23	01131	88	01408	44
00919	23	01198	32	01424	33
00920	23	01202	32	01425	33
00921	24	01203	32	01426	33
00950	26	01205	32	01427	33
00951	26	01206	33	01428	34
00952	26	01208	33	01432	34
00953	26	01209	33	01434	34
00954	26	01213	33	01435	34
00955	26	01318	41	01436	34
00968	26	01319	41	01437	34

Index by Product Number

Product Number	Page	Product Number	Page	Product Number	Page
01438	34	01744	5	01921	43
01439	34	01745	5	01922	43
01440	35	01768	5	01923	43
01441	35	01770	5	01927	43
01442	35	01791	6	01928	43
01443	35	01793	6	01929	43
01485	35	01794	6	01943	42
01487	35	01810	9	01944	42
01488	35	01811	9	01945	42
01493	35	01812	9, 77	01951	42
01501	28	01813	9	01952	42
01506	28	01814	10	01953	42
01545	28	01815	10	02000	60
01546	28	01816	10	02001	60
01547	28	01817	10	02002	60
01548	28	01818	10	02003	60
01549	28	01819	10	02004	60
01550	28	01820	10	02005	60
01551	29	01835	6	02006	60
01552	29	01836	6	02007	60
01556	29	01837	6	02014	60
01561	29	01838	10	02015	60
01566	29	01839	11	02016	60
01569	29	01840	11	02017	60
01633	35	01841	11	02018	60
01634	35	01842	11	02019	66
01635	35	01844	11	02020	66
01636	35	01845	11	02021	64
01637	36	01848	11	02022	64
01638	36	01850	6	02023	64
01639	36	01851	6	02032	66
01640	36	01852	7	02033	66
01641	36	01853	7	02034	66
01642	36	01860	11	02035	66
01643	36	01862	12	02036	66
01660	29	01863	12	02037	66
01661	29	01864	12	02038	66
01665	30	01865	12	02039	66
01667	30	01876	7	02040	66
01668	30	01877	7	02041	66
01675	58	01878	7	02042	67
01728	5	01879	7	02043	67
01729	5	01913	43	02044	64
01730	5	01914	43	02045	64
01743	5	01915	43	02085	18

Index by Product Number

Product Number	Page	Product Number	Page	Product Number	Page
02087	18	02641	22	05206	103
02088	18	02689	38	05207	46
02090	18	02691	38	05208	46
02091	19	02693	38	05209	46
02094	19	02697	38	05220	104
02095	19	02700	7	05260	102
02096	19	02701	7	05280	102
02220	30	02702	8	05414	120
02222	30	02704	12	05418	120
02225	30	02705	12	05419	120
02230	30	02706	12	05420	120
02231	30	02707	12	05421	120
02232	31	02708	13	05423	118
02258	21	03119	119	05440	46
02469	25	03120	119	05441	46
02470	25	03121	119	05442	46
02472	25	03148	46	05444	47
02473	25	03171	54	05448	48
02500	55	03172	54	05509	57
02510	55	03175	117	05517	55
02575	91	03192	54	05519	46
02576	91	03455	123	05520	46
02589	36	03458C	123	05530	49
02590	37	03627	23	05539	56
02591	37	03680	114	05540	56
02593	37	03681	114	05545	53
02594	37	03682	114	05546	53
02595	37	03683	114	05551	50
02596	37	03759	58	05568	53
02597	37	03778	54	05589	49
02599	37	04020	55	05645	54
02600	63	04028	57	05655	54
02601	63	04029	57	05674	44
02602	63	04050	57	05680	44
02604	63	04140	111	05703	82
02606	63	04308	119	05704	82
02621	65	04319	117	05705	85
02622	65	04698	120	05706	81
02623	65	04699	120	05707	84
02624	65	04700	120	05708	84
02625	65	04968	118	05710	67, 86
02637	22	05095	89	05711	82
02638	22	05132	58	05713	85
02639	22	05203	103	05717	68, 86
02640	23	05205	103	05718	68, 86

Index by Product Number

Product Number	Page	Product Number	Page	Product Number	Page
05719	81	05846	91	06500	103
05723	82	05847	91	06501	103
05725	85	05848	48	06502	103
05726	84	05855	51	06504	103
05727	86	05858	51	06506	108
05729	86	05860	48	06512	108
05733	85	05861	48	06518	108
05737	81	05865	52	06520	104
05738	85	05876	52	06524	108
05740	46	05887	89	06535	104
05741	46	05898	48	06536	108
05742	46	05928	83	06541	115
05744	47	05929	83	06542	115
05746	48	05954	80	06543	115
05748	48	05955	80	06545	114
05750	48	05973	80	06547	114
05751	85	05974	78	06548	114
05752	68, 87	05996	83	06560	102
05753	81	06025	80	06564	102
05755	50	06026	80	06580	102
05756	50	06027	80	06652	114
05760	84	06039	79	06653	114
05761	87	06044	78	06654	114
05766	90	06045	78	06656	114
05768	50	06046	78	06657	114
05771	50	06060	78	06696	108
05775	50	06061	78	06697	110
05776	50	06064	83	06706	108
05777	50	06065	83	06712	109
05778	51	06068	83	06718	109
05779	51	06085	79	06725	108
05781	51	06086	79	06727	108
05783	51	06300	120	06728	108
05791	51	06301	120	06732	109
05792	51	06302	120	06736	109
05800	88	06303	120	06738	109
05801	88	06305	120	06780	109
05805	88	06307	120	06781	109
05820	59	06308	120	06788	112
05830	90	06404	119	06795	112
05833	91	06405	119	06796	112
05834	91	06408	119	06802	110
05836	91	06409	119	06804	112
05842	93	06463	106	06817	114
05844	93	06484	106	06818	114

Product Number	Page	Product Number	Page	Product Number	Page
06819	114	09030	98	16019	95
06820	114	09033	99	16023	95
06845	110	09034	97	16024	96
06848	110	09038	82	16028	120
06861	111	09047	97	16098	95
06864	109	09048	84	16099	95
06865	110	09061	99	16113	96
06866	110	09062	99	16114	96
06904	111	09063	97	16115	95
06975	116	09065	97	16117	95
07413	49	09067	97	16121	96
07414	49	09082	47	16123	96
07415	49	09084	61	16124	96
07445	57	09085	61	16555	57
07447	57	09086	61	16570	94
07448	57	09087	61	16571	94
07494	44	09088	61	16572	94
07498	55	09089	97	16573	94
07910	100	09292	47	16611	94
08017	106	09413	59	16613	94
08019	106	09448	44	16861	100
08027	106	09450	45	17184	58
08029	106	10-Pro4	94	17191	58
08088	104	10-Pro5	94	17205	120
08090	105	10-Pro6	94	18368	120
08117	89	11530	121	18444	52
08193	89	11532	121	19344	100
08796	100	11533	121	20128	93
08888	100	11535	121	20129	93
08984	100, 104	11536	121	20208	72
08987	100, 104	11538	121	20209	74
08992	107	11588	121	20213	69
08993	107	11590	121	20216	77
09004	80	11592	122	20217	77
09005	98	11596	122	20221	77
09006	98	11824	45	20222	77
09007	98	13325	45	20314	70
09009	98	13619	58	20324	70
09010	98	13702	100	20325	70
09011	98	14111	45, 122	20327	72
09012	98	14736	82	20329	69
09019	99	15493	122	20338	73
09020	99	16000	96	20341	75
09023	97	16001	95	20342	76
09029	97	16010	95	20343	76

Index by Product Number

Product Number	Page	Product Number	Page	Product Number	Page
20344	76	28501	71	30482	15
20427	52	28502	69	30483	16
20443	49	28503	69	30567	17
20444	49	28505	70	30568	17
20446	49	28508	70	30569	17
20451	75	28509	70	30570	17
20452	73	28510	72	30571	17
20453	73	28511	72	30669	17
20466	75	28513	72	30671	17
20467	75	28516	72	30684	8
21210	105	28517	73	30685	8
240C-Pro1	94	28521	68	30686	8
24883	116	28522	68	30687	8
24885	116	28525	69	30760	16
25119	74	28526	69	30761	16
26332	113	28560	70	30769	18
26334	113	28562	73	30784	8
26336	113	30260	13	30785	8
26338	113	30261	13	30786	8
26340	113	30272	13	30787	9
26341	113	30273	13	308	89
26343	113	30275	13	3101	90
26344	113	30277	13	3108	90
28301	75	30278	13	3109	90
28302	75	30279	14	31434	38
28303	73	30280	14	31435	38
28304	75	30281	14	31438	38
28333	67	30282	14	31439	38
28334	72	30283	14	31440	39
28335	72	30324	76	31441	39
28336	70	30439	76	31443	39
28337	71	30440	76	31506	31
28364	74	30441	76	31547	31
28365	74	30442	76	31548	31
28383	74	30445	77	31549	31
28391	67	30460	14	31550	31
28393	76	30461	14	32220	31
28428	69	30472	14	32222	31
28429	69	30473	15	32230	32
28432	68	30475	15	32231	32
28433	68	30477	15	32232	32
28494	71	30478	15	33194	59
28496	71	30479	15	33279	81
28499	71	30480	15	359	90
28500	71	30481	15	35928	84

Product Number	Page	Product Number	Page	Product Number	Page
35929	79	76394	101, 105	88620	62
368	90	76633	122	88624	62, 123
37716	101	76769	122	88743	45
37717	101	76774	122	91971	122
37720	96	76775	122	92318	45
38984	101	76848	86	94710	120
38987	101	77340	79	98011	116
39002	80	77384	113	99420	62
39004	80	77385	113	99421	62
39009	84	77399	111	99422	62
39017	99	77400	111	99425	62
39296	101	77401	112	abc.....	126
411	89	77402	112		
44608	113	77403	112		
45090	56	77406	111		
45190	45	77407	111		
45205	45	77751	52		
45218	54	77855	52		
46004	88	79457	113		
46005	88	80055	118		
46006	88	80058	118		
46012	88	80801	58		
46013	88	81470	83		
46014	88	81471	83		
46334	113	82567	56		
46338	113	83497	47		
49048	101	83678	41		
49142	101	83679	41		
49918	39	83680	41		
50197	52	83681	41		
51151	82	83949	92		
53851	116	83950	92		
55490	109	83978	47		
55491	109	85078	83		
55512	118	85096	53		
56468	116	86278	123		
56470	116	86279	123		
56491	52	86416	92		
56573	56	86417	92		
609	89	86422	92		
61192	119	86423	92		
62334	117	86435	92		
62335	117	88600	62		
67424	92	88601	62		
67432	92	88619	123		

For product information additional questions, or Material Safety Data Sheets call: Fax On Demand (For five or less individual Material Safety Data Sheets) **1-877-366-2746**

Internet

3M.com/Marine

Visit our website for more information concerning 3M's products and solutions to your repair problems.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M, Dual Lock, Wetordry, Imperial, Green Corps, Tri-M-ite, Roloc, ScotchBlue, Thinsulate, Accuspray, Hookit, Finesse-It, Hand Masker, Stikit, Perfect-It, PPS, Pro-Pak, Fre-Cut, Scotchblok, Scotchlite, Sharpshooter, Super 77, Superbuff, Trizact, Bondo, Dynatron, Scotch, Scotch-Brite, Scotchgard, Speedglas, Cool Flow, Versaflo, Smart Lens, OCC, Fuel, Fuel X2, Light Vision, Fuel 2, Maxim, Lexa, Metaliks, Nitrous, Fectoids, Moon Dawg, Nuvo, BX, Virtua, Privo, QX, Refine, Afina, X.Sport, SX, Nassau Plus, Nassau Rave, OX, Tour-Guard, KX, Seepro Plus, Seepro, GoggleGear, Fectoggles, Centurion, Modul-R, E-A-R, Classic, Tattoo, TaperFit, E-Z-Fit, E-A-Rsoft, Nitro, Express, Pod Plugs, Push-Ins, SofTouch, Pistonz, Skull Screws, No-Touch, UltraFit, Tri-Flange, ARC Plug, E-Z Ins, Hi Fi, Yellow Neons, Peltor, Optime, Swerve, Caboflex, E-A-Rcaps, E-A-Rflex, One Touch, Uvicator are trademarks of 3M Company.



Marine

3M Center
Bldg 223-6N-01
St. Paul, MN 55144-1000
U.S.A.
© 3M 2012. All rights reserved.