



DSC Lab

FROSTBITETM

Label

WARNINGS:

- Keep in a cool, dry, and dark place.
- Do not use product after expiry date.
- Do not store near pesticides.

Although this product has been tested under a variety of conditions, DSC Lab CC does not warrant that it will be efficacious under all conditions, as the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label, as well as by the method, time and accuracy of application. DSC Lab CC furthermore does not accept any responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the product concerned due to failure of the user to follow the label instructions. Consult DSC Lab CC in case of any uncertainty.

PRECAUTIONS:

- P264 – Wash hands thoroughly after handling.
- P270 – Do not eat. Drink or smoke while using this product.
- P405 – Store locked up.

FIRST AID:

First-aid measures after inhalation: If person is unconscious seek emergency medical attention. If person is conscious remove to fresh air and call a physician.

First-aid measures after skin contact: Should pose no danger. Wipe or rinse off using water.

First-aid measures after eye contact: Flush eyes with copious amounts of water. Call physician if needed.

First-aid measures after ingestion: Ingestion, though not advised, should pose no danger. Drink water. Seek medical attention if any adverse effects are noted.

USE RESTRICTIONS:

The product should not be used for any other purpose or in any other manner contrary to the information supplied on the product label.

DIRECTIONS FOR USE:

Use only as directed.

- Shake well before use.
- Do not use the product after the expiry date.
- Use product within 12 hours after opening the container.
- Do not leave the product in the sun when not using. These are living organisms that are sensitive to sunlight.

DIRECTIONS FOR USE:

FROSTBITE is recommended for vegetables affected by white frost.

Effective up to -3 °C.

Leaf application: Use 10 packets (2 kg) per hectare. Suspend the 2 kg in as much water as can be easily handled. It can be applied directly to the plant with a spray nozzle. Use a wetting agent. Drench the leaves as thoroughly as possible.

OR

Sprinkler application: The product can be applied on the plant leaves through the sprinkler system. Use 10 packets (2 kg) per hectare.

The product should be applied in advance (at least 72 – 120 h) if frost is expected. For best results, use the product every two weeks when frost is expected.