

ISTORE · HISOLAR APP

Wifi Reconnection Guide

If your iStore Home inverter has lost WiFi after a router change, password update, or modem swap, follow these steps to reconnect. Takes about five minutes on your mobile.

About 5 minutes

HiSolar app

STEP-BY-STEP

1 Download the HiSolar app


START HERE

Search for HiSolar in the App Store or Google Play and install it on your mobile device.



2 Scan the inverter QR code

Open HiSolar, tap Scan, then point your camera at the QR sticker on the right side of the inverter. Tap Join when prompted.




3 Log in as User

Select User and enter the inverter password set by your installer. If you don't have it, contact your installer.




4 Open the Set menu

On the inverter home screen, scroll down and tap Set.




5 Tap Communication Configuration

In the Set menu, tap Communication Configuration.



6 Tap Router Connection Settings

On the Communication Configuration screen, tap Router Connection Settings.



7 Select your home WiFi

Tap the drop-down arrow and choose your home WiFi from the available networks.



8 Enter your WiFi password

Carefully type your home WiFi password. Watch for capital letters, numbers and special characters.



9 Tap Connect

Tap Connect in the top-right of the screen. The inverter will try to join your WiFi — this may take a minute.



10 Confirm Connection Successful

When Connection Successful appears at the top of the screen, the inverter is reconnected. Disconnect and close the app.

✓ **FINISHED**