

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

Publish work

search

Q

Year Model

☐ 25 models

☒ 26 models

range

☐ 501km

☐ 565km

☐ 620km

Drive form

☐ two-wheel drive

☐ f

Basic Inform...

Body

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

✦ nailed on the left side

A total of 1 models

☐ Hide identical parameters

☐ Highlight different parameters

Titanium 3 2026 620KM

Rear-Wheel Drive Flash...

< +Comparison >

153,800

Ask for the lowest price

Basic Information

Official guide price	153,800
Manufacturers	Equation Leopard
level	compact SUV
Energy type	pure electric
Launch date	2026.03
electric motor	326 horsepower pure electric
Pure electric range (km). Ministry of Industry and Information Technology.	620
Pure electric range (km). CLTC	620
High-voltage fast charging platform	- • 800V
Charging time	Fast charging in 5 minutes
Fast charging capacity (%)	10-70
Maximum power (kW).	240kW (326Ps)
Maximum torque (N·m).	305
gearbox	Electric vehicle single-speed gearbox
Length x Width x Height (mm).	4605x1900x1720
Body structure	5-door 5-seater SUV
Maximum speed (km/h)	210
Official 0-100 km/h acceleration time (s).	7.3
Energy consumption per 100 kilometers (kWh/100km).	13.6

https://www.dongchedi.com/auto/params-carlds-x-92491/12

Business cooperation

Add to desktop

Change of operating entity

Publish work

Body	
Length (mm).	4605
Width (mm).	1900
Height(mm).	1720
Wheelbase (mm).	2745
Front track width (mm).	1634
Rear track width (mm).	1650
Minimum ground clearance (mm).	-
Body structure	SUV
Number of car doors	5
Car door opening method	Hinged door 
Number of seats	5
Curb weight (kg).	2080
Full load mass (kg).	2480
Towing weight (kg).	-
Front luggage compartment volume (L).	151
Luggage compartment volume (L).	-
Minimum turning radius	-
electric motor	
Electric motor description	326 horsepower pure electric
Motor type	Permanent magnet/synchronous 
Total power of electric motors (kW).	240kW (326Ps)
Total horsepower of electric motors (Ps).	326
Total torque of the electric motor (N·m).	305
Maximum power of the front motor (kW).	-
Maximum torque of the front motor (N·m).	-
Maximum power of the rear motor (kW).	240
Maximum torque of the rear motor (N·m).	305
Number of drive motors	single motor

Business cooperation

Add to desktop

Change of operating entity

Publish work

Battery/Charging	
Battery Type	Lithium iron phosphate batteries
Battery Featured Technology	Blade Battery
Battery cell brands	Freddie
Battery pack warranty	Lifetime warranty for the first owner (exclusions are subject to official terms).
Battery capacity (kWh)	75.6
Battery energy density (Wh/kg)	-
Battery charging rate	-
Battery charging	Fast charging in 5 minutes
	fast charging interface
Maximum fast charging power (kW)	-
Fast charging port location	Right side fuel tank position
slow charging port location	Right side fuel tank position
Battery heating system	Standard configuration
Battery cooling system	direct cooling
Single pedal mode	-
VTOL mobile power station function	Standard configuration
VTOL maximum external discharge power	6kW
VTOV maximum external discharge power	-
gearbox	
Gearbox Description	Electric vehicle single-speed gearbox
Number of gears	1
Transmission type	Fixed gear ratio gearbox
Chassis/Steering	
driving method	Rear-engine, rear-wheel drive
Four-wheel drive type	-
Front suspension	Linkage strut independent suspension
Rear suspension	Multi-link independent suspension
Steering type	Electric Assist

Business cooperation

Add to desktop

Change of operating entity

Publish work

Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	235/60 R18
Rear tire specifications and dimensions	235/60 R18
Spare tire specifications	-
Spare tire placement method	-
Active safety Standard configuration Optional none	
ABS anti-lock braking system	Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	Standard configuration
Brake assist (EBA/BA, etc.)	Standard configuration
Traction control (TCS/ASR, etc.)	Standard configuration
Vehicle stability system (ESP/DSC, etc.)	Standard configuration
Active safety early warning system	Lane departure warning
	Forward Collision Warning
	Rear Collision Warning
	Rear Cross Traffic Alert
	DOW Door Opening Warning
	Traffic crossing warning ahead
	Braking for traffic ahead
Active braking	Standard configuration
Lane change assist	Standard configuration
Lane Keeping Assist	Standard configuration
Lane centering	Standard configuration
Fatigue driving warning	Standard configuration
Active DMS fatigue detection	Standard configuration
In-vehicle vital signs detection	-
Road traffic sign recognition	Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Publish work

High-Descent Control (HDC)	• Standard configuration
Variable suspension adjustment	• soft and hard
air suspension	-
Air suspension type	-
Electromagnetic induction suspension	-
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Low-speed four-wheel drive	-
Overall active steering system	-
Unique U-turn technology	-
crawling mode	-
Driving mode selection	• sports
	-
	• snow
	• Standard Comfort
	• ECO/Economy

External configuration

• Standard configuration

◦ Optional

- none

Skylight type	-
	• Panoramic Sky Screen
Panoramic Sunshade	• Standard configuration
Intelligent dimming canopy	-
Roof rack	• Standard configuration
Sport appearance kit	-
Electric spoiler	-
Active grille shutters	-
Aluminum alloy wheels	• Standard configuration
Side foot pedals	-
Frameless design car doors	-
Concealed door handles	• Standard configuration
Drag hook	-

Internal configuration

• Standard configuration

◦ Optional

- none

Business cooperation

Add to desktop

Change of operating entity

Publish work

Steering wheel adjustment

Electric steering wheel adjustment

Steering wheel functions

Gear shifting

LCD instrument panel style

LCD instrument panel dimensions (inches).

–

• Multifunctional control

• heating

• Electronic gear shifter

• Full LCD

• 8.8

Comfort/Anti-theft Configuration

• Standard configuration

◦ Optional

– none

Electric soft-close door

Electric tailgate

Sensor-activated tailgate

Electric tailgate position memory.

Central locking

Remote key type

Keyless entry

Keyless start

Remote Start

Remote-controlled moving vehicle

Vehicle summoning function

Head-up display (HUD) system

HUD projection size (inches).

Built-in dashcam

Original ETC

Active noise cancellation

Wireless charging for mobile phones

110V/220V/230V power socket

12V power outlet in luggage compartment

–

–

–

–

• Standard configuration

• Smart remote key

• Mobile Bluetooth Key

• NFC/RFID Key

• Front row

• Standard configuration

• Standard configuration

• Standard configuration

–

• Standard configuration

• 12

• Standard configuration

• Standard configuration

–

• First row 50W

–

–

Seating configuration

• Standard configuration

◦ Optional

– none

Seat material

• imitation leather

					
		Business cooperation	Add to desktop	Change of operating entity	Publish work
Seating layout	• 2+3				
Second row individual seats	-				
Electric seat adjustment	• Driver's seat				
	• Passenger seat				
Sinking rear seats fold down	-				
Driver's seat overall adjustment	• Move forward and backward				
	• Backrest angle				
	• High and low adjustment				
Driver's seat partial adjustment	• headrest				
	-				
passenger seat overall adjustment	• Move forward and backward				
	-				
	• Backrest angle				
Partial adjustment of the passenger seat	• headrest				
	-				
	-				
Second row seats are fully adjustable.	-				
Second-row seats with partial adjustment	-				
Front seat functions	• heating				
	• ventilation				
	-				
	-				
Second-row seat functions	-				
Third-row seat function	-				
Boss key.	-				
Front/rear armrests	• Front row				
	• Back row				
Rear cup holders	• Standard configuration				
Heated/cooled cup holder	-				
Rear seat folding ratio	• 40:60				
Rear seats can be folded down electrically.	-				
Second row of small tables	-				
Smart Interconnection		• Standard configuration	◦ Optional	- none	

Business cooperation Add to desktop Change of operating entity Publish work	
Central control screen material	• LCD
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	-
Roadside assistance services	• Standard configuration
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	• HUAWEI HiCar
	• Carlink
Connected Vehicles	• Standard configuration
4G/5G networks	• 5G
OTA upgrade	• Standard configuration
Facial recognition	• Standard configuration
Fingerprint recognition	-
Voiceprint recognition	-
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration
Voice regional wake-up recognition function	• Four registers
Continuous speech recognition	• Standard configuration
What is visible can be said	• Standard configuration
Voice assistant wake word	Hello Xiao Fang
Gesture control function	-
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• Two in the front row
	• Two in the back row
USB/Type-C maximum charging power	60W in the front row
	60W in the back row
Car TV	-
Rear LCD screen	-
Simulated sound waves	-
Audio Brands	-
Number of speakers	• 8

Business cooperation

Add to desktop

Change of operating entity

Publish work

Rear privacy glass	• Standard configuration
Car interior sunshade	-
Rain-sensing wipers	• Standard configuration
Rear wiper	• Standard configuration
Rear window open	-
Multi-layer soundproof glass	• Front row
Electric windshield heating	-
Heated water nozzle	-
Air conditioner/refrigerator	• Standard configuration ○ Optional - none
Air conditioning control methods	• automatic
Rear independent air conditioning	-
Rear air vents	• Standard configuration
Temperature zone control	Dual-zone air conditioning
Car air purifier	-
In-car PM2.5 filter	• Standard configuration
negative ion generator	-
In-car fragrance device	-
AQS Air Quality Management System	-
Car refrigerator	-
Car refrigerator function	-
	-
	-
Intelligent configuration	
Assisted driving operating system	• DiPilot 100
Assisted driving chip	• NVIDIA DRIVE Orin N
	○ NVIDIA DRIVE Orin X
Computing power (TOPS) of driver assistance chips	• 84
	○ 254
In-vehicle intelligent system	• DiLink
Remote control via mobile app	• Vehicle monitoring
	• Remote control
	• Charging Management

Business cooperation

Add to desktop

Change of operating entity

Publish work

• Digital Key

Heat pump management system	• Standard configuration
Number of exterior cameras (units)	• 11
	-
	-
External camera pixels	-
Number of in-vehicle cameras	• 1
In-car camera pixels	-
Number of ultrasonic radars (units)	• 12
Number of millimeter-wave radars	• 3
Number of lidar units	◦ 1
High-precision map	-
Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package • Standard configuration ◦ Optional - none	
Customized options	One optional package is available, including exterior, interior, wheels, and brakes.
Drone kit	
	-

*The above specifications are for reference only. Please refer to the actual vehicle for details. [View parameter configuration details](#) >