

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

SECTION 1: Identification

1.1 Product identifier

Trade name **Peppermint Bark**
Product number 10-41-9999

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial use

1.3 Details of the supplier of the safety data sheet

Eybna Technologies Ltd
1 HaYozma St.
4442214 Kfar Saba
Israel
Telephone: +972 3 3741976
e-mail: info@eybna.com
Website: <http://www.eybna.com/>

e-mail (competent person) Gil.ts@eybna.com (Gil Tsapovetsky)

1.4 Emergency telephone number +1 4158544820

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.6	carcinogenicity	1A	Carc. 1A	H350
A.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

- Hazard statements

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.

- Precautionary statements

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Description of the mixture

Name of substance	Wt%	Classification acc. to GHS
Proprietary Monoterpene	25 – < 50	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary Sesquiterpene	10 – < 25	Acute Tox. 4 / H302
Proprietary Sesquiterpene	5 – < 10	Acute Tox. 4 / H302
Proprietary Monoterpene	5 – < 10	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 STOT SE 3 / H335 Flam. Liq. 3 / H226
Proprietary Monoterpene	5 – < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 STOT SE 3 / H335 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary Monoterpene	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary Monoterpenic Alcohol	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 STOT SE 3 / H335 Flam. Liq. 4 / H227
Proprietary Monoterpene	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
Proprietary Oil	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317
Proprietary Monoterpene	1 – < 5	Eye Irrit. 2 / H319 Flam. Sol. 2 / H228
Proprietary Sesquiterpene	0 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304
Proprietary Alcohol	0 – < 1	Eye Irrit. 2 / H319 Carc. 1A / H350 Flam. Liq. 2 / H225
Proprietary Monoterpene	0 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary benzodioxoles	0 – < 1	Skin Sens. 1B / H317
Proprietary Monoterpene	0 – < 1	Skin Sens. 1 / H317 Flam. Liq. 4 / H227
Proprietary Ketone	0 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317

Remarks

For full text of abbreviations: see SECTION 16

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Occupational exposure limit values (Workplace Exposure Limits)										
Country	Name of substance	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	Beta-Pinene	TLV®	20	112						ACGIH® 2025
US	Delta-3-Carene	TLV®	20	112						ACGIH® 2025
US	D-Limonene	TLV®	3							ACGIH® 2025
US	Ethanol	TLV®			1,000	1,880				ACGIH® 2025
US	Ethanol	REL	1,000 (10 h)	1,900 (10 h)						NIOSH REL
US	Ethanol	PEL (CA)	1,000	1,900						Cal/OSH A PEL
US	Ethanol	PEL	1,000	1,900						29 CFR 1910.1000

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Relevant DNELs of components				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	3.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	5.69 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local effects
DNEL	66.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	2.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	16.5 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
DNEL	132 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	10 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	10 mg/m³	human, inhalatory	worker (industry)	acute - local effects
DNEL	19 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	110.2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	110.2 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	0.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Relevant DNELs of components

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1.25 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
DNEL	17.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	2.468 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Other names or synonyms	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Proprietary Monoterpene	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary Monoterpene	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpene	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpene	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	15.7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	31.7 µg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary Monoterpene	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary Monoterpene	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpene	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpene	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary Monoterpene	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary Monoterpene	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpene	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpene	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary Monoterpenic Al-	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Relevant PNECs of components					
Other names or synonyms	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
cohol					
Proprietary Monoterpenic Alcohol	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpenic Alcohol	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpenic Alcohol	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpenic Alcohol	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpenic Alcohol	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary Monoterpene	PNEC	15.6 µg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary Monoterpene	PNEC	1.56 µg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpene	PNEC	2.37 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpene	PNEC	289 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	28.9 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	48.4 µg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary Monoterpene	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary Monoterpene	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary Monoterpene	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary Monoterpene	PNEC	0.026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary Monoterpene	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
Proprietary benzodioxoles	PNEC	2.5 µg/l	aquatic organisms	freshwater	short-term (single instance)
Proprietary benzodioxoles	PNEC	0.25 µg/l	aquatic organisms	marine water	short-term (single instance)
Proprietary benzodioxoles	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Proprietary benzodioxoles	PNEC	11.9 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Proprietary benzodioxoles	PNEC	1.2 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Proprietary ben-	PNEC	0.84 µg/kg	terrestrial organisms	soil	short-term (single in-

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Relevant PNECs of components					
Other names or synonyms	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
zodioxoles					stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	154.3 °C at 1,010 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	29.5 °C at 1,013 hPa
Auto-ignition temperature	220 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	690 Pa at 20 °C
----------------	-----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

- Acute toxicity estimate (ATE)

Oral 1,206 mg/kg

Acute toxicity estimate (ATE) of components

Other names or synonyms	Exposure route	ATE
Proprietary Sesquiterpene	oral	500 mg/kg
Proprietary Sesquiterpene	oral	500 mg/kg
Proprietary Monoterpene	oral	500 mg/kg
Proprietary Monoterpene	oral	500 mg/kg
Proprietary Monoterpene	dermal	1,100 mg/kg
Proprietary Monoterpene	inhalation: vapor	11 mg/l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	Classification	Number
Proprietary Monoterpene	2B	
Proprietary Monoterpene	3	
Proprietary Alcohol	1	

Legend

- 1 Carcinogenic to humans
- 2B Possibly carcinogenic to humans
- 3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components				
Other names or synonyms	Endpoint	Value	Species	Exposure time
Proprietary Monoterpene	EC50	1.47 mg/l	aquatic invertebrates	48 h
Proprietary Monoterpene	ErC50	0.342 mg/l	algae	72 h
Proprietary Monoterpene	LC50	0.303 mg/l	fish	96 h
Proprietary Monoterpene	EC50	0.475 mg/l	aquatic invertebrates	48 h
Proprietary Monoterpene	LC50	720 µg/l	fish	96 h
Proprietary Monoterpene	EC50	688 µg/l	fish	96 h
Proprietary Monoterpene	ErC50	0.32 mg/l	algae	72 h
Proprietary Monoterpenic Alcohol	LC50	27.8 mg/l	fish	96 h
Proprietary Monoterpenic Alcohol	EC50	59 mg/l	aquatic invertebrates	48 h
Proprietary Monoterpenic Alcohol	ErC50	156.7 mg/l	algae	96 h
Proprietary Monoterpene	LC50	15.6 mg/l	fish	96 h
Proprietary Monoterpene	EC50	37.7 mg/l	aquatic invertebrates	24 h
Proprietary Monoterpene	ErC50	21.4 mg/l	algae	72 h
Proprietary Monoterpene	LC50	0.72 mg/l	fish	96 h
Proprietary Monoterpene	EC50	0.96 mg/l	aquatic invertebrates	24 h
Proprietary Monoterpene	ErC50	>1,000 mg/l	algae	72 h
Proprietary Alcohol	LC50	15,400 mg/l	fish	96 h
Proprietary Alcohol	EC50	12,700 mg/l	fish	96 h
Proprietary Alcohol	ErC50	22,000 mg/l	algae	96 h
Proprietary benzo-dioxoles	LC50	1.6 mg/l	fish	24 h
Proprietary benzo-dioxoles	EC50	82 mg/l	aquatic invertebrates	24 h
Proprietary benzo-dioxoles	ErC50	31 mg/l	algae	72 h
Proprietary	LC50	6.1 mg/l	fish	96 h

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Aquatic toxicity (acute) of components				
Other names or synonyms	Endpoint	Value	Species	Exposure time
Monoterpene				
Proprietary Monoterpene	EC50	38 mg/l	aquatic invertebrates	48 h
Proprietary Monoterpene	ErC50	19 mg/l	algae	72 h
Proprietary Ketone	LC50	13.1 mg/l	fish	96 h
Proprietary Ketone	EC50	31 mg/l	aquatic invertebrates	48 h
Proprietary Ketone	ErC50	59.9 mg/l	algae	72 h

Aquatic toxicity (chronic) of components				
Other names or synonyms	Endpoint	Value	Species	Exposure time
Proprietary Monoterpene	EC50	326 mg/l	microorganisms	3 h
Proprietary Monoterpene	EC50	<0.67 mg/l	fish	8 d
Proprietary Monoterpene	LC50	0.41 mg/l	fish	8 d
Proprietary Monoterpenic Alcohol	EC50	>100 mg/l	microorganisms	30 min
Proprietary Monoterpene	EC50	>1,000 mg/l	microorganisms	3 h
Proprietary Alcohol	LC50	1,806 mg/l	aquatic invertebrates	10 d
Proprietary Alcohol	ErC50	675 mg/l	algae	4 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

14.2 UN proper shipping name

DOT	Flammable liquid, n.o.s.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	Myrcene, Alpha-Pinene

14.3 Transport hazard class(es)

DOT	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

DOT	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Alpha-Pinene

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: Myrcene, Alpha-Pinene), 3, III, environmentally hazardous
Reportable quantity (RQ)	6,784,261 lbs (3,080,054 kg) (Butyric Acid)
Danger label(s)	3, fish and tree



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Environmental hazards yes (hazardous to the aquatic environment)
Special provisions (SP) B1, B52, IB3, T4, TP1, TP29
ERG No 128

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (Alpha-Pinene)
Danger label(s) 3, fish and tree



Special provisions (SP) 223, 274, 955
Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, S-E
Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)
Danger label(s) 3



Special provisions (SP) A3
Excepted quantities (EQ) E1
Limited quantities (LQ) 10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substances Control Act (TSCA) not all ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Alpha-Pinene	80-56-8		F3
(R)-p-mentha-1,8-diene	138-86-3		F2
Ethanol	64-17-5		CA MU

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Name of substance	CAS No	Remarks	Classifications
			TE F3

Legend

CA	Carcinogenic
F2	Flammable - Second Degree
F3	Flammable - Third Degree
MU	Mutagenic
TE	Teratogenic

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
beta-Myrcene	123-35-3		cancer
ethanol (ethyl alcohol)	64-17-5	in alcoholic beverages	developmental

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2025	From ACGIH®, 2025 TLVs® and BEIs® Book. Copyright 2025. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Peppermint Bark

Version number: GHS 1.0

Date of compilation: 2026-08-24

Abbr.	Descriptions of used abbreviations
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IM-DG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.