


WIZPLUS



Small Electric Scissor Lift Platform (Hydraulic Steering)

Model: CKJC-EH Series

Standard Models Available in Stock	Ships in 20-30 Days	FCL Sea Freight Preferred
------------------------------------	---------------------	---------------------------

Compact electric scissor lift with hydraulic steering for smooth, fully powered travel — no towing, no external power needed. Proportional handlebar controls, real-time fault diagnostics, and full built-in safety protections deliver precise, low-maintenance operation at full platform height, with working heights from 5m to 6.8m across four models to match different reach requirements.

VOLTAGE 24V DC	LIFT MOTOR 2.2 KW
HYDRAULIC TANK 4 L	BATTERY 2*12V 80Ah
CHARGER 24V 15A	DRIVE WHEEL MOTOR 0.4 KW


STANDARDS & CERTIFICATIONS

CE	ANSI	ISO 9001 QMS
----	------	--------------

Dimensions

	CKJC0503EH	CKJC5636EH	CKJC0604EH	CKJC0705EH
Safe working load (kg)	300	300	300	300
Maximum number of passengers	1	1	1	1
Maximum allowable manual force (N)	200	200	200	200
Extension platform load (kg)	113	113	113	113
Maximum allow able machine tilt	1.5°/3°	1.5°/3°	1.5°/3°	1.5°/3°
Rise and fall time (s)	20-25	20-25	20-25	25-30
Maximum travel speed(lowered/raised) (km/h)	4.0/0.5	4.0/0.5	4.0/0.5	4.0/0.5
Climbing ability (%)	25	25	25	25
Minimum ground clearance (mm)	60	60	60	60
Machine weight (kg)	710	750	780	820

WIZPLUS



SPECIFICATIONS

Maximum Working Height (mm)	5000-6800
Maximum Platform Height (mm)	A 3000-4800
Overall length (including pedals) (mm)	C 1410-1430
Overall length (excluding pedals) (mm)	1280
Overall Height (mm)	H 1880-2040

Platform Length (mm)	F 1280
Platform Width (mm)	E 700
Wheelbase (mm)	D 1040-1060
Wheelbase rear wheel (mm)	B 670
Wheelbase front wheel (mm)	670

WIZPLUS

Feature 01

Responsive Platform Joystick Control

The ergonomic joystick controller integrates function switches, status indicators and an emergency stop button for precise, responsive and safe platform operation.



Feature 02

Convenient Ground-Level Control

The lower control panel integrates operating switches, status indicators and an emergency stop button for convenient ground-level operation, inspection and emergency control.



Feature 03

Reinforced Safety Guardrail

The full-height steel guardrail features a reinforced structure and secure access gate, providing reliable protection and a safer elevated working environment.



Feature 04

Convenient Ground-Level Control

The lower control panel integrates operating switches, status indicators and an emergency stop button for easy ground operation, inspection and emergency control.

