

Beijing

search

Business cooperation

Change of operating entity

Mini Program

Download App

Publish works

search

Q

Basic Inform...

Body

engine

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

☆ nailed on the left side

ZEEKR 9X 2025 Ultra Edition 70kWh Six-Seat

< +Comparison >

500,900

Ask for the lowest price

Basic Information

Official guide price	500,900
Manufacturers	Extreme Krypton
level	large SUV
Energy type	Plug-in hybrid
Launch date	2025.09
engine	2.0T 279hp L4 Plug-in Hybrid
Pure electric range (km). Ministry of Industry and Information Technology	302
Pure electric range (km). WLTC	302
Pure electric range (km). CLTC	380
Combined driving range (km) WLTC	1049
Combined driving range (km) CLTC	1250
High-voltage fast charging platform	• 900V
Charging time	Fast charging takes 9 minutes, slow charging takes 10 hours.
Fast charging capacity (%)	20-80
Maximum engine power (kW)	205kW (279Ps)
Maximum power of the electric motor (kW)	660kW (898Ps)
Maximum engine torque (N·m)	410

https://www.dongchedi.com/auto/params-carlds-251929 1/15

Business cooperation

Change of operating entity

Publish works

<u>gearbox</u>	1st gear DHT
<u>Length x Width x Height (mm).</u>	5239x2029x1819
<u>Body structure</u>	5-door 6-seater SUV
Maximum speed (km/h)	240
<u>Official 0-100 km/h acceleration time (s).</u>	4.2
<u>WLTC combined fuel consumption (L/100km).</u>	0.39
<u>Energy consumption per 100 kilometers (kWh/100km).</u>	23.9
Minimum state-of-charge fuel consumption (L/100km) WLTC	7.1
<u>Vehicle warranty period</u>	6 years or 150,000 kilometers
Body	
<u>Length (mm).</u>	5239
<u>Width (mm).</u>	2029
<u>Height(mm).</u>	1819
<u>Wheelbase (mm).</u>	3169
<u>Front track width (mm).</u>	1725
<u>Rear track width (mm).</u>	1739
<u>Minimum ground clearance (mm).</u>	208
<u>Body structure</u>	SUV
<u>Number of car doors</u>	5
<u>Car door opening method</u>	Hinged door 
<u>Number of seats</u>	6
<u>Curb weight (kg).</u>	3045
<u>Full load mass (kg).</u>	3615
<u>Towing weight (kg).</u>	2000
<u>Fuel tank capacity (L).</u>	50.0
<u>Luggage compartment volume (L).</u>	470-2148
<u>Minimum turning radius</u>	5.95m

	Business cooperation Change of operating entity Publish works
Engine Model	DHE20-PFZ
Displacement (mL)	1974
Displacement (L)	2.0
Intake form	Turbocharged
Engine layout	Horizontal
Cylinder arrangement	L
Number of cylinders	4
Number of valves per cylinder	4
Compression ratio	-
Gas distribution mechanism	DOHC
Maximum horsepower (Ps)	279
Maximum power (kW)	205
Maximum net power (kW)	202kW (275Ps)
Maximum power speed (rpm)	5500
Maximum torque (N·m)	410
Maximum torque speed (rpm)	2000-4500
Engine thermal efficiency (%)	46
Engine-specific technology	-
fuel form	Plug-in hybrid
fuel grade	95#
fuel supply method	Direct Injection
Cylinder head material	aluminum alloy
Cylinder block material	aluminum alloy
Environmental standards	National VI b
electric motor	
Electric motor description	Plug-in hybrid with 898 horsepower
Motor type	Permanent magnet/synchronous
Total power of electric motors (kW)	660kW (898Ps)
Total horsepower of electric motors (Ps)	898

Business cooperation

Change of operating entity

Publish works

Maximum power of the front motor (kW).	290
Maximum power of the rear motor (kW).	370
Number of drive motors	Dual motors 
Motor layout	Front + Rear 
Battery/Charging	
Battery Type	ternary lithium battery 
Battery cell brands	Geely Times
Battery pack warranty	Lifetime warranty for the first owner (exclusions are subject to official terms).
Battery capacity (kWh).	70
Battery energy density (Wh/kg).	-
Battery charging rate	• 6C
Battery charging	Fast charging takes 9 minutes, slow charging takes 10 hours.
	• fast charging interface
Fast charging port location	Left fuel tank position
slow charging port location	Left fuel tank position
Battery heating system	• Standard configuration
Battery cooling system	• Liquid cooling
Single pedal mode	• Standard configuration
VTOL mobile power station function	• Standard configuration
VTOL maximum external discharge power	6kW
VTOV maximum external discharge power	60kW
gearbox	
Gearbox Description	1st gear DHT
Number of gears	1
Transmission type	Dedicated Hybrid Transmission (DHT)
Chassis/Steering	

Business cooperation

Change of operating entity

Publish works

Four-wheel drive type	Electric four-wheel drive
Front suspension	Double wishbone independent suspension
Rear suspension	Multi-link independent suspension
Steering type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	275/50 R21
Rear tire specifications and dimensions	275/50 R21
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ◦ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead

Business cooperation

Change of operating entity

Publish works

Active braking	Standard configuration
Lane change assist	Standard configuration
Lane Keeping Assist	Standard configuration
Lane centering	Standard configuration
Fatigue driving warning	Standard configuration
Active DMS fatigue detection	Standard configuration
In-vehicle vital signs detection	Standard configuration
Road traffic sign recognition	Standard configuration
Traffic light recognition	Standard configuration
Night vision system	Optional
passive safety - Standard configuration - Optional - none	
Front airbags	Driver's seat
	Passenger seat
Side airbags	Front row
Side curtain airbags	Standard configuration
Front knee airbags	-
Central airbag	Front row
Seatbelt reminder	Standard configuration
Tire pressure monitoring system	Tire pressure display 
Child car seat interface (ISOFIX)	Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration - Standard configuration - Optional - none	
Parking radar	forward
	back
Narrow Road Assist	Standard configuration
Driving assistance imaging	Reversing camera 
	Blind spot camera 
	360° panoramic imaging 

	 Business cooperation  Change of operating entity  Publish works
Cruise system	- cruise control  - Adaptive cruise control  - Full-speed adaptive cruise control 
Automatic lane change assist	Standard configuration
Automatic exit (entry) from the ramp.	Standard configuration
Navigation-assisted driving	- City Navigator - High-speed navigation
Assisted driving level	Level 2 
Automatic parking	Standard configuration
Reverse Tracking	-
Memory Parking	Standard configuration
Automatic parking (AUTOHOLD)	Standard configuration
Hill Start Assist (HAC)	Standard configuration
High-Descent Control (HDC)	Standard configuration
Engine start-stop technology	-
Variable suspension adjustment	Soft and hard + high and low
air suspension	Standard configuration
Air suspension type	Dual-chamber
Electromagnetic induction suspension	-
Magic Carpet Smart Suspension	Standard configuration
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Low-speed four-wheel drive	-
Overall active steering system	-

Business cooperation

Change of operating entity

Publish works

Electric swing/opening doors	• Standard configuration
Electric tailgate	• Standard configuration
Sensor-activated tailgate	-
Electric tailgate position memory	• Standard configuration
Engine electronic anti-theft	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Smart remote key 
	• Mobile Bluetooth Key
	• UWB Digital Key
	• NFC/RFID Key
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	◦ Optional
Head-up display (HUD) system	• Standard configuration
Augmented Reality Head-Up Display (AR-HUD)	• Standard configuration
Built-in dashcam	• Standard configuration
Original ETC	• Standard configuration
Active noise cancellation	• Standard configuration
Wireless charging for mobile phones	• First row 50W
110V/220V/230V power socket	• Standard configuration
12V power outlet in luggage compartment	-
Seating configuration • Standard configuration ◦ Optional - none	
Seat material	• Genuine Leather
Leather Seat Style	• Nappa leather
Sporty seats	-
Seating layout	• 2+2+2
Second row individual seats	• Standard configuration

	Business cooperation Change of operating entity	Publish works
Electric seat adjustment	• Driver's seat	
	• Passenger seat	
	• Second row	
	• Third row power adjustable	
Sinking rear seats fold down	-	
Driver's seat overall adjustment	• Move forward and backward	
	• Backrest angle	
	• High and low adjustment	
Driver's seat partial adjustment	• headrest	
	• waist	
	• Leg rest	
passenger seat overall adjustment	• Move forward and backward	
	• High and low adjustment	
	• Backrest angle	
Partial adjustment of the passenger seat	• headrest	
	• waist	
	• Leg rest	
Second row seats are fully adjustable.	• Move forward and backward	
	• High and low adjustment	
	• Backrest angle adjustment	
	○ Rotary adjustment 12,000 yuan	
Second-row seats with partial adjustment	• Leg rest	
	• waist	
Front seat functions	• heating	
	• ventilation	
	• memory	
	• massage	
Second-row seat functions	• heating	
	• memory	
	• ventilation	

	Business cooperation Change of operating entity Publish works
Third-row seat function	• neating
Boss key	• Standard configuration
Front/rear armrests	• Front row
	• Back row
Rear cup holders	• Standard configuration
Heated/cooled cup holder	-
Rear seat folding ratio	• 50:50
Rear seats can be folded down electrically	• Standard configuration
Second row of small tables	• Standard configuration
Smart Interconnection • Standard configuration ◦ Optional - none	
Central control screen size (inches)	• 16
Central control screen material	• OLED
	◦ led
The color screen resolution of the center console	3.5K
Passenger screen size (inches)	• 16
Passenger screen resolution (K)	• 3.5K
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	-
Roadside assistance services	• Standard configuration
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	• HUAWEI HiCar
Connected Vehicles	• Standard configuration
4G/5G networks	• 5G
OTA upgrade	• Standard configuration
Facial recognition	• Standard configuration
Fingerprint recognition	-
Voiceprint recognition	• Standard configuration
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration

Business cooperation

Change of operating entity

Publish works

Continuous speech recognition	• Standard configuration
What is visible can be said	• Standard configuration
Voice assistant wake word	Hi, EVA
Gesture control function	◦ Optional
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• 3 in the front row
	• 4 in the back row
USB/Type-C maximum charging power	60W in the front row
	100W in the back row
Car TV	-
Rear LCD screen	◦ Optional 15,000 yuan
Rear screen size (inches)	◦ 17
Rear entertainment screen resolution (K)	-
Simulated sound waves	-
Audio Brands	◦ Naim 60,000 yuan
Number of speakers	• 32
Dolby Atmos	• Standard configuration
Speaker layout	• 9.2.4.8
Maximum output power of the amplifier (W)	• 3868
Seat speakers (headrest/shoulder area)	• Standard configuration
Sky Channel	• Standard configuration
Rear multimedia control	• Standard configuration
Lighting configuration	• Standard configuration ◦ Optional - none
low beam headlights	• led 
High beams	• led
Daytime running lights	• Standard configuration
Adaptive high and low beam	• Standard configuration

							
		Business cooperation	Change of operating entity	Publish works			
Turning auxiliary lights	-						
Front fog lights	-						
Adaptive Front-lighting System (AFS)	• Standard configuration						
Headlight height adjustment	• Standard configuration						
Headlight washing function	-						
Interior ambient lighting	• 256 colors						
Active ambient lighting	-						
Lighting features	• Pixel						
Light projection technology	• Standard configuration						
Headlights delayed shut off	• Standard configuration						
Headlight rain/fog mode	-						
Glass/Rearview Mirror					• Standard configuration ◦ Optional - none		
Electric windows	• Front row						
	• Back row						
One-touch window operation	• The whole vehicle						
Anti-pinch function for car windows	• Standard configuration						
Exterior rearview mirror function	• Electric adjustment						
	• heating						
	• Electric folding						
	• memory						
	• Automatic tilting when reversing						
	• Automatic folding when locking						
Interior rearview mirror function	• Automatic anti-glare						
	• Streaming						
Car vanity mirror	• Driver's seat + lighting						
	• Passenger seat with lighting						
Rear privacy glass	• Standard configuration						
Car interior sunshade	• Rear window side sunshade						

				
		Business cooperation		Change of operating entity
				Publish works
Rain-sensing wipers	Standard configuration			
Rear wiper	Standard configuration			
Rear window open	-			
Multi-layer soundproof glass	Front row + back row			
Electric windshield heating	-			
Heated water nozzle	-			
Air conditioner/refrigerator		Standard configuration	Optional	none
Air conditioning control methods	automatic			
Rear independent air conditioning	Standard configuration			
Rear air vents	Standard configuration			
Temperature zone control	Three-zone air conditioning			
Car air purifier	-			
In-car PM2.5 filter	Standard configuration			
negative ion generator	-			
In-car fragrance device	Standard configuration			
AQS Air Quality Management System	Standard configuration			
Car refrigerator	Standard configuration			
Car refrigerator function	heating			
	refrigeration			
	freezing			
Intelligent configuration				
Assisted driving operating system	Vast Thousand Miles H7			
Assisted driving chip	NVIDIA DRIVE Thor-U			
	NVIDIA DRIVE Thor-U*2			
Computing power (TOPS) of driver assistance chips	700			
	1400			
In-vehicle intelligent system	ZEEKR OS			
In-vehicle smart chip	Qualcomm Snapdragon 8295*2			
	Digital Key			

Business cooperation

Change of operating entity

Publish works

	• Remote control
	• Charging Management
	• Service Appointment
Heat pump management system	• Standard configuration
Number of exterior cameras (units)	• 11
	◦ 13
External camera pixels	-
Number of in-vehicle cameras	• 1
	◦ 2
In-car camera pixels	-
Number of ultrasonic radars (units)	• 14
Number of millimeter-wave radars	• 5
Number of lidar units	• 1
	◦ 5
LiDAR line count (lines)	• 192
	◦ 520
High-precision map	-
Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package	• Standard configuration ◦ Optional - none
Customized options	Optional exterior, interior, wheels, and brakes

*The above specifications are for reference only. Please refer to the actual vehicle for details.
[View parameter configuration details >](#)