

WIZPLUS



SELF-PROPELLED FULL ELECTRIC ORDER PICKER

Model: OP Series

Standard Models Available in Stock	Ships in 20-30 Days	FCL Sea Freight Preferred
------------------------------------	---------------------	---------------------------

The OP Series is WIZPLUS's self-propelled, fully electric order picker for one-person elevated access in warehouses and distribution centers — compact, stable, and built for order picking, replenishment, and maintenance, with emergency lowering and interlock protection standard.

VOLTAGE	LIFT MOTOR
24V DC	24V 2.2KW
DRIVE WHEEL MOTOR	BATTERY
0.4KW	2*12V 120Ah
CHARGER	HYDRAULIC TANK
24V 15A	4 L


STANDARDS & CERTIFICATIONS

CE	ANSI	ISO 9001 QMS
----	------	--------------

Dimensions

	OPC-30	OPC-35	OPC-40	OPC-45
Safe working load (kg)	300	300	300	300
Maximum number of passengers	1	1	1	1
Maximum allowable manual force (N)	200	200	200	200
Climbing ability	25%	25%	25%	25%
Maximum allow able machine tilt	1.5°/3°	1.5°/3°	1.5°/3°	1.5°/3°
Rise and fall time (s)	20-25	20-25	28-33	28-33
Maximum travel speed(lowered/raised) km/h	4.0/0.5	4.0/0.5	4.0/0.5	4.0/0.5
Minimum height of cargo on table (mm)	560	560	560	560
Minimum height of table for standing person (mm)	350	350	350	350
Minimum ground clearance (mm)	40	40	40	40
Wheelbase (mm)	1240	1240	1400	1400
Machine weight (kg)	525	570	675	710

WIZPLUS



SPECIFICATIONS

Maximum Working Height (mm) 5000-6500

Maximum Platform Height (mm) A 3000-4500

Overall Length (mm) C 1550-1570

Overall Width (mm) 760

Overall Height (mm) H 1940-2010

Platform Length (mm) F 990

Platform Width (mm) E 700

Wheelbase (mm) D 1240-1400

Wheelbase rear wheel (mm) B 640

Wheelbase front wheel (mm) 670

WIZPLUS

Feature 01

Joystick Control

Ergonomic joystick enables smooth, precise movement and easy operation from the platform.



Feature 02

Load Tray

Tray provides practical storage space for tools, packages, and order-picking materials.



Feature 03

Platform Control Panel

Integrated controls provide convenient operation, clear status monitoring, and quick emergency stopping.



Feature 04

Blue Safety Light

Bright blue warning light improves machine visibility and alerts nearby personnel during operation.

