

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

search

Basic Inform...

Body

engine

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

Lynk & Co 900 2026 1.5T Ultra 5-seater

< +Comparison >

290,800

Ask for the lowest price

Basic Information

Official guide price	325,800
Manufacturers	Lynk & Co
level	large SUV
Energy type	Plug-in hybrid
Launch date	2026.04
engine	1.5T 194hp L4 Plug-in Hybrid
Pure electric range (km). Ministry of Industry and Information Technology	185
Pure electric range (km). WLTC	185
Pure electric range (km). CLTC	220
Combined driving range (km) WLTC	1045
Combined driving range (km) CLTC	1355
Charging time	Fast charging in 26 minutes
Fast charging capacity (%)	20-80
Maximum power (kW)	530
Maximum torque (N·m)	1000
gearbox	3-speed DHT
Length x Width x Height (mm)	5240x1999x1810
Body structure	5-door 5-seater SUV
Maximum speed (km/h)	210

https://www.dongchedi.com/auto/params-carlds-258428 1/15

Business cooperation

Add to desktop

Change of operating entity

<u>WLTC combined fuel consumption (L/100km)</u>	0.69
<u>Energy consumption per 100 kilometers (kWh/100km)</u>	21.9
<u>Minimum fuel consumption under charge (L/100km)</u> <u>Ministry of Industry and Information Technology</u>	6.95
Minimum state-of-charge fuel consumption (L/100km) WLTC	6.95
<u>Vehicle warranty period</u>	5 years or 100,000 kilometers
Body	
<u>Length (mm)</u>	5240
<u>Width (mm)</u>	1999
<u>Height(mm)</u>	1810
<u>Wheelbase (mm)</u>	3160
<u>Front track width (mm)</u>	1722
<u>Rear track width (mm)</u>	1724
<u>Minimum ground clearance (mm)</u>	194
<u>Body structure</u>	SUV
<u>Number of car doors</u>	5
<u>Car door opening method</u>	Hinged door 
<u>Number of seats</u>	5
<u>Curb weight (kg)</u>	2680
<u>Full load mass (kg)</u>	3160
<u>Towing weight (kg)</u>	-
<u>Fuel tank capacity (L)</u>	60.0
<u>Luggage compartment volume (L)</u>	1215-2568
<u>Minimum turning radius</u>	6.15m
engine	
<u>Engine Model</u>	JLM-4G15TD
<u>Displacement (mL)</u>	1499

Business cooperation

Add to desktop

Change of operating entity

Intake form	turbocharged 
Engine layout	Horizontal
Cylinder arrangement	L 
Number of cylinders	4
Number of valves per cylinder	4
Compression ratio	-
Gas distribution mechanism	DOHC 
Maximum horsepower (Ps)	194
Maximum power (kW)	143
Maximum net power (kW)	140kW (190Ps)
Maximum power speed (rpm)	5500
Maximum torque (N·m)	300
Maximum torque speed (rpm)	2000-3000
Engine thermal efficiency (%)	41
Engine-specific technology	-
fuel form	Plug-in hybrid 
fuel grade	95# 
fuel supply method	Direct Injection 
Cylinder head material	aluminum alloy
Cylinder block material	aluminum alloy
Environmental standards	National VI 
electric motor	
Electric motor description	Plug-in hybrid 530 horsepower
Motor type	Permanent magnet/synchronous 
Total power of electric motors (kW)	390kW (530Ps)
Total horsepower of electric motors (Ps)	530
Total torque of the electric motor (N·m)	700
Maximum power of the front motor (kW)	160

 Business cooperation
  Add to desktop
  Change of operating entity

<u>Maximum power of the rear motor (kW).</u>	230
<u>Maximum torque of the rear motor (N·m).</u>	350
<u>System total power (kW).</u>	530
<u>System combined torque (N·m).</u>	1000
<u>Number of drive motors</u>	Dual motors 
<u>Motor layout</u>	Front + Rear 
Battery/Charging	
<u>Battery Type</u>	ternary lithium battery 
<u>Battery cell brands</u>	China Innovation Aviation
<u>Battery pack warranty.</u>	Lifetime warranty for the first owner (exclusions are subject to official terms).
<u>Battery capacity (kWh).</u>	44.85
<u>Battery energy density (Wh/kg).</u>	-
<u>Battery charging rate</u>	-
<u>Battery charging</u>	Fast charging in 26 minutes
	fast charging interface
<u>Fast charging port location</u>	Left fuel tank position
<u>slow charging port location</u>	Left fuel tank position
<u>Battery heating system</u>	Standard configuration
Battery cooling system	Liquid cooling
<u>Single pedal mode</u>	-
<u>VTOL mobile power station function</u>	Standard configuration
<u>VTOL maximum external discharge power</u>	6.6kW
<u>VTOV maximum external discharge power</u>	-
gearbox	
<u>Gearbox Description</u>	3-speed DHT
<u>Number of gears</u>	3
<u>Transmission type</u>	Dedicated Hybrid Transmission (DHT)

Business cooperation

Add to desktop

Change of operating entity

driving_method	Front-engine, four-wheel drive
Four-wheel drive_type	Electric four-wheel drive
Front suspension	Double wishbone independent suspension
Rear suspension	Multi-link independent suspension
Steering_type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake_type	Ventilation disc
Rear brake_type	Ventilation disc
Parking brake_type	Electronic parking brake
Front tire specifications and dimensions	275/45 R21
Rear tire specifications and dimensions	275/45 R21
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ◦ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead

Business cooperationAdd to desktopChange of operating entity

Active braking	• Standard configuration
Lane change assist	• Standard configuration
Lane Keeping Assist	• Standard configuration
Lane centering	• Standard configuration
Fatigue driving warning	• Standard configuration
Active DMS fatigue detection	• Standard configuration
In-vehicle vital signs detection	• Standard configuration
Road traffic sign recognition	• Standard configuration
Traffic light recognition	• Standard configuration
Night vision system	-
passive safety • Standard configuration ◦ Optional - none	
Front airbags	• Driver's seat
	• Passenger seat
Side airbags	• Front row
	• Back row
Side curtain airbags	• Standard configuration
Front knee airbags	-
Central airbag	• Front row
Seatbelt reminder	• Standard configuration
Tire pressure monitoring system	• Tire pressure display 
Child car seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration • Standard configuration ◦ Optional - none	
Parking radar	• forward
	• back
Narrow Road Assist	• Standard configuration
Driving assistance imaging	• Reversing camera 
	• Blind spot camera 

 Business cooperation
  Add to desktop
  Change of operating entity

	Transparent Image
Cruise system	cruise control 
	Adaptive cruise control 
	Full-speed adaptive cruise control 
Automatic lane change assist	Standard configuration
Automatic exit (entry) from the ramp.	Standard configuration
Navigation-assisted driving	High-speed navigation
	City Navigator
Assisted driving level	Level 2 
Automatic parking	Standard configuration
Reverse Tracking	Standard configuration
Memory Parking	Standard configuration
Automated valet parking	Standard configuration
Automatic parking (AUTOHOLD)	Standard configuration
Hill Start Assist (HAC)	Standard configuration
High-Descent Control (HDC)	Standard configuration
Engine start-stop technology	-
Variable suspension adjustment	Soft and hard + high and low
air suspension	Standard configuration
Air suspension type	Dual-chamber
Electromagnetic induction suspension	-
Magic Carpet Smart Suspension	Standard configuration
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-

Business cooperation

Add to desktop

Change of operating entity

Overall active steering system	-
Unique U-turn technology	-
Driving mode selection	• sports
	• Off-road
	• snow

External configuration

• Standard configuration

◦ Optional

- none

Skylight type	• Sectional, non-opening sunroof
Panoramic Sunshade	• Standard configuration
Intelligent dimming canopy	-
Roof rack	• Standard configuration
Sport appearance kit	-
Electric spoiler	-
Active grille shutters	• Standard configuration
Aluminum alloy wheels	• Standard configuration
Side foot pedals	◦ electric 10,000 yuan
Frameless design car doors	-
Concealed door handles	• Standard configuration
Drag hook	-

Internal configuration

• Standard configuration

◦ Optional

- none

Steering wheel material	• Genuine Leather
Steering wheel adjustment	• Up and down + front and back
Electric steering wheel adjustment	• Standard configuration
Steering wheel functions	• Multifunctional control
	• memory
	• heating
Gear shifting	• Electronic shifter
LCD instrument panel style	• Full LCD
LCD instrument panel dimensions (inches)	• 12.66

Comfort/Anti-theft features

• Standard configuration

◦ Optional

- none

Electric soft-close door	• Standard configuration
--	--------------------------

Business cooperation

Add to desktop

Change of operating entity

Sensor-activated tailgate	• Standard configuration
Electric tailgate position memory	• Standard configuration
Engine electronic anti-theft	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Smart remote key 
	• NFC/RFID Key
	• UWB Digital Key
	• Mobile Bluetooth Key
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	-
Head-up display (HUD) system	• Standard configuration
Augmented Reality Head-Up Display (AR-HUD)	• Standard configuration
Built-in dashcam	• Standard configuration
Active noise cancellation	-
Wireless charging for mobile phones	• First row 50W
110V/220V/230V power socket	• Standard configuration
12V power outlet in luggage compartment	-
Seating configuration • Standard configuration ○ Optional - none	
Seat material	• Genuine Leather
Leather Seat Style	• Nappa leather
Sporty seats	-
Seating layout	• 2+3
Second row individual seats	-
Electric seat adjustment	• Driver's seat
	• Passenger seat
	• Second row

	 Business cooperation  Add to desktop  Change of operating entity
Driver's seat overall adjustment	• Move forward and backward • Backrest angle • High and low adjustment
Driver's seat partial adjustment	• headrest • waist
passenger seat overall adjustment	• Move forward and backward • High and low adjustment • Backrest angle
Partial adjustment of the passenger seat	• headrest • waist • Leg rest
Second row seats are fully adjustable.	• Move forward and backward • Backrest angle adjustment
Second-row seats with partial adjustment	• Leg rest
Front seat functions	• heating • ventilation • memory • massage
Second-row seat functions	• heating • ventilation • massage
Third-row seat function	–
Boss key	• Standard configuration
Front/rear armrests	• Front row • Back row
Rear cup holders	• Standard configuration
Heated/cooled cup holder	–
Fold the front seats flat	• Standard configuration
Rear seat folding ratio	• 40:60
Rear seats can be folded down electrically.	• Standard configuration



Business cooperation

Add to desktop

Change of operating entity

Smart Interconnection

• Standard configuration ◦ Optional - none

[Central control screen size \(inches\)](#)

• 30

[Central control screen material](#)

• LCD

[The color screen resolution of the center console](#)

6K (5120x1600)

Satellite navigation system

• Standard configuration

[AR Real-Scene Navigation](#)

-

[Roadside assistance services](#)

• Standard configuration

[Bluetooth/Car Phone](#)

• Standard configuration

[Mobile phone interconnection mapping](#)

• Flyme Link

• Carlink

• HUAWEI HiCar

• CarPlay 

• Original factory product

[Connected Vehicles](#)

• Standard configuration

[4G/5G networks](#)

• 5G

[OTA upgrade](#)

• Standard configuration

[Facial recognition](#)

• Standard configuration

[Fingerprint recognition](#)

-

[Voiceprint recognition](#)

• Standard configuration

[Voice recognition control system](#)

• Standard configuration

[Voice wake-up-free function](#)

• Standard configuration

[Voice regional wake-up recognition function](#)

• Four registers

[Continuous speech recognition](#)

• Standard configuration

[What is visible can be said](#)

• Standard configuration

[Voice assistant wake word](#)

Hi Lynk & Co

[Gesture control function](#)

• Standard configuration

[Wi-Fi hotspot](#)

• Standard configuration

Audio-visual entertainment

• Standard configuration ◦ Optional - none

[Multi-finger swipe control](#)

• Standard configuration

[App Store](#)

• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

	• One in the back row
USB/Type-C maximum charging power	60W in the front row 100W in the back row
Car TV	-
Rear LCD screen	• Standard configuration
Rear screen size (inches)	• 30+6
Rear entertainment screen resolution (K)	• 6K
Simulated sound waves	-
Audio Brands	• Harman Kardon 
Number of speakers	• twenty three ◦ 31 10,000 yuan
Dolby Atmos	• Standard configuration
Speaker layout	◦ 7.1.4
Maximum output power of the amplifier (W)	• 1600 ◦ 2640
Seat speakers (headrest/shoulder area)	• Standard configuration
Sky Channel	• Standard configuration
Rear multimedia control	• Standard configuration
Lighting configuration • Standard configuration ◦ Optional - none	
low beam headlights	• led 
High beams	• led
Daytime running lights	• Standard configuration
Adaptive high and low beam	• Standard configuration
Automatic headlights	• Standard configuration
Turning auxiliary lights	• Standard configuration
Front fog lights	-
Adaptive Front-lighting System (AFS)	-
Headlight height adjustment	• Standard configuration
Headlight washing function	-
Interior ambient lighting	• 256 colors

				
		Business cooperation	Add to desktop	Change of operating entity
Lighting features	-			
Light projection technology	-			
Headlights delayed shut off	• Standard configuration			
Headlight rain/fog mode	-			
Glass/Rearview Mirror		• Standard configuration	◦ Optional	- none
Electric windows	• Front row			
	• Back row			
One-touch window operation	• The whole vehicle			
Anti-pinch function for car windows	• Standard configuration			
Exterior rearview mirror function	• Electric adjustment			
	• heating			
	• Electric folding			
	• memory			
	• Automatic tilting when reversing			
	• Automatic folding when locking			
Interior rearview mirror function	• Automatic anti-glare			
Car vanity mirror	• Driver's seat + lighting			
	• Passenger seat with lighting			
Rear privacy glass	• Standard configuration			
Car interior sunshade	• Rear window side sunshade 			
Rain-sensing wipers	• Standard configuration			
Rear wiper	• Standard configuration			
Rear window open	-			
Multi-layer soundproof glass	• Front row + back row			
Electric windshield heating	-			
Heated water nozzle	-			
Air conditioner/refrigerator		• Standard configuration	◦ Optional	- none



Business cooperation



Add to desktop



Change of operating entity

Rear independent air conditioning	Standard configuration
Rear air vents	Standard configuration
Temperature zone control	Three-zone air conditioning
Car air purifier	Standard configuration
In-car PM2.5 filter	Standard configuration
negative ion generator	Standard configuration
In-car fragrance device	Standard configuration
AQS Air Quality Management System	Standard configuration
Car refrigerator	Standard configuration
Car refrigerator function	heating
	refrigeration
	freezing
Intelligent configuration	
Assisted driving operating system	Vast Thousand Miles H7
Assisted driving chip	NVIDIA Drive Thor
Computing power (TOPS) of driver assistance chips	700
In-vehicle intelligent system	LYNK Flyme Auto
In-vehicle smart chip	Qualcomm Snapdragon 8295*2
Vehicle infotainment system memory (GB).	24+16
Vehicle infotainment system storage (GB).	256+128
Remote control via mobile app	Digital Key
	Vehicle monitoring
	Remote control
	Charging Management
	Service Appointment
Heat pump management system	-
Maximum forward detection range (m).	280

Business cooperation

Add to desktop

Change of operating entity

External camera pixels	-
Number of in-vehicle cameras	• 2
In-car camera pixels	-
Number of ultrasonic radars (units)	• 12
Number of millimeter-wave radars	• 5
Number of lidar units	• 1
LiDAR line count (lines)	• 126
High-precision map	• Standard configuration
Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package	• Standard configuration ◦ Optional - none
Customized options	Optional exterior, interior, wheels, and brakes

*The above specifications are for reference only. Please refer to the actual vehicle for details.
[View parameter configuration details >](#)