

The logo for ALURA SYSTEMS is located in the top left corner. It features the word "ALURA" in a large, bold, white sans-serif font, with a small red triangle integrated into the letter "A". Below "ALURA", the word "SYSTEMS" is written in a smaller, white, spaced-out sans-serif font. The background of the top section consists of a dark blue area with fine white diagonal lines, transitioning into a solid blue area on the right.

ALURA
SYSTEMS

SLIMLINE

The main image shows a modern architectural railing system, the ALURA SLIMLINE, installed on a rooftop terrace. The railing is composed of dark, vertical, rectangular slats that create a rhythmic pattern. The sun is shining from the upper left, casting long, sharp shadows of the railing onto the light-colored tiled floor. The sky is a clear, bright blue. In the bottom right corner, there is a blue geometric shape containing white text.

Standards stay the same,
innovation never ends...

SLIMLINE

SL25 Modern Aluminium Railing with Ultra Slim Design by ALURA

SL25 system is characterized by a minimalist design, achieved by slimming the post and railing. Thanks to this, it looks like balustrades made of steel, but at the same time it is devoid of unsightly welding joints.

Like other ALURA railing systems, the SL25 SlimLine system has been designed to ensure functionality and maximum safety of use of the balcony despite its smaller cross-sections.

A collage of images showing the ALURA SL25 SlimLine railing system installed on various balconies and terraces of a modern building. The railing is a dark, slim profile. The building features large glass windows and doors, and some balconies have wooden cladding. The background is a clear blue sky.

Aesthetic finish!


The aluminium profiles are made of extruded aluminum, powder-coated in any RAL color. The most trend colors are RAL 7016 & RAL 9005.

Quick and easy assembly!


All connections are screwed or riveted on painted aluminium profiles, so there is no need to weld anything. By default, all profiles are available in a length of 6 m and rail profile can be delivered with pre-drilled holes optionally which will provide fast and easy installation.

Guarantee of quality!


ALURA Systems balustrades are very resistant to weather conditions and require virtually no maintenance throughout their entire service life.




Code: **P-1600**
0,343 kg/m




Code: **P-1603**
0,698 kg/m





Code: **P-1602**
0,640 kg/m



Code: **P-1604**
1,331 kg/m



Code: **P-1602D**
CNC Pre-Drilled Rail Profile




System is produced in RAL powder coating finish only


ACCESSORIES



Code: **AK-5598**
Countersunk Type
Aluminium Base Flange




Code: **AK-5417**
Foot Base




Code: **AK-5418**
Rail Connector



Code: **AK-5419**
Wall Connector



Code: **AK-5434**
Handrail Endcap




Code: **AK-5448**
Welded Aluminium Corner



Code: **AK-5449**
Steel Corner Bracket



Code: **AK-5398**
Side Mount Bracket



■ **ALURA SYSTEMS**

International Business Development & Project
Partnerships

Business Office

Mermerciler Sanayi Sitesi 7. Cd. No: 6
Yakuplu, Beylikdüzü / İstanbul / Türkiye

P: +90 533 145 88 10
E: info@alurasystems.com
W: www.alurasystems.com