


Product Information: Glassware

Beakers

Cat.No.	Designation	Volume ml	Measures mm	Quality
1929/50	Beaker, high form, graduated	50	70 (h), 38 (d)	Duran
1929/100	Beaker, high form, graduated	100	80 (h), 48 (d)	Duran
1929/150	Beaker, high form, graduated	150	95 (h), 54 (d)	Duran
1929/250	Beaker, high form, graduated	250	120 (h), 60 (d)	Duran
1929/400	Beaker, high form, graduated	400	130 (h), 70 (d)	Duran
1929/600	Beaker, high form, graduated	600	150 (h), 80 (d)	Duran
1929/800	Beaker, high form, graduated	800	175 (h), 90 (d)	Duran
1929/1000	Beaker, high form, graduated	1000	180 (h), 95 (d)	Duran
1929/2000	Beaker, high form, graduated	2000	240 (h), 120 (d)	Duran
1930/25	Beaker, low form, graduated	25	50 (h), 34 (d)	Duran
1930/50	Beaker, low form, graduated	50	60 (h), 42 (d)	Duran
1930/100	Beaker, low form, graduated	100	70 (h), 50 (d)	Duran
1930/150	Beaker, low form, graduated	150	80 (h), 60 (d)	Duran
1930/250	Beaker, low form, graduated	250	95 (h), 70 (d)	Duran
1930/400	Beaker, low form, graduated	400	110 (h), 80 (d)	Duran
1930/600	Beaker, low form, graduated	600	125 (h), 90 (d)	Duran
1930/800	Beaker, low form, graduated	800	135 (h), 100 (d)	Duran
1930/1000	Beaker, low form, graduated	1000	145 (h), 105 (d)	Duran
1930/2000	Beaker, low form, graduated	2000	185 (h), 132 (d)	Duran
1930/3000	Beaker, low form, graduated	3000	210 (h), 152 (d)	Duran
1930/5000	Beaker, low form, graduated	5000	270 (h), 170 (d)	Duran
11929/50	Beaker, high form, graduated	50	70 (h), 38 (d)	Boro 3,3
11929/100	Beaker, high form, graduated	100	80 (h), 48 (d)	Boro 3,3
11929/150	Beaker, high form, graduated	150	95 (h), 54 (d)	Boro 3,3
11929/250	Beaker, high form, graduated	250	120 (h), 60 (d)	Boro 3,3
11929/400	Beaker, high form, graduated	400	130 (h), 70 (d)	Boro 3,3
11929/600	Beaker, high form, graduated	600	150 (h), 80 (d)	Boro 3,3
11929/800	Beaker, high form, graduated	800	175 (h), 90 (d)	Boro 3,3
11929/1000	Beaker, high form, graduated	1000	180 (h), 95 (d)	Boro 3,3
11929/2000	Beaker, high form, graduated	2000	240 (h), 120 (d)	Boro 3,3
11930/25	Beaker, low form, graduated	25	50 (h), 34 (d)	Boro 3,3
11930/50	Beaker, low form, graduated	50	60 (h), 42 (d)	Boro 3,3
11930/100	Beaker, low form, graduated	100	70 (h), 50 (d)	Boro 3,3
11930/150	Beaker, low form, graduated	150	80 (h), 60 (d)	Boro 3,3
11930/250	Beaker, low form, graduated	250	95 (h), 70 (d)	Boro 3,3
11930/400	Beaker, low form, graduated	400	110 (h), 80 (d)	Boro 3,3
11930/600	Beaker, low form, graduated	600	125 (h), 90 (d)	Boro 3,3
11930/800	Beaker, low form, graduated	800	135 (h), 100 (d)	Boro 3,3
11930/1000	Beaker, low form, graduated	1000	145 (h), 105 (d)	Boro 3,3
11930/2000	Beaker, low form, graduated	2000	185 (h), 132 (d)	Boro 3,3
11930/3000	Beaker, low form, graduated	3000	210 (h), 152 (d)	Boro 3,3



Glass bottles


Graduated, clear glass without twist cap

Cat.No.	Designation	Volume ml	Quality
1330/50	Bottle threaded	50	Duran or Boro 3.3
1330/100	Bottle threaded	100	Duran or Boro 3.3
1330/250	Bottle threaded	250	Duran or Boro 3.3
1330/500	Bottle threaded	500	Duran or Boro 3.3
1330/1000	Bottle threaded	1000	Duran or Boro 3.3
1330/2000	Bottle threaded	2000	Duran or Boro 3.3
1330/50	Bottle threaded	50	Duran or Boro 3.3

Erlenmeyer flask

Narrow neck, with DIN ISO 1773

Cat.No.	Designation	Volume ml	Diameter mm	Diameter 1 mm	Height mm	Quality
1940/25	Erlenmeyer flask, graduated, narrow neck	25	42	22	75	Duran
1940/50	Erlenmeyer flask, graduated, narrow neck	50	51	22	90	Duran
1940/100	Erlenmeyer flask, graduated, narrow neck	100	64	22	105	Duran
1940/200	Erlenmeyer flask, graduated, narrow neck	200	79	34	131	Duran
1940/250	Erlenmeyer flask, graduated, narrow neck	250	85	34	145	Duran
1940/300	Erlenmeyer flask, graduated, narrow neck	300	87	34	156	Duran
1940/500	Erlenmeyer flask, graduated, narrow neck	500	105	34	180	Duran
1940/1000	Erlenmeyer flask, graduated, narrow neck	1000	131	42	220	Duran
1940/2000	Erlenmeyer flask, graduated, narrow neck	2000	166	50	280	Duran
1940/3000	Erlenmeyer flask, graduated, narrow neck	3000	187	51	310	Duran
1940/5000	Erlenmeyer flask, graduated, narrow neck	5000	220	51	365	Duran
11940/25	Erlenmeyer flask, graduated, narrow neck	25	42	22	75	Boro 3,3
11940/50	Erlenmeyer flask, graduated, narrow neck	50	51	22	90	Boro 3,3
11940/100	Erlenmeyer flask, graduated, narrow neck	100	64	22	105	Boro 3,3
11940/200	Erlenmeyer flask, graduated, narrow neck	200	79	34	131	Boro 3,3
11940/250	Erlenmeyer flask, graduated, narrow neck	250	85	34	145	Boro 3,3
11940/300	Erlenmeyer flask, graduated, narrow neck	300	87	34	156	Boro 3,3
11940/500	Erlenmeyer flask, graduated, narrow neck	500	105	34	180	Boro 3,3
11940/1000	Erlenmeyer flask, graduated, narrow neck	1000	131	42	220	Boro 3,3
11940/2000	Erlenmeyer flask, graduated, narrow neck	2000	166	50	280	Boro 3,3
11940/3000	Erlenmeyer flask, graduated, narrow neck	3000	187	51	310	Boro 3,3
11940/5000	Erlenmeyer flask, graduated, narrow neck	5000	220	51	365	Boro 3,3




Wide neck, with DIN ISO 12385

Cat.No.	Designation	Volume ml	Diameter mm	Diameter 1 mm	Height mm	Quality
1941/25	Erlenmeyer flask, graduated, wide neck	25	43	31	70	Duran
1941/50	Erlenmeyer flask, graduated, wide neck	50	51	34	85	Duran
1941/100	Erlenmeyer flask, graduated, wide neck	100	64	34	105	Duran
1941/200	Erlenmeyer flask, graduated, wide neck	200	79	50	131	Duran
1941/250	Erlenmeyer flask, graduated, wide neck	250	85	50	140	Duran
1941/300	Erlenmeyer flask, graduated, wide neck	300	87	50	156	Duran
1941/500	Erlenmeyer flask, graduated, wide neck	500	105	50	175	Duran
1941/1000	Erlenmeyer flask, graduated, wide neck	1000	131	50	220	Duran
1941/2000	Erlenmeyer flask, graduated, wide neck	2000	153	72	276	Duran
1941/3000	Erlenmeyer flask, graduated, wide neck	3000	187	51	310	Duran
1941/5000	Erlenmeyer flask, graduated, wide neck	5000	220	51	365	Duran
11941/25	Erlenmeyer flask, graduated, wide neck	25	43	31	70	Boro 3,3
11941/50	Erlenmeyer flask, graduated, wide neck	50	51	34	85	Boro 3,3
11941/100	Erlenmeyer flask, graduated, wide neck	100	64	34	105	Boro 3,3
11941/200	Erlenmeyer flask, graduated, wide neck	200	79	50	131	Boro 3,3
11941/250	Erlenmeyer flask, graduated, wide neck	250	85	50	140	Boro 3,3
11941/300	Erlenmeyer flask, graduated, wide neck	300	87	50	156	Boro 3,3
11941/500	Erlenmeyer flask, graduated, wide neck	500	105	50	175	Boro 3,3
11941/1000	Erlenmeyer flask, graduated, wide neck	1000	131	50	220	Boro 3,3
11941/2000	Erlenmeyer flask, graduated, wide neck	2000	153	72	276	Boro 3,3
11941/3000	Erlenmeyer flask, graduated, wide neck	3000	187	51	310	Boro 3,3
11941/5000	Erlenmeyer flask, graduated, wide neck	5000	220	51	365	Boro 3,3

Reinforced neck, without stopper

Cat.No.	Designation	Volume ml	NS	Quality
1915/25	Erlenmeyer flask, standard base	25	14	Boro 3,3
1915/50	Erlenmeyer flask, standard base	50	29	Boro 3,3
1915/519	Erlenmeyer flask, standard base	50	19	Boro 3,3
1915/100	Erlenmeyer flask, standard base	100	29	Boro 3,3
1915/119	Erlenmeyer flask, standard base	100	19	Boro 3,3
1915/200	Erlenmeyer flask, standard base	200	29	Boro 3,3
1915/250	Erlenmeyer flask, standard base	250	29	Boro 3,3
1915/2545	Erlenmeyer flask, standard base	250	45	Boro 3,3
1915/300	Erlenmeyer flask, standard base	300	29	Boro 3,3
1915/500	Erlenmeyer flask, standard base	500	29	Boro 3,3
1915/5045	Erlenmeyer flask, standard base	500	45	Boro 3,3
1915/1000	Erlenmeyer flask, standard base	1000	29	Boro 3,3
1915/1045	Erlenmeyer flask, standard base	1000	45	Boro 3,3
1915/2000	Erlenmeyer flask, standard base	2000	29	Boro 3,3



Reinforced neck, with NS glass stopper

Cat.No.	Designation	Volume ml	NS	Quality
1918/25	Erlenmeyer flask, standard base	25	14/23	Boro 3,3
1918/50	Erlenmeyer flask, standard base	50	29/32	Boro 3,3
1918/119	Erlenmeyer flask, standard base	100	19/26	Boro 3,3
1918/100	Erlenmeyer flask, standard base	100	29/32	Boro 3,3
1918/200	Erlenmeyer flask, standard base	200	19/32	Boro 3,3
1918/250	Erlenmeyer flask, standard base	250	29/32	Boro 3,3
1918/300	Erlenmeyer flask, standard base	300	29/32	Boro 3,3
1918/500	Erlenmeyer flask, standard base	500	29/32	Boro 3,3
1918/1000	Erlenmeyer flask, standard base	1000	29/32	Boro 3,3

Narrow neck, thick walled

Cat.No.	Designation	Volume ml	NS	Quality
151498125	Erlenmeyer flask	125	Duran	10 pcs

Measuring cylinders in glass


Duran® / Boro 3.3 with blue graduation "Assistant permanent", standard type, hexagonal base.

Cat.No.	Designation	Volume ml	Quality
2170/5	Measuring cylinder, high form	5	Duran eller Boro 3.3
2170/10	Measuring cylinder, high form	10	Duran eller Boro 3.3
2170/25	Measuring cylinder, high form	25	Duran eller Boro 3.3
2170/50	Measuring cylinder, high form	50	Duran eller Boro 3.3
2170/100	Measuring cylinder, high form	100	Duran eller Boro 3.3
2170/250	Measuring cylinder, high form	250	Duran eller Boro 3.3
2170/500	Measuring cylinder, high form	500	Duran eller Boro 3.3
2170/1000	Measuring cylinder, high form	1000	Duran eller Boro 3.3
2170/2000	Measuring cylinder, high form	2000	Duran eller Boro 3.3

Test tubes in glass

Cat.No.	Designation	Material	Measures mm	Wall thickness mm	Packaging Pcs/cart.
1070601	R1 AR-glass with rim	AR-glass	160x1/16	0,5-0,6	100
1070602	R2 Heat-resistant Fiolax-glass w/rim	Fiolax-glass	160x15/16	0,6-0,8	100
1070603	R3 AR-glass, thick wall, w/o rim	AR-glass	160x15/16	1,2	100
1070604	R4 AR-glass, thick wall, w/o rim	AR-glass	160x15/16	0,8-1,0	780
1070605	R5 AR-glass, w/o rim	AR-glass	75x10	0,5-0,6	1000
1070606	R6 AR-glass, w/o rim	AR-glass	75x12	0,5-0,6	1000
1070609	R7 Borosilicate glass 3.3, w/o rim	Boro 3.3	160x15/16	1,1-1,2	100 (10x78)
1070610	R8 AR-glass, w/o rim	AR-glass	135x15/16	0,7-0,8	300
1070611	R9 Heat-resistant Fiolax-glass w/rim	Fiolax-glass	114x20/20,5	0,8	68

Skanem



• Skanem AS
Ryfylkegaten 9,
4014 Stavanger, Norway

+47 51 85 97 80
Org. no: NO 977 337 445 MVA

skanem.com