

Beijing

search

Business cooperation

Add to desktop

Change of operating entity

Mini Program

Download App

search

Q

Basic Inform...

Body

engine

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model.

☐ Hide identical parameters

☐ Highlight different parameters

Li Auto L9 2026 Ultra

< +Comparison >

459,800

Ask for the lowest price

Basic Information

Official guide price	459,800
Manufacturers	Li Auto
level	large SUV
Energy type	Range extender
Launch date	2026.05
electric motor	571 horsepower extended range
Pure electric range (km). Ministry of Industry and Information Technology	350
Pure electric range (km). WLTC	350
Pure electric range (km). CLTC	420
Combined driving range (km) WLTC	1370
Combined driving range (km) CLTC	1650
High-voltage fast charging platform	• 800V
Charging time	Fast charging in 10 minutes
Fast charging capacity (%).	10-80
Maximum power (kW).	420kW (571Ps)
Maximum torque (N·m).	710
gearbox	Electric vehicle single-speed gearbox
Length x Width x Height (mm).	5255x2000x1810

Business cooperation

Add to desktop

Change of operating entity

maximum speed (km/h)	200
Official 0-100 km/h acceleration time (s)	4.9
WLTC combined fuel consumption (L/100km)	0.23
Energy consumption per 100 kilometers (kWh/100km)	22.8
Minimum fuel consumption under charge (L/100km) Ministry of Industry and Information Technology	6.3
Minimum state-of-charge fuel consumption (L/100km) WLTC	6.3
Vehicle warranty period	5 years or 100,000 kilometers
Body	
Length (mm)	5255
Width (mm)	2000
Height (mm)	1810
Wheelbase (mm)	3125
Front track width (mm)	1710
Rear track width (mm)	1725
Minimum ground clearance (mm)	172
Body structure	SUV
Number of car doors	5
Car door opening method	Hinged door 
Number of seats	6
Curb weight (kg)	2755
Full load mass (kg)	3435
Towing weight (kg)	1500
Fuel tank capacity (L)	60.0
Luggage compartment volume (L)	-
Minimum turning radius	5.3m
engine	

Business cooperation

Add to desktop

Change of operating entity

<u>Displacement (mL)</u>	1498
<u>Displacement (L)</u>	1.5
<u>Intake form</u>	Turbocharged
<u>Engine layout</u>	Horizontal
<u>Cylinder arrangement</u>	L
<u>Number of cylinders</u>	4
<u>Number of valves per cylinder</u>	4
<u>Compression ratio</u>	15.2
<u>Gas distribution mechanism</u>	DOHC
<u>Maximum horsepower (Ps)</u>	156
<u>Maximum power (kW)</u>	115
<u>Maximum net power (kW)</u>	112kW (152Ps)
<u>Maximum power speed (rpm)</u>	4800
<u>Maximum torque (N·m)</u>	245
<u>Maximum torque speed (rpm)</u>	2500-4000
<u>Engine-specific technology</u>	-
<u>fuel form</u>	Range extender
<u>fuel grade</u>	95#
<u>fuel supply method</u>	Direct Injection
<u>Cylinder head material</u>	aluminum alloy
<u>Cylinder block material</u>	aluminum alloy
<u>Environmental standards</u>	National VI b
electric motor	
<u>Electric motor description</u>	571 horsepower extended range
<u>Motor type</u>	Front induction/asynchronous rear permanent magnet/synchronous
<u>Total power of electric motors (kW)</u>	420kW (571Ps)
<u>Total horsepower of electric motors (Ps)</u>	571
<u>Total torque of the electric motor (N·m)</u>	710

Business cooperation

Add to desktop

Change of operating entity

Maximum torque of the front motor (N·m)	265
Maximum power of the rear motor (kW)	275
Maximum torque of the rear motor (N·m)	445
Number of drive motors	Dual motors a
Motor layout	Front + Rear a
Battery/Charging	
Battery Type	ternary lithium battery a
Battery cell brands	CATL
Battery pack warranty	8 years or 160,000 kilometers
Battery capacity (kWh)	72.7
Battery energy density (Wh/kg)	-
Battery charging rate	• 5C
Battery charging	Fast charging in 10 minutes
	• fast charging interface
Fast charging port location	Left fuel tank position
slow charging port location	Left fuel tank position
Battery heating system	• Standard configuration
Battery cooling system	• Liquid cooling
Single pedal mode	-
VTOL mobile power station function	• Standard configuration
VTOL maximum external discharge power	3.5kW
VTOV maximum external discharge power	-
gearbox	
Gearbox Description	Electric vehicle single-speed gearbox a
Number of gears	1
Transmission type	Fixed gear ratio gearbox a
Chassis/Steering	

Business cooperation

Add to desktop

Change of operating entity

Four-wheel drive type	Electric four-wheel drive
Front suspension	Double wishbone independent suspension
Rear suspension	Multi-link independent suspension
Steering type	Electronic telemetry assistance
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	Ventilation disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	285/45 R21
Rear tire specifications and dimensions	285/45 R21
Spare tire specifications	-
Spare tire placement method	-
Active safety • Standard configuration ◦ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead

Business cooperation

Add to desktop

Change of operating entity

Active braking	• Standard configuration
Lane change assist	• Standard configuration
Lane Keeping Assist	• Standard configuration
Lane centering	• Standard configuration
Fatigue driving warning	• Standard configuration
Active DMS fatigue detection	• Standard configuration
In-vehicle vital signs detection	• Standard configuration
Road traffic sign recognition	• Standard configuration
Traffic light recognition	• Standard configuration
Night vision system	-
passive safety • Standard configuration ◦ Optional - none	
Front airbags	• Driver's seat
	• Passenger seat
Side airbags	• Front row
	• Back row
Side curtain airbags	• Standard configuration
Front knee airbags	-
Central airbag	• Front row
Rear seat anti-slip airbags	• Standard configuration
Seatbelt reminder	• Standard configuration
Tire pressure monitoring system	• Tire pressure display 
Child car seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration • Standard configuration ◦ Optional - none	
Parking radar	• forward
	• back
Narrow Road Assist	• Standard configuration
	• Reversing camera 
	• Blind spot camera 



Business cooperation



Add to desktop



Change of operating entity

	Transparent Image
Cruise system	- cruise control - Adaptive cruise control - Full-speed adaptive cruise control
Automatic lane change assist	Standard configuration
Automatic exit (entry) from the ramp.	Standard configuration
Navigation-assisted driving	- City Navigator - High-speed navigation
Assisted driving level	Level 2
Automatic parking	Standard configuration
Reverse Tracking	-
Memory Parking	Standard configuration
Automated valet parking	Standard configuration
Automatic parking (AUTOHOLD)	Standard configuration
Hill Start Assist (HAC)	Standard configuration
High-Descent Control (HDC)	Standard configuration
Engine start-stop technology	-
Variable suspension adjustment	Soft and hard + high and low
air suspension	Standard configuration
Air suspension type	Dual-chamber
Electromagnetic induction suspension	-
Magic Carpet Smart Suspension	Standard configuration
Variable steering ratio system	Standard configuration
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-

Business cooperationAdd to desktopChange of operating entity

Overall active steering system	Standard configuration
Unique U-turn technology	-
Driving mode selection	sports
	Off-road
	snow
	Personalization
	ECO/Economy
	Standard Comfort
External configuration Standard configuration Optional - none	
Skylight type	Sectional, non-opening sunroof
Panoramic Sunshade	Standard configuration
Intelligent dimming canopy	-
Roof rack	-
Sport appearance kit	-
Electric spoiler	-
Active grille shutters	Standard configuration
Aluminum alloy wheels	Standard configuration
Side foot pedals	electric10,000 yuan
Frameless design car doors	-
Concealed door handles	-
Drag hook	Optional6000 yuan
Internal configuration Standard configuration Optional - none	
Steering wheel material	Genuine Leather
Steering wheel adjustment	Up and down + front and back
Electric steering wheel adjustment	Standard configuration
Steering wheel functions	Multifunctional control
	memory
	heating
Gear shifting	Electronic shifter
LCD instrument panel style	-

Business cooperation

Add to desktop

Change of operating entity

Comfort/Anti-theft features • Standard configuration ◦ Optional – none	
Electric soft-close door	• Standard configuration
Electric swing/opening doors	◦ Optional
Electric tailgate	• Standard configuration
Sensor-activated tailgate	• Standard configuration
Electric tailgate position memory	• Standard configuration
Engine electronic anti-theft	• Standard configuration
Central locking	• Standard configuration
Remote key type	• Mobile Bluetooth Key
	• NFC/RFID Key
	• UWB Digital Key
Keyless entry	• The whole vehicle
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	–
Head-up display (HUD) system	• Standard configuration
Built-in dashcam	• Standard configuration
Original ETC	• Standard configuration
Active noise cancellation	• Standard configuration
Wireless charging for mobile phones	• First row 50W
110V/220V/230V power socket	• Standard configuration
12V power outlet in luggage compartment	• Standard configuration
Seating configuration • Standard configuration ◦ Optional – none	
Seat material	• Genuine Leather
Leather Seat Style	• Nappa leather
Sporty seats	–
Seating layout	• 2+2+2
Second row individual seats	• Standard configuration

	 Business cooperation  Add to desktop  Change of operating entity
Electric seat adjustment	• Driver's seat • Passenger seat • Second row • Third row power adjustable 
Sinking rear seats fold down	-
Driver's seat overall adjustment	• Move forward and backward • Backrest angle • High and low adjustment
Driver's seat partial adjustment	• headrest • waist • Leg rest
passenger seat overall adjustment	• Move forward and backward • High and low adjustment • Backrest angle
Partial adjustment of the passenger seat	• headrest • waist • Leg rest
Second row seats are fully adjustable.	• Move forward and backward • Backrest angle adjustment
Second-row seats with partial adjustment	• Leg rest
Front seat functions	• heating • ventilation • memory • massage
Second-row seat functions	• heating • memory • ventilation • massage
Third-row seat function	• heating
Boss key	• Standard configuration

		 Business cooperation  Add to desktop  Change of operating entity
	• BACK row	
Rear cup holders	• Standard configuration	
Heated/cooled cup holder	-	
Fold the front seats flat	• Standard configuration	
Rear seat folding ratio	• 50:50	
Rear seats can be folded down electrically.	• Standard configuration	
Second row of small tables	• Standard configuration	
Smart Interconnection • Standard configuration ○ Optional - none		
Central control screen size (inches)	• 29	
Central control screen material	-	
The color screen resolution of the center console	6K	
Satellite navigation system	• Standard configuration	
AR Real-Scene Navigation	-	
Roadside assistance services	• Standard configuration	
Bluetooth/Car Phone	• Standard configuration	
Mobile phone interconnection mapping	• Original factory product	
Connected Vehicles	• Standard configuration	
4G/5G networks	• 5G	
OTA upgrade	• Standard configuration	
Facial recognition	• Standard configuration	
Fingerprint recognition	-	
Voiceprint recognition	• Standard configuration	
Voice recognition control system	• Standard configuration	
Voice wake-up-free function	• Standard configuration	
Voice regional wake-up recognition function	• Six-tone range	
Continuous speech recognition	• Standard configuration	
What is visible can be said	• Standard configuration	
Voice assistant wake word	Ideal classmate	
Gesture control function	• Standard configuration	

Business cooperation

Add to desktop

Change of operating entity

• Standard configuration

◦ Optional

- none

Audio-visual entertainment	
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• Two in the front row • 4 in the back row
USB/Type-C maximum charging power	67W in the front row 67W in the back row
Car TV	-
Rear LCD screen	• Standard configuration
Rear screen size (inches)	• twenty one
Rear entertainment screen resolution (K)	• 4K
Simulated sound waves	-
Audio Brands	-
Number of speakers	• 33
Dolby Atmos	• Standard configuration
Speaker layout	• 9.3.6
Maximum output power of the amplifier (W)	• 5440
Seat speakers (headrest/shoulder area)	• Standard configuration
Sky Channel	• Standard configuration
Rear multimedia control	• Standard configuration
Lighting configuration	• Standard configuration ◦ Optional - none
low beam headlights	• led 
High beams	• led
Daytime running lights	• Standard configuration
Adaptive high and low beam	• Standard configuration
Automatic headlights	• Standard configuration
Turning auxiliary lights	• Standard configuration
Front fog lights	-
Adaptive Front-lighting System (AFS)	-
Headlight height adjustment	• Standard configuration

		Business cooperation	Add to desktop	Change of operating entity
Interior ambient lighting		• Multicolor		
Active ambient lighting		• Standard configuration		
Lighting features		-		
Light projection technology		-		
Headlights delayed shut off		• Standard configuration		
Headlight rain/fog mode		-		
Glass/Rearview Mirror • Standard configuration ○ Optional - none				
Electric windows		• Front row		
		• Back row		
One-touch window operation		• The whole vehicle		
Anti-pinch function for car windows		• Standard configuration		
Exterior rearview mirror function		• Electric adjustment		
		• heating		
		• Electric folding		
		• memory		
		• Automatic tilting when reversing		
		• Automatic folding when locking		
Interior rearview mirror function		• Automatic anti-glare		
		• Streaming		
Car vanity mirror		• Driver's seat + lighting		
		• Passenger seat with lighting		
		• Rear seats with lighting		
Rear privacy glass		• Standard configuration		
Car interior sunshade		• Rear window side sunshade 		
Rain-sensing wipers		• Standard configuration		
Rear wiper		• Standard configuration		
Rear window open		-		
Multi-layer soundproof glass		• Front row + back row		

Business cooperation

Add to desktop

Change of operating entity

Heated water nozzle	-
Air conditioner/refrigerator • Standard configuration ◦ Optional - none	
Air conditioning control methods	• automatic
Rear independent air conditioning	• Standard configuration
Rear air vents	• Standard configuration
Temperature zone control	• Seven-zone air conditioning
Car air purifier	• Standard configuration
In-car PM2.5 filter	• Standard configuration
negative ion generator	• Standard configuration
In-car fragrance device	• Standard configuration
AQS Air Quality Management System	• Standard configuration
Car refrigerator	• Standard configuration
Car refrigerator function	• refrigeration
	• heating
	• freezing
Intelligent configuration	
Assisted driving operating system	• Mach Intelligent Assisted Driving
Assisted driving chip	• Mach M100
	◦ Mach M100*2
Computing power (TOPS) of driver assistance chips	• 1280
	◦ 2560
In-vehicle smart chip	• Qualcomm Snapdragon 8797
Vehicle infotainment system memory (GB)	• 32
	-
Vehicle infotainment system storage (GB)	• 256
Remote control via mobile app	• Vehicle monitoring
	• Remote control
	• Charging Management
	• Service Appointment

Business cooperation

Add to desktop

Change of operating entity

Heat pump management system	Standard configuration
Number of exterior cameras (units)	12
External camera pixels	8 million * 7, 3 million * 4
Number of in-vehicle cameras	3
In-car camera pixels	-
Number of millimeter-wave radars	1
Number of lidar units	1
	4
High-precision map	-
Sentinel (Eyes) Mode	Standard configuration
V2X communication	-

Optional Package

- Standard configuration
- Optional
- none

Customized options	One optional package is available, including exterior, interior, wheels, and brakes.
Mach Embossed Intelligence Kit	Mach M100 chip, two side-facing solid-state variable zoom LiDARs, a rear-facing solid-state variable zoom LiDAR, intelligent tri-color star ring headlights, and full-vehicle capacitive anti-pinch electric doors.
	Optional 30,000 yuan

*The above specifications are for reference only. Please refer to the actual vehicle for details.
[View parameter configuration details >](#)