

search

Q

Year Model

☐ 25 models

☒ 26 models

range

☐ 305km

☒ 405km

Basic Inform...

Body

electric motor

Battery/Char...

gearbox

Chassis/Steer...

Wheels/Brakes

Active safety

passive safety

Assist/Contr...

External conf...

Internal confi...

Comfort/Anti...

Seating confi...

Smart Interc...

Audio-visual ...

Lighting conf...

Glass/Rearvi...

Air condition...

Intelligent co...

Optional Pac...

There is 1 model. ☐ Hide identical parameters ☐ Highlight different parameters		✦ nailed on the left side Seagull 2026 Flying Edition < +Comparison >	
		85,900	Ask for the lowest price
Basic Information			
<u>Official guide price</u>		85,900	
<u>Manufacturers</u>		BYD	
<u>level</u>		small cars	
<u>Energy type</u>		pure electric	
<u>Launch date</u>		2026.05	
<u>electric motor</u>		75 horsepower pure electric	
<u>Pure electric range (km). Ministry of Industry and Information Technology.</u>		405	
<u>Pure electric range (km). CLTC</u>		405	
Charging time		Fast charging in 30 minutes	
<u>Fast charging capacity (%)</u>		30-80	
<u>Maximum power (kW)</u>		55kW (75Ps)	
<u>Maximum torque (N·m)</u>		135	
<u>gearbox</u>		Electric vehicle single-speed gearbox	
<u>Length x Width x Height (mm)</u>		3780x1715x1540	
<u>Body structure</u>		5-door, 4-seater hatchback	
Maximum speed (km/h)		130	
<u>Official 0-50 km/h acceleration time (s)</u>		4.9	
<u>Official 0-100 km/h acceleration time (s)</u>		-	

Business cooperation

Add to desktop

Change of operating entity

(kWh/100km).	
Vehicle warranty period	6 years or 150,000 kilometers
Estimated total maintenance cost for 60,000 kilometers	-
Body	
Length (mm).	3780
Width (mm).	1715
Height (mm).	1540
Wheelbase (mm).	2500
Front track width (mm).	1500
Rear track width (mm).	1500
Minimum ground clearance (mm).	-
Body structure	hatchback
Number of car doors	5
Car door opening method	Hinged door
Number of seats	4
Curb weight (kg).	1240
Full load mass (kg).	1540
Luggage compartment volume (L).	930
Minimum turning radius	4.95m
electric motor	
Electric motor description	75 horsepower pure electric
Motor type	Permanent magnet/synchronous
Total power of electric motors (kW).	55kW (75Ps)
Total horsepower of electric motors (Ps).	75
Total torque of the electric motor (N·m).	135
Maximum power of the front motor (kW).	55
Maximum torque of the front motor (N·m).	135

Business cooperation

Add to desktop

Change of operating entity

Motor layout	Front
Battery/Charging	
Battery Type	Lithium iron phosphate batteries
Battery Featured Technology	Blade Battery
Battery cell brands	Freddie
Battery pack warranty	Lifetime warranty for the first owner (exclusions are subject to official terms).
Battery capacity (kWh)	38.88
Battery energy density (Wh/kg)	-
Battery charging rate	-
Battery charging	Fast charging in 30 minutes
	• fast charging interface
Maximum fast charging power (kW)	40
Fast charging port location	right fender
slow charging port location	right fender
Battery heating system	• Standard configuration
Battery cooling system	• Liquid cooling
Single pedal mode	-
VTOL mobile power station function	• Standard configuration
VTOL maximum external discharge power	-
VTOV maximum external discharge power	-
gearbox	
Gearbox Description	Electric vehicle single-speed gearbox
Number of gears	1
Transmission type	Fixed gear ratio gearbox
Chassis/Steering	
driving method	Front-engine, front-wheel drive

Business cooperation

Add to desktop

Change of operating entity

Rear suspension	Trailing arm torsion beam non-independent suspension
Steering type	Electric Assist
Vehicle body structure	Load-bearing
Wheels/Brakes	
Front brake type	Ventilation disc
Rear brake type	solid disc
Parking brake type	Electronic parking brake
Front tire specifications and dimensions	175/55 R16
Rear tire specifications and dimensions	175/55 R16
Spare tire specifications	-
Active safety • Standard configuration ◦ Optional - none	
ABS anti-lock braking system	• Standard configuration
Brakeforce Distribution (EBD/CBC, etc.)	• Standard configuration
Brake assist (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Vehicle stability system (ESP/DSC, etc.)	• Standard configuration
Active safety early warning system	• Lane departure warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Rear Cross Traffic Alert
	• DOW Door Opening Warning
	• Traffic crossing warning ahead
	• Braking for traffic ahead
Active braking	• Standard configuration
Lane change assist	• Standard configuration
Lane Keeping Assist	• Standard configuration
Lane centering	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

Active DMS fatigue detection	• Standard configuration
In-vehicle vital signs detection	-
Road traffic sign recognition	• Standard configuration
Traffic light recognition	◦ Optional
Night vision system	-
passive safety • Standard configuration ◦ Optional - none	
Front airbags	• Driver's seat
	• Passenger seat
Side airbags	• Front row
Side curtain airbags	• Standard configuration
Front knee airbags	-
Central airbag	-
Seatbelt reminder	• Standard configuration
Tire pressure monitoring system	• Tire pressure display
Child car seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-
Assist/Control Configuration • Standard configuration ◦ Optional - none	
Parking radar	• forward
	• back
Narrow Road Assist	• Standard configuration
Driving assistance imaging	• Reversing camera
	• 360° panoramic imaging
	• Transparent Image
Cruise system	• cruise control
	• Adaptive cruise control
	• Full-speed adaptive cruise control
Automatic lane change assist	• Standard configuration
Automatic exit (entry) from the ramp.	• Standard configuration

Business cooperation

Add to desktop

Change of operating entity

City Navigator

Assisted driving level	• Level 2
Automatic parking	• Standard configuration
Reverse Tracking	-
Memory Parking	-
Automated valet parking	• Standard configuration
Automatic parking (AUTOHOLD)	• Standard configuration
Hill Start Assist (HAC)	• Standard configuration
High-Descent Control (HDC)	-
Variable suspension adjustment	-
air suspension	-
Air suspension type	-
Electromagnetic induction suspension	-
Variable steering ratio system	-
Front axle limited slip system	-
Rear axle limited slip system	-
Central differential lock function	-
Overall active steering system	-
Unique U-turn technology	-
Driving mode selection	• sports
	• snow
	• ECO/Economy
	• Standard Comfort
External configuration • Standard configuration City Navigator Optional - none	
Skylight type	-
Intelligent dimming canopy	-
Roof rack	-
Sport appearance kit	-
Electric spoiler	-

Business cooperation

Add to desktop

Change of operating entity

Aluminum alloy wheels	• Standard configuration
Frameless design car doors	-
Concealed door handles	-
Drag hook	-

Internal configuration

• Standard configuration

◦ Optional

- none

Steering wheel material	- • leather
Steering wheel adjustment	Up and down + front and back •
Electric steering wheel adjustment	-
Steering wheel functions	• Multifunctional control
Gear shifting	• Electronic shifter
LCD instrument panel style	• Full LCD
LCD instrument panel dimensions (inches)	- • 8.8

Comfort/Anti-theft features

• Standard configuration

◦ Optional

- none

Electric soft-close door	-
Electric tailgate	-
Sensor-activated tailgate	-
Electric tailgate position memory	-
Central locking	• Standard configuration
Remote key type	• Smart remote key • Mobile Bluetooth Key • NFC/RFID Key
Keyless entry	• Driver's seat
Keyless start	• Standard configuration
Remote Start	• Standard configuration
Remote-controlled moving vehicle	• Standard configuration
Vehicle summoning function	-
Head-up display (HUD) system	-
Built-in dashcam	• Standard configuration

Business cooperationAdd to desktopChange of operating entity

Active noise cancellation	-
Wireless charging for mobile phones	First row 50W
110V/220V/230V power socket	-
12V power outlet in luggage compartment	-

Seating configuration

- Standard configuration
- Optional
- none

Seat material	imitation leather
Sporty seats	-
Second row individual seats	-
Electric seat adjustment	Driver's seat
Sinking rear seats fold down	-
Driver's seat overall adjustment	Move forward and backward
	Backrest angle
	High and low adjustment
Driver's seat partial adjustment	headrest
passenger seat overall adjustment	Move forward and backward
	Backrest angle
Partial adjustment of the passenger seat	headrest
Second row seats are fully adjustable.	-
Second-row seats with partial adjustment	-
Front seat functions	heating
Second-row seat functions	-
Boss key	-
Front/rear armrests	Front row
Rear cup holders	-
Heated/cooled cup holder	-
Rear seat folding ratio	Complete row of rows
Second row of small tables	-

Smart Interconnection

- Standard configuration
- Optional
- none

Business cooperation

Add to desktop

Change of operating entity

Central control screen material	-
Satellite navigation system	• Standard configuration
AR Real-Scene Navigation	-
Roadside assistance services	-
Bluetooth/Car Phone	• Standard configuration
Mobile phone interconnection mapping	-
Connected Vehicles	• Standard configuration
4G/5G networks	-
	• 5G
OTA upgrade	• Standard configuration
Facial recognition	• Standard configuration
Fingerprint recognition	-
Voiceprint recognition	-
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration
Voice regional wake-up recognition function	• Dual register
Continuous speech recognition	• Standard configuration
What is visible can be said	• Standard configuration
Voice assistant wake word	Hello Xiaodi
Gesture control function	-
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - none
Multi-finger swipe control	-
App Store	• Standard configuration
Number of USB/Type-C ports	• Two in the front row
USB/Type-C maximum charging power	60W in the front row
Car TV	-
Rear LCD screen	-
Simulated sound waves	-

	Business cooperation	Add to desktop	Change of operating entity
Number of speakers	• 4		
Rear multimedia control	-		
Lighting configuration • Standard configuration ◦ Optional - none			
low beam headlights	• led		
High beams	• led		
Daytime running lights	• Standard configuration		
Adaptive high and low beam	• Standard configuration		
Automatic headlights	• Standard configuration		
Turning auxiliary lights	-		
Front fog lights	-		
Adaptive Front-lighting System (AFS)	-		
Headlight height adjustment	• Standard configuration		
Headlight washing function	-		
Interior ambient lighting	-		
Active ambient lighting	-		
Lighting features	-		
Light projection technology	-		
Headlights delayed shut off	• Standard configuration		
Headlight rain/fog mode	-		
Glass/Rearview Mirror • Standard configuration ◦ Optional - none			
Electric windows	• Front row		
	• Back row		
One-touch window operation	• The whole vehicle		
Anti-pinch function for car windows	• Standard configuration		
Exterior rearview mirror function	• Electric adjustment		
	• heating		
	-		
	-		
Interior rearview mirror function	-		
	• Driver's seat + lighting		

Business cooperation

Add to desktop

Change of operating entity

Rear privacy glass	-
Car interior sunshade	-
Rain-sensing wipers	-
Rear wiper	-
Multi-layer soundproof glass	-
Electric windshield heating	-
Heated water nozzle	-

Air conditioner/refrigerator

• Standard configuration

◦ Optional

- none

Air conditioning control methods	• automatic
Rear independent air conditioning	-
Rear air vents	-
Temperature zone control	-
Car air purifier	-
In-car PM2.5 filter	-
negative ion generator	-
In-car fragrance device	-
AQS Air Quality Management System	-
Car refrigerator	-
Car refrigerator function	-

Intelligent configuration

Assisted driving operating system	• DiPilot 100
Assisted driving chip	• NVIDIA DRIVE Orin N ◦ NVIDIA DRIVE Orin X
Computing power (TOPS) of driver assistance chips	• 84 ◦ 254
In-vehicle intelligent system	• DiLink
Remote control via mobile app	• Digital Key • Vehicle monitoring • Remote control • Charging Management

Business cooperation

Add to desktop

Change of operating entity

Heat pump management system	-
Number of exterior cameras (units)	• 11
External camera pixels	• 8 million * 3
Number of in-vehicle cameras	• 1
In-car camera pixels	-
Number of ultrasonic radars (units)	• 12
Number of millimeter-wave radars	• 3
Number of lidar units	◦ 1
High-precision map	-
Sentinel (Eyes) Mode	• Standard configuration
V2X communication	-
Optional Package • Standard configuration ◦ Optional - none	
Customized options	One optional package is available, including exterior, interior, wheels, and brakes.

*The above specifications are for reference only. Please refer to the actual vehicle for details.
[View parameter configuration details >](#)