

Guangzhou

Search

Business cooperation

Small program

Download the App

Release works

Log in

Search

Q

Year

☐ 25 styles

☒ 26 styles

Range

☐ 138 kilometers

☐ 146 kilometers

Driving form

☐ Two-wheel drive

☐ Fo

Basic inform...

Body

Engine

Electric motor

Battery/Cha...

Gearbox

Chassis/ste...

Wheel/brake

Active safety

Passive safety

Auxiliary/co...

External con...

Internal con...

Comfortable...

Seat config...

Intelligent in...

Audio-visual...

Lighting con...

Glass / Rear...

Air conditio...

Intelligent c...

A total of 1 model

☐ Hide the same parameters

☐ Highlight different parameters

Dark Blue G318 2026

Worry-free Time Trave...

<

+ Comparison

>

Nailed on the left side

17.99万

Inquire about the reserve price

Basic information

Official guide price	18.59万
Manufacturer	Dark blue car
Level	Medium and large SUV
Types of energy	Add programs
Listing time	2026.03
Electric motor	Add program 430 horsepower
Pure electric range (km). Ministry of Industry and Information Technology	138
Pure electric range (km). WLTC	138
Pure electric range (km). CLTC	186
Charging time (hours)	Fast charging 0.25 hours Slow charging 5 hours
Fast charging volume (%)	30-80
Maximum power (kW)	316 (430Ps)
Maximum torque (N·m)	572
Gearbox	Single-speed gearbox for electric vehicles
Length x width x height (mm).	5125x2025x1895
Body structure	5-door 5-seat SUV
Maximum speed (km/h)	185
Official 100-kilometer acceleration time(s)	5.9
WLTC comprehensive fuel consumption (L/100km).	1.69

https://www.dongchedi.com/auto/params-carlds-x-9211

Page 1 of 14

Power consumption per 100 kilometers (kWh/100km).	22.8
Electric energy ealess fuel consumption (L/100km).	2.65
Fuel consumption in the lowest charge state (L/100km) CLTC	7
Fuel consumption in the lowest charge state (L/100km) WLTC	7.7
The warranty period of the whole vehicle	3 years or 120,000 kilometers
Body	
Length (mm).	5125
Width (mm).	2025
High (mm).	1895
Wheelbase (mm).	2880
Front wheelbase (mm).	1730
Rear wheelbase (mm).	1727
Minimum ground clearance (mm).	210
Body structure	SUVs
Number of car doors (pieces).	5
How to open the car door	Open the door 
Number of seats (s).	5
Preparation mass (kg).	2452
Full load mass (kg).	2892
Fuel tank volume (L).	60.0
Luggage compartment volume (L).	818-1747
Minimum turning radius	5.6 meters
Wind resistance coefficient (Cd).	0.35
Engine	
Engine model	JL469ZQ1
Displacement (mL).	1497
Displacement (L)	1.5
Air intake form	Turbocharge 
Engine layout form	Horizontally
Cylinder arrangement pattern	L 

Number of cylinders (pieces)	four
Number of valves per cylinder (pcs)	four
Compression ratio	-
Gas distribution mechanism	DOHC. a
Maximum horsepower (Ps)	150
Maximum power (kW)	110
Maximum net power (kW)	105
Maximum power speed (rpm)	5000
Maximum torque (N·m)	220
Maximum torque speed (rpm)	3200-4200
Specific technology of engine	-
Fuel form	Add programs a
Fuel label	ninety-two# a
Oil supply method	Direct injection in the cylinder a
Cylinder head material	Aluminum alloy
Cylinder block material	Aluminum alloy
Environmental protection standards	Country VI a
Electric motor	
Description of the electric motor	Add program 430 horsepower
Motor type	Front AC/Asynchronous Rear Permanent Magnet/Synchronization
Total power of the motor (kW)	316
Total horsepower of electric motor (Ps)	430
Total torque of motor (N·m)	572
The maximum power of the front motor (kW)	131
The maximum torque of the front motor (N·m)	262
The maximum power of the rear motor (kW)	185
The maximum torque of the rear motor (N·m)	310

System comprehensive power (kW).	316
System comprehensive torque (N·m).	572
Number of driving motors	Dual motor 
Motor layout	Front + rear 
Battery/Charging	
Battery type	Lithium iron phosphate battery 
Battery special technology	Golden bell cover battery
Cell brand	China Innovation Airlines
Battery pack warranty	Lifetime warranty for the first car owner (the terms of liability exemption shall be subject to the official)
Battery capacity (kWh).	35.07
Battery energy density (Wh/kg).	120.0
Battery charging magnification	• three C
Battery charging	Fast charging 0.25 hours Slow charging 5 hours
	• Fast charging interface
Maximum fast charging power (kw)	106
Position of fast charging interface	Right fuel tank position
Position of slow charging interface	Right fuel tank position
Battery temperature management system	• Low-temperature heating
	• Liquid cooling
Single pedal mode	-
VTOL mobile power station function	• Standard configuration
The maximum external discharge power of VTOL	6 kilowatts
The maximum external discharge power of VTOV	18 kilowatts
Gearbox	
Description of gearbox	Single-speed gearbox for electric vehicles 
Number of gears	1
Gearbox type	Fixed gear ratio gearbox 

Chassis/steering	
Driving mode	Dual motor four-wheel drive
Four-wheel drive type	Electric four-wheel drive 
Front suspension form	Double fork arm independent suspension 
Rear suspension form	Multi-link independent suspension 
Steering type	Electric power assistance 
Car body structure	Load-bearing 
Wheel/brake	
Types of front brake	Ventilated disc type 
Types of rear brake	Ventilated disc type
Parking Brake Type	Electronic parking 
Specifications and dimensions of the front tire	255/65 R18
Specifications and sizes of rear tires	255/65 R18
Spare tire specifications	• Full size 
How to place the spare tire	• Back-bearing
Active safety • Standard configuration ◦ Optional – Nothing	
ABS anti-dead	• Standard configuration
Bracting force distribution (EBD/CBC, etc.)	• Standard configuration
Brake assistance (EBA/BA, etc.)	• Standard configuration
Traction control (TCS/ASR, etc.)	• Standard configuration
Body stability system (ESP/DSC, etc.)	• Standard configuration
Active security early warning system	• Lane departure warning 
	• Forward collision warning 
	• Rear collision warning 
	• Warning on the side of the reverse car 
	• DOW opening warning 
	• Traffic crossing warning ahead 
	• Traffic ahead through the brake 

Active braking	• Standard configuration
Parallel auxiliary	• Standard configuration
Lane maintenance auxiliary system	• Standard configuration
Keep the lane in the middle	• Standard configuration
Tips for fatigue driving	-
Active DMS fatigue detection	-
In-car vital sign detection	-
Road traffic sign identification	• Standard configuration
Signal light identification	-
Night vision system	-

Passive safety

- Standard configuration
- Optional
- Nothing

Front airbag	• Main driver's seat
	• Co-driver's seat
Side airbag	• Front row
	• Back row
Side safety air curtain	• Standard configuration
Front knee airbag	-
Central airbag	-
reminder of the unfastened seat belt	• Standard configuration
Tire pressure monitoring system	• Tire pressure display 
Child seat interface (ISOFIX)	• Standard configuration
Passive pedestrian protection	-
Safety tires	-

Auxiliary/control configuration

- Standard configuration
- Optional
- Nothing

Parking radar	• Before
	• After
Reminder of the car in front of you to leave	• Standard configuration
Driving auxiliary image	• Reverse video 
	• 360° panoramic image 
	• Transparent image

Cruise system	• Cruise at constant speed 
	• Adaptive cruise 
	• Full-speed adaptive cruise 
Automatic lane change assistance	• Standard configuration
The ramp automatically drives out (in)	-
Navigation-assisted driving	-
Assisted driving level	• L2 level 
Automatic parking	• Standard configuration
Follow the trail and reverse	• Standard configuration
Memory parking	-
Automatic parking (AUTOHOLD)	• Standard configuration
Uphill assistance (HAC)	• Standard configuration
Steep slope slow descent (HDC)	• Standard configuration
Engine start and stop technique	-
Variable suspension adjustment	-
Air suspension	-
Air suspension type	-
Electromagnetic induction suspension	-
Magic carpet intelligent hanging	-
Variable steering ratio system	-
Front bridge limited slip mode	-
Rear axle limited slip mode	-
Center diff lock function	-
Low-speed four-wheel drive	-
Overall Active Steering System	-
Special U-te turn technology	• Standard configuration
creeping mode	• Standard configuration

Driving mode selection	• Exercise
	• Cross-country
	• Snowy
	• Personalization
	• ECO/Economy
	• Standard comfort
Braking energy recovery system	• Standard configuration
Comfortable braking	• Standard configuration
Low-speed driving warning sound	• Standard configuration
Wading induction system	• Standard configuration
External configuration • Standard configuration ◦ Optional - Nothing	
Type of skylight	• The panoramic sunroof can be opened.
Intelligent dimming canopy	-
Roof rack	• Standard configuration
Sports appearance suites	-
Electric spoiler	-
Active closed air intake grille	-
Aluminum alloy wheel hub	• Standard configuration
Side pedals	• fixed
Frameless design door	-
Hidden door handle	• Standard configuration
Drag hook	-
Internal configuration • Standard configuration ◦ Optional - Nothing	
Material of steering wheel	• cortex
Steering wheel adjustment	• Up and down + front and back
Electric adjustment of steering wheel	-
Steering wheel function	• Multi-function control
	-
Gear shift form	• Electronic handlebar
LCD instrument style	• Full liquid crystal
LCD instrument size (inches)	• 10.25
Comfortable/anti-theft configuration • Standard configuration ◦ Optional - Nothing	
Electric suction door	-

Electric suction tailgate	-
Electric rear door	-
Induction rear door	-
Electric rear door position memory	-
Anti-theft electronic engine	• Standard configuration
Central control lock in the car	• Standard configuration
Remote control key type	◦ Smart remote control key  399 yuan
	• Mobile phone Bluetooth key
	• NFC/RFID key
Keyless entry	• The whole car
Keyless start	• Standard configuration
Remote start	• Standard configuration
Remote control mobile vehicle	• Standard configuration
Vehicle summoning function	-
Head-up display system (HUD)	-
Built-in driving recorder	• Standard configuration
Active noise reduction	• Standard configuration
Wireless charging of mobile phones	• Standard configuration
The maximum power of wireless charging of mobile phones (W)	50
110V/220V/230V power socket	• Standard configuration
Luggage cabin 12V power supply interface	-

Seat configuration • Standard configuration ◦ Optional - Nothing

Seat material	• Leather/fur
Sports style seat	-
Seat layout	• two plus three
The second row of independent seats	-
The third row of seats	-
Seat electric adjustment	• Main driver's seat
	• Co-driver's seat

Folding of the sunken rear seat	-
The overall adjustment of the main driver's seat	• Move back and forth
	• Backrest angle
	• High and low adjustment
Partial adjustment of the main driver's seat	• Headrest
	-
Overall adjustment of the co-driver's seat	• Move back and forth
	• High and low adjustment
	• Backrest angle
Partial adjustment of the co-driver's seat	• Headrest
	-
	• Leg support
Overall adjustment of the second row of seats	• Backrest angle adjustment
Partial adjustment of the second row of seats	-
Front seat function	• Heating
	• Ventilation
	-
	-
The function of the second row of seats	-
	-
	-
Third-row seat function	-
Boss key	• Standard configuration
Front/rear armrest	• Front row
	• Back row
Rear cup holder	• Standard configuration
Heated/coolable cup holder	-
The proportion of rear seats being folded down	• 40:60
Rear seat electric down	-
The second row of small table boards	-
Intelligent interconnection	• Standard configuration ◦ Optional - Nothing
Central control screen size (inch)	• 14.6
Central control screen material	-

Color screen resolution of the central console	1920x1080
Satellite navigation system	• Standard configuration
AR real-time navigation	-
Navigation road condition information display	• Standard configuration
Map brand	• Gao De
Road rescue service	• Standard configuration
Bluetooth / car phone	• Standard configuration
Mobile phone interconnection mapping	• Original factory and original machine
	• CarPlay 
	• HUAWEI HiCar
	• carlink
Internet of Vehicles	• Standard configuration
4G/5G network	• 4G
OTA upgrade	• Standard configuration
Facial recognition	-
Fingerprint identification	-
Voice pattern recognition	-
Emotional recognition	-
Voice recognition control system	• Standard configuration
Voice wake-up-free function	• Standard configuration
Voice sub-area wake-up recognition function	• Main driver
	• Co-pilot
	• The second row
Continuous voice recognition	• Standard configuration
You can say it if you can see it.	• Standard configuration
Voice assistant wake-up words	You are so deep blue.
Gesture control function	-
Wi-Fi hotspot	• Standard configuration
Audio-visual entertainment	• Standard configuration ◦ Optional - Nothing
Multi-finger flying screen control	• Standard configuration
App Store	• Standard configuration

Multimedia interface	• SD card slot
	• USB/Type-C
Number of USB/Type-C interfaces	• 1 in the front row
	• 2 in the back row
USB/Type-C maximum charging power	Front row 18W
	Rear row 18W
Car TV	-
Rear LCD screen	-
Simulated sound waves	-
K-song function	• Standard configuration
Audio brand	-
Number of speakers (pieces)	• 8
Rear-row multimedia control	-
Lighting configuration • Standard configuration ◦ Optional - Nothing	
Loom light	• LED 
high beam	• LED
Daytime running lights	-
Adaptive far and near beam	• Standard configuration
Automatic headlights	• Standard configuration
Turn the auxiliary light	-
Front fog light	-
Headlight steering (AFS)	-
Headlight height adjustment	• Standard configuration
Headlight cleaning function	-
In-car ambient light	-
Active ambient light	-
Lighting features	-
Light projection technology	-
Headlights delay in switching off	• Standard configuration
Rain and fog mode of the headlight	-
Glass / Rearview mirror • Standard configuration ◦ Optional - Nothing	

Electric window	• Front row
	• Back row
One-button lifting of the car window	• The whole car
The anti-pinch function on car windows	• Standard configuration
Exterior rearview mirror function	• Electric adjustment
	• Heating
	• Electric folding
	-
	• Reverse the car and turn down automatically
Internal rearview mirror function	• Automatic folding of the lock car
	-
In-car makeup mirror	• Main driver's seat + lighting
	• Co-driver's seat + with lighting
Rear privacy glass	-
Sunshade in the car	-
Rain-sensitive wiper	• Standard configuration
Rear wiper	• Standard configuration
Open the rear window glass	-
Multi-layer soundproof glass	• Front row
Front windshield electric heating	-
Heatable water nozzle	-
Air conditioner/refrigerator • Standard configuration ◦ Optional - Nothing	
Air conditioning control mode	• Automatic
Independent rear air conditioning	-
Rear exhaust outlet	• Standard configuration
Temperature Zone Control	-
Car air purifier	-
PM2.5 filter device in the car	• Standard configuration
Negative ion generator	-
In-car fragrance device	-

AQS Air Quality Management System	-
Car refrigerator	-
Function of in-car refrigerator	-
Intelligent configuration	
Assisted driving operating system	• Deepal AD PRO Deep Blue Driving Assist
In-vehicle intelligent system	• Deepal OS
Remote control of mobile phone App	• Digital key
	• Vehicle monitoring
	• Remote control
	• Charging management
	• Service appointment
Heat pump management system	-
Number of external cameras (ea)	• 5
External camera pixels	• 8 million*1,1 million*4
In-car camera pixels	-
Number of ultrasonic radars (pieces)	• 14
Number of millimeter-wave radars (pieces)	• 5
Yami-level high-fine positioning system	-
High-precision map	-
Sentry (Clairvoyant) Mode	• Standard configuration
V2X communication	-
Optional package • Standard configuration ◦ Optional - Nothing	
Customized optional	Optional appearance, interior, hub, brake
Outdoor kit	
	-

* The above parameter configuration is for reference only. Please check the parameter configuration details based on the actual car. >